Index of Authors and Titles

Abraham, J. A. *See* Das, S. K.

Adler, P. N. *See* Krasnow, R. E.

Affolter, M., Montagne, J., Walldorf, U., Groppe, J., Kloter, U., LaRosa, M. and Gehring, W. J. The *Drosophila* SRF homolog is expressed in a subset of tracheal cells and maps within a genomic region required for tracheal development **120**, 743

Affolter, M., Nellen, D., Nussbaumer, U. and Basler, K. Multiple requirements for the receptor serine/threonine kinase *thick veins* reveal novel functions of TGFβ homologs during *Drosophila* embryogenesis **120**, 3105

Aguzzi, A. *See* Gunther, T.

Ahn, A. H., Dziennis, S., Hawkes, R. and Herrup, R. The cloning of zebrin II reveals its identity with aldolase C **120**, 2081

Akam, M. *See* Castelli-Gair, J.

Akam, M. *See* Dawes, R.

Albano, R. M., Arkell, R., Beddington, R. S. P. and Smith, J. C. Expression of inhibin subunits and follistatin during postimplantation mouse development: decidual expression of activin and expression of follistatin in primitive streak, somites and hindbrain **120**, 803

Albelda, S. M. *See* Baldwin, H. S.

Albertson, D. G. *See* Hodgkin, J.

Alderton, J. M. *See* Sater, A. K.

Alexandre, E. *See* de Zulueta, P.

Allen, N. D. *See* Feil, R.

Allen, N. D., Barton, S. C., Hilton, K., Norris, M. L. and Surani, M. A. A functional analysis of imprinting in parthenogenetic embryonic stem cells **120**, 1473

Alonso, J. L. *See* Capdevila, J.

Alonso, M. C. *See* Cabrera, C. V.

Anderson, D. *See* Ferreiro, B.

Anderson, K. V. *See* Schneider, D. S.

Andersson, S. *See* Campbell, G.

Andrews, G. K. *See* Das, S. K.

Ang, S.-L., Conlon, R. A., Jin, O. and Rossant, J. Positive and negative signals from mesoderm regulate the expression of mouse *Otx2* in ectoderm explants **120**, 2979

Aponte, G. W. *See* Upchurch, B. H.

Arkell, R. *See* Albano, R. M.

Arnold, H.-H. *See* Bober, E.

Arnold, H.-H. *See* Braun, T.

Artavanis-Tsakonas, S. *See* Diederich, R. J.

Artavanis-Tsakonas, S. *See* Fehon, R. G.

Ashburner, M. and Drysdale, R. FlyBase - The *Drosophila* genetic database **120**, 2077

Ashley, J. A. and Katz, F. N. Competition and position-dependent targeting in the development of the *Drosophila* R7 visual projections **120**, 1537

Attai, S. F. *See* Langeland, J. A.

Auerbach, A. B. *See* Wurst, W.

Austin, J. and Kenyon, C. Cell contact regulates neuroblast formation in the *Caenorhabditis elegans* lateral epidermis **120**, 313

Avner, O. *See* Eyal-Giladi, H.

Axel, R. *See* Nye, J. S.

Ayabe, T. *See* Moore, G. D.

Aziz, A. *See* Tepass, U.

Baarends, W. M., van Helmond, M. J. L., Post, M., van der Schoot, P. J. C. M., Hoogerbrugge, J. W., de Winter, J. P., Uilenbroek, J. Th. J., Karels, B., Wilming, L. G., Meijers, J. H. C., Themmen, A. P. N. and Grootegoed, J. A. A novel member of the transmembrane serine/threonine kinase receptor family is specifically expressed in the gonads and in mesenchymal cells adjacent to the müllerian duct **120**, 189

Babinet, C. *See* Renard, J.-P.

Bachmair, A. *See* Detterbeck, S.

Bader, D. *See* Yutzey, K. E.

Bailey, K. *See* Herzog, K.-H.

Baldacci, P. *See* Renard, J.-P.

Baldwin, H. S., Shen, H. M., Yan, H.-C., DeLisser, H. M., Chung, A., Mickanin, C., Trask, T., Kirschbaum, N. E. , Newman, P. J., Albelda, S. M. and Buck, C. Platelet endothelial cell adhesion molecule-1 (PECAM-1/CD31): alternatively spliced, functionally distinct isoforms expressed during mammalian cardiovascular development **120**, 2539

Balling, R. *See* Bober, E.

Balling, R. *See* Timmons, P. M.

Balling, R. *See* Wallin, J.

Bally-Cuif, L. and Wassef, M. Ectopic induction and reorganization of *Wnt-1* expression in quail/chick chimeras **120**, 3379

Banerjee, U. *See* Kolodkin, A. L.

Banks, J. A. Sex-determining genes in the homosporous fern *Ceratopteris* **120**, 1949

Barde, Y.-A. *See* Gaese, F.

Barde, Y.-A. *See* Herzog, K.-H.

Barlow, D. P. *See* Labosky, P. A.

Baron, A. *See* Zhang, M.

Barondes, S. H. *See* Mahanthappa, N. K.

Barres, B. A., Lazar, M. A. and Raff, M. C. A novel role for thyroid hormone, glucocorticoids and retinoic acid in timing oligodendrocyte development **120**, 1097

Barsh, G. S. *See* Duhl, D. M. J.

Barth, K. S. *See* Conlon, F. L.

Bartlett, P. F. *See* Murphy, M.

Barton, S. C. *See* Allen, N. D.

Basilico, C. *See* Rappolee, D. A.

Basler, K. *See* Affolter, M.

Bauer, D. V., Huang, S. and Moody, S. A. The cleavage stage origin of Spemann's Organizer: analysis of the movements of blastomere clones before and during gastrulation in *Xenopus* **120**, 1179

Baumgartner, S. *See* Tucker, R. P.

Beachy, P. A. *See* Chang, D. T.

Beachy, P. A. *See* Chiang, C.

Beddington, R. S. P. Induction of a second neural axis by the mouse node **120**, 613

Beddington, R. S. P. *See* Albano, R. M.

Bedian, V. *See* Emery, I. F.

Bellen, H. *See* Eldon, E.

Bennett, M. *See* Theisen, H.

Benzer, S. *See* Mozer, B. A.

Bertwistle, D. *See* Walmsley, M. E.

Beuchle, D. *See* Schulte-Merker, S.

Bhakoo, K. *See* Mayer, M.

Bhat, K. M. and Schedl, P. The *Drosophila miti-mere* gene, a member of the POU family, is required for the specification of the RP2/sibling lineage during neurogenesis **120**, 1483

Bhattacharyya, A., Brackenbury, R. and Ratner, N. Axons arrest the migration of Schwann cell precursors **120**, 1411

Bichler, G. and Weijer, C. J. A *Dictyostelium* anterior-like cell mutant reveals sequential steps in the prespore prestalk differentiation pathway **120**, 2857

Bier, E. *See* Fristrom, D.

Bier, E. *See* Ip, Y. T.

Bier, E. *See* Noll, R.

Bier, E. *See* Sturtevant, M. A.

Birgbauer, E. and Fraser, S. E. Violation of cell lineage restriction compartments in the chick hindbrain **120**, 1347

Bishop, S. A. *See* Couso, J. P.

Blackburn, T. *See* Hoshizaki, D. K.

Blair, S. S., Brower, D. L., Thomas, J. B. and Zavortink, M. The role of *apterous* in the control of dorsoventral compartmentalization and PS integrin gene expression in the developing wing of *Drosophila* **120**, 1805

Bober, E. *See* Braun, T.

Bober, E., Brand-Saberi, B., Ebensperger, C., Wilting, J., Balling, R., Paterson, B. M., Arnold, H.-H. and Christ, B. Initial steps of

myogenesis in somites are independent of influence from axial structures **120**, 3073
Bober, E., Franz, T., Arnold, H.-H., Gruss, P. and Tremblay, P. *Pax-3* is required for the development of limb muscles: a possible role for the migration of dermomyotomal muscle progenitor cells **120**, 603
Boffa, M. B. *See* White, J. A.
Boise, L. H. *See* Gonzalez-Garcia, M.
Bopp, R. *See* Ran, B.
Bosch, T. C. G. *See* Weinziger, R.
Bossie, C. A. *See* Finelli, A. L.
Bossing, T. and Technau, G. M. The fate of the CNS midline progenitors in *Drosophila* as revealed by a new method for single cell labelling **120**, 1895
Bossy, B. *See* Delannet, M.
Boswell, R. E. *See* Newmark, P. A.
Botas, J. *See* Eldon, E.
Bottjer, S. W. *See* Johnson, F.
Bouche, M. *See* Cusella-De Angelis, M. G.
Boutin, E. *See* Pavlova, A.
Bowerman, B. *See* Mango, S. E.
Brackenbury, R. *See* Bhattacharyya, A.
Braisted, J. E., Essman, T. F. and Raymond, P. A. Selective regeneration of photoreceptors in goldfish retina **120**, 2409
Brand, M. *See* Vaessin, H.
Brand-Saberi, B. *See* Bober, E.
Braun, T., Bober, E., Rudnicki, M. A., Jaenisch, R. and Arnold, H.-H. MyoD expression marks the onset of skeletal myogenesis in *Myf-5* mutant mice **120**, 3083
Bravo, R. *See* Carrasco, D.
Bray, S. *See* Jennings, B.
Bréant, C. *See* Marcelle, C.
Brickell, P. M. *See* Francis, P. H.
Brinster, R. L. *See* Zambrowicz, B. P.
Broadie, K. *See* Hoch, M.
Brockes, J. P. *See* Pecorino, L. T.
Bronner-Fraser, M. *See* Sechrist, J.
Bronner-Fraser, M. *See* Serbedzija, G. N.
Brower, D. L. *See* Blair, S. S.
Brower, D. L. *See* Fogerty, F. J.
Brown, N. H. Null mutations in the α_{PS2} and β_{PS} integrin subunit genes have distinct phenotypes **120**, 1221
Brownlee, C. *See* Roberts, S. K.
Bruce, A. E. E. *See* Nardelli-Haefliger, D.
Bruning, G. *See* Kurtz, A.
Buchman, V. L., Sporn, M. and Davies, A. M. Role of transforming growth factor-beta isoforms in regulating the expression of nerve growth factor and neurotrophin-3 mRNA levels in embryonic cutaneous cells at different stages of development **120**, 1621
Buck, C. A. *See* Baldwin, H. S.
Budnik, V. *See* Gorczyca, M. G.
Buffinger, N. and Stockdale, F. E. Myogenic specification in somites: induction by axial structures **120**, 1443
Buj-Bello, A., Pinon, L. G. P. and Davies, A. M. The survival of NGF-dependent but not BDNF-dependent cranial sensory neurons is promoted by several different neurotrophins early in their development **120**, 1573
Bunch, T. A. *See* Fogerty, F. J.
Burden, S. J. *See* Tang, J.
Burke, R. D. *See* Crawford, B. D.
Buzin, C. H., Mann, J. R. and Singer-Sam, J. Quantitative RT-PCR assays show *Xist* RNA levels are low in mouse female adult tissue, embryos and embryoid bodies **120**, 3529
Byrne, C., Tainsky, M. and Fuchs, E. Programming gene expression in developing epidermis **120**, 2369
Cabrera, C. V., Alonso, M. C. and Huikeshoven, H. Regulation of scute function by extramacrochaete in vitro and in vivo **120**, 3595
Cadigan, K. M. *See* Grossniklaus, U.
Campbell, G., Göring, H., Lin, T., Spana, E., Andersson, S., Doe, C. Q. and Tomlinson, A. RK2, a glial-specific homeodomain protein required for embryonic nerve cord condensation and viability in *Drosophila* **120**, 2957
Campos-Ortega, J. A. *See* Kramatschek, B.
Canal, N. *See* Feltri, M. L.
Candia, A. F. *See* Lawler, S.
Cant, K. *See* Robinson, D. N.
Capdevila, J., Pariente, F., Sampedro, J., Alonso, J. L. and Guerrero, I. Subcellular localization of the segment polarity protein patched suggests an interaction with the wingless reception complex in *Drosophila* embryos **120**, 987
Capecchi, M. R. *See* Davis, A. P.
Carrasco, D., Weih, F. and Bravo, R. Developmental expression of the mouse c-*rel* proto-oncogene in hematopoietic organs **120**, 2991
Carroll, J., Swann, K., Whittingham, D. and Whitaker, M. Spatiotemporal dynamics of intracellular $[Ca^{2+}]_i$ oscillations during the growth and meiotic maturation of mouse oocytes **120**, 3507
Carroll, P. M., Tsirka, S. E., Richards, W. G., Frohman, M. A. and Strickland, S. The mouse tissue plasminogen activator gene 5′ flanking region directs appropriate expression in development and a seizure-enhanced response in the CNS **120**, 3173
Carroll, S. B. *See* Langeland, J. A.
Carroll, S. B. *See* Skeath, J. B.
Carson, D. D. *See* Julian, J.
Casey, M. *See* Peifer, M.
Castelli-Gair, J., Greig, S., Micklem, G. and Akam, M. Dissecting the temporal requirements for homeotic gene function **120**, 1983
Castrillon, D. H. and Wasserman, S. A. *diaphanous* is required for cytokinesis in *Drosophila* and shares domains of similarity with the products of the *limb deformity* gene **120**, 3367
Cecchini, M. G., Dominguez, M. G., Mocci, S., Wetterwald, A., Felix, R., Fleisch, H., Chrisholm, O., Hofstetter, W., Pollard, J. W. and Stanley, E. R. Role of colony stimulating factor-1 in the establishment and regulation of tissue macrophages during postnatal development of the mouse **120**, 1357
Cerioli, S., Marocco, A., Maddaloni, M., Motto, M. and Salamini, F. Early events of maize leaf epidermis formation as revealed by cell lineage studies **120**, 2113
Chamberlain, S. H. *See* Mango, S. E.
Chamberlin, H. M. and Sternberg, P. W. The *lin-3/let-23* pathway mediates inductive signalling during male spicule development in *Caenorhabditis elegans* **120**, 2713
Chambon, P. *See* Lohnes, D.
Chambon, P. *See* Mendelsohn, C.
Chang, D. T., López, A., von Kessler, D. P., Chiang, C., Simandl, B. K., Zhao, R., Seldin, M. F., Fallon, J. F. and Beachy, P. A. Products, genetic linkage and limb patterning activity of a murine *hedgehog* gene **120**, 3339
Char, B. R., Tan, H. and Maxson, R. A POU gene required for early cleavage and protein accumulation in the sea urchin embryo **120**, 1929
Chen, L., Krause, M., Sepanski, M. and Fire, A. The *Caenorhabditis elegans* MYOD homologue HLH-1 is essential for proper muscle function and complete morphogenesis **120**, 1631
Cheng, L., Gearing, D. P., White, L. S., Compton, D. L., Schooley, K. and Donovan, P. J. Role of leukemia inhibitory factor and its receptor in mouse primordial germ cell growth **120**, 3145
Cheresh, D. A. *See* Delannet, M.
Chiang, C. *See* Chang, D. T.
Chiang, C., Patel, N. H., Young, K. E. and Beachy, P. A. The novel homeodomain gene *buttonless* specifies differentiation and axonal guidance functions of *Drosophila* dorsal median cells **120**, 3581
Chiquet-Ehrismann, R. *See* Julian, J.
Chiquet-Ehrismann, R. *See* Tucker, R. P.
Cho, K. W. *See* Schulte-Merker, S.
Chow, K. L. and Emmons, S. W. HOM-C/Hox genes and four interacting loci determine the morphogenetic properties of single cells in the nematode male tail **120**, 2579
Chrisholm, O. *See* Cecchini, M. G.
Christ, B. *See* Bober, E.
Christ, B. *See* Wallin, J.
Chu, M.-L. *See* Ekblom, P.

Chung, A. *See* Baldwin, H. S.
Cifuentes-Diaz, C., Nicolet, M., Goudou, D., Rieger, F. and Mege, R. M. N-cadherin expression in developing, adult and denervated chicken neuromuscular system. Accumulations at both the neuromuscular junction and the node of Ranvier **120**, 1
Clark Jr., W. H. *See* Lindsay, L. L.
Clark, A. M. *See* Dharmawardhane, S.
Clarke, H. J. *See* Verlhac, M.-H.
Clarke, J. D. W. *See* Lumsden, A.
Cohen, S. M. *See* Diaz-Benjumea, F. J.
Coletta, M. *See* Cusella-De Angelis, M. G.
Compton, D. L. *See* Cheng, L.
Conlon, F. L., Lyons, K. M., Takaesu, N., Barth, K. S., Kispert, A., Herrmann, B. and Robertson, E. J. A primary requirement for *nodal* in the formation and maintenance of the primitive streak in the mouse **120**, 1919
Conlon, R. A. *See* Ang, S.-L.
Cooley, L. *See* Robinson, D. N.
Cooley, L. *See* Verheyen, E. M.
Cooney, A. J. *See* Lutz, B.
Cooper, D. N. W. *See* Mahanthappa, N. K.
Cooper, J. A. *See* Waddle, J.
Copeland, N. G. *See* Salinas, P. C.
Copenhaver, P. F. *See* Horgan, A. M.
Cornell, R. A. and Kimelman, D. Activin-mediated mesoderm induction requires FGF **120**, 453
Cossu, G. *See* Cusella-De Angelis, M. G.
Couso, J. P., Bishop, S. A. and Martinez Arias, A. The wingless signalling pathway and the patterning of the wing margin in *Drosophila* **120**, 621
Crawford, B. D. and Burke, R. D. YIGSR domain of laminin binds surface receptors of mesenchyme and stimulates migration during gastrulation in sea urchins **120**, 3227
Crawley, A. *See* Robson, L. G.
Crews, S. T. *See* Wharton Jr, K. A.
Crittenden, S. L., Troemel, E. R., Evans, T. C. and Kimble, J. GLP-1 is localized to the mitotic region of the *C. elegans* germ line **120**, 2901
Cronmiller, C. *See* Cummings, C. A.
Cubas, P., Modolell, J. and Ruiz-Gómez, M. The helix-loop-helix extramacrochaetae protein is required for proper specification of many cell types in the *Drosophila* embryo **120**, 2555
Cubitt, A. B. *See* Dharmawardhane, S.
Cummings, C. A. and Cronmiller, C. The *daughterless* gene functions together with *Notch* and *Delta* in the control of ovarian follicle development in *Drosophila* **120**, 381
Cunha, G. *See* Pavlova, A.
Cusella-De Angelis, M. G., Molinari, S., Le Donne, A., Coletta, M., Vivarelli, E., Bouche, M., Molinaro, M., Ferrari, S. and Cossu, G. Differential response of embryonic and fetal myoblasts to TGFβ: a possible regulatory mechanism of skeletal muscle histogenesis **120**, 925
D'Andrea, R. *See* Lonie, A.
D'Evelyn, D. *See* Eldon, E.
Damen, W. G. M., van Grunsven, L. A. and van Loon, A. E. Transcriptional regulation of tubulin gene expression in differentiating trochoblasts during early development of *Patella vulgata* **120**, 2835
Damm, D. *See* Das, S. K.
Damsky, C. H., Librach, C., Lim, K.-H., Fitzgerald, M. L., McMaster, M. T., Janatpour, M., Zhou, Y., Logan, S. K. and Fisher, S. J. Integrin switching regulates normal trophoblast invasion **120**, 3657
Das, S. K., Wang, X.-N., Paria, B. C., Damm, D., Abraham, J. A., Klagsbrun, M., Andrews, G. K. and Dey, S. K. Heparin-binding EGF-like growth factor gene is induced in the mouse uterus temporally by the blastocyst solely at the site of its apposition: a possible ligand for interaction with blastocyst EGF-receptor in implantation **120**, 1071
David, C. N. *See* Weinziger, R.
Davies, A. M. *See* Buchman, V. L.
Davies, A. M. *See* Buj-Bello, A.
Davies, A. M. *See* Lee, K.-F.
Davis, A. A. *See* Temple, S.
Davis, A. P. and Capecchi, M. R. Axial homeosis and appendicular skeleton defects in mice with a targeted disruption of *hoxd-11* **120**, 2187
Dawes, R., Dawson, I., Falciani, F., Tear, G. and Akam, M. *Dax*, a locust Hox gene related to *fushi-tarazu* but showing no pair-rule expression **120**, 1561
Dawid, I. B. *See* Taira, M.
Dawson, I. *See* Dawes, R.
Dawson, I. A. *See* Fehon, R. G.
De Robertis, E. M. *See* Schulte-Merker, S.
de Winter, J. P. *See* Baarends, W. M.
de Zulueta, P., Alexandre, E., Jacq, B. and Kerridge, S. Homeotic complex and *teashirt* genes co-operate to establish trunk segmental identities in *Drosophila* **120**, 2287
Dean, C. *See* Dolan, L.
Dean, C. *See* Scheres, B.
Decimo, D. *See* Mendelsohn, C.
Dekker, E.-J., Vaessen, M.-J., van den Berg, C., Timmermans, A., Godsave, S., Holling, T., Nieuwkoop, P., van Kessel, A. G. and Durston, A. Overexpression of a cellular retinoic acid binding protein (*xCRABP*) causes anteroposterior defects in developing *Xenopus* embryos **120**, 973
Delannet, M., Martin, F., Bossy, B., Cheresh, D. A., Reichardt, L. F. and Duband, J.-L. Specific roles of the αVβ1 αVβ3, and αVβ5 integrins in avian neural crest cell adhesion and migration on vitronectin **120**, 2687
Delidakis, C. *See* Jennings, B.
DeLisser, H. M. *See* Baldwin, H. S.
Derynck, R. *See* Filvaroff, E. H.
Derynck, R. *See* Lawler, S.
Detterbeck, S., Morandini, P., Wetterauer, B., Bachmair, A., Fischer, K. and MacWilliams, H. K. The 'prespore-like cells' of *Dictyostelium* have ceased to express a prespore gene: analysis using short-lived β-galactosidases as reporters **120**, 2847
Devreotes, P. N. *See* Soede, R. D. M.
Dey, S. K. *See* Das, S. K.
Dharmawardhane, S., Cubitt, A. B., Clark, A. M. and Firtel, R. A. Regulatory role of the Gα1 subunit in controlling cellular morphogenesis in *Dictyostelium* **120**, 3549
Diaz-Benjumea, F. J. and Cohen, S. M. *wingless* acts through the *shaggy/zeste-white 3* kinase to direct dorsal-ventral axis formation in the *Drosophila* leg **120**, 1661
Diaz-Benjumea, F. J. and Hafen, E. The sevenless signalling cassette mediates *Drosophila* EGF receptor function during epidermal development **120**, 569
Dickinson, M. E., Krumlauf, R. and McMahon, A. P. Evidence for a mitogenic effect of Wnt-1 in the developing mammalian central nervous system **120**, 1453
Diederich, R. J., Matsuno, K., Hing, H. and Artavanis-Tsakonas, S. Cytosolic interaction between deltex and Notch ankyrin repeats implicates deltex in the Notch signaling pathway **120**, 473
Diehl-Jones, W. *See* Liang, L.
Dierich, A. *See* Lohnes, D.
Ding, L. *See* Gonzalez-Garcia, M.
Doe, C. Q. *See* Campbell, G.
Doherty, P. *See* Williams, E. J.
Dolan, L. *See* Duckett, C. M.
Dolan, L., Duckett, C. M., Grierson, C., Linstead, P., Schneider, K., Lawson, E., Dean, C., Poethig, S. and Roberts, K. Clonal relationships and cell patterning in the root epidermis of *Arabidopsis* **120**, 2465
Dolle, P. *See* Lohnes, D.
Dominguez, M. G. *See* Cecchini, M. G.
Donovan, P. J. *See* Cheng, L.
Driever, W. *See* Solnica-Krezel, L.
Drolet, D. W. *See* Lin, S.-C.
Drysdale, R. *See* Ashburner, M.
Duan, L. *See* Gonzalez-Garcia, M.

Duband, J.-L. *See* Delannet, M.
Dubendorfer, A. *See* Hilfiker-Kleiner, D.
Duboule, D. *See* Fjose, A.
Duckett, C. M. *See* Dolan, L.
Duckett, C. M., Oparka, K. J., Prior, D. A. M., Dolan, L. and Roberts, K. Dye-coupling in the root epidermis of *Arabidopsis* is progressively reduced during development **120**, 3247
Duhl, D. M. J., Stevens, M. E., Vrieling, H., Saxon, P. J., Miller, M. W., Epstein, C. J. and Barsh, G. S. Pleiotropic effects of the mouse *lethal yellow* (*Ay*) mutation explained by deletion of a maternally expressed gene and the simultaneous production of *agouti* fusion RNAs **120**, 1695
Duman, M. *See* Eldon, E.
Duronio, R. J. and O'Farrell, P. H. Developmental control of a G_1-S transcriptional program in *Drosophila* **120**, 1503
Durston, A. *See* Dekker, E.-J.
Dziennis, S. *See* Ahn, A. H.
Eaton, S. *See* Fristrom, D.
Ebensperger, C. *See* Bober, E.
Ebner, R. *See* Filvaroff, E. H.
Ebner, R. *See* Lawler, S.
Echelard, Y., Vassileva, G. and McMahon, A. P. *Cis*-acting regulatory sequences governing *Wnt-1* expression in the developing mouse CNS **120**, 2213
Edgar, B. A., Lehman, D. A. and O'Farrell, P. H. Transcriptional regulation of *string* (*cdc25*): a link between developmental programming and the cell cycle **120**, 3131
Edgar, L. G., Wolf, N. and Wood, W. B. Early transcription in *Caenorhabditis elegans* embryos **120**, 443
Edmondson, D. G., Lyons, G. E., Martin, J. F. and Olson, E. N. *Mef2* gene expression marks the cardiac and skeletal muscle lineages during mouse embryogenesis **120**, 1251
Eichele, G. *See* Helms, J.
Eichele, G. *See* Lutz, B.
Eichmann, A. *See* Marcelle, C.
Eisen, J. S. *See* Raible, D. W.
Ekblom, M. *See* Ekblom, P.
Ekblom, P., Ekblom, M., Fecker, L., Klein, G., Zhang, H.-Y., Kadoya, Y., Chu, M.-L., Mayer, U. and Timpl, R. Role of mesenchymal nidogen for epithelial morphogenesis in vitro **120**, 2003
Ekström, T. J. *See* Ohlsson, R.
Eldon, E., Kooyer, S., D'Evelyn, D., Duman, M., Lawinger, P., Botas, J. and Bellen, H. The *Drosophila 18 wheeler* gene is required for morphogenesis and has striking similarities to *Toll* **120**, 885
Ellis, M. C., Weber, U., Wiersdorff, V. and Mlodzik, M. Confrontation of *scabrous* expressing and non-expressing cells is essential for normal ommatidial spacing in the *Drosophila* eye **120**, 1959
Emerling, D. E. and Lander, A. D. Laminar specific attachment and neurite outgrowth of thalamic neurons on cultured slices of developing cerebral neocortex **120**, 2811
Emery, I. F., Bedian, V. and Guild, G. M. Differential expression of *Broad-Complex* transcription factors may forecast tissue-specific developmental fates during *Drosophila* metamorphosis **120**, 3275
Emmons, S. W. *See* Chow, K. L.
Engel, J. D. *See* George, K. M.
Engel, J. D. *See* Ng, Y.-K.
Engel, J. D. *See* Yomogida, K.
Epstein, C. J. *See* Duhl, D. M. J.
Erickson, C. A. *See* Oakley, R. A.
Erickson, H. P. *See* Julian, J.
Essman, T. F. *See* Braisted, J. E.
Evans, M. M. S., Passas, H. J. and Poethig, R. S. Heterochronic effects of *glossy15* mutations on epidermal cell identity in maize **120**, 1971
Evans, T. C. *See* Crittenden, S. L.
Eyal-Giladi, H. *See* Spann, P.
Eyal-Giladi, H., Lotan, T., Levin, T., Avner, O. and Hochman, J. Avian marginal zone cells function as primitive streak inducers only after their migration into the hypoblast **120**, 2501
Fabian, B. C. *See* Gordon-Thomson, C.
Fagotto, F. and Gumbiner, B. M. β-catenin localization during *Xenopus* embryogenesis: accumulation at tissue and somite boundaries **120**, 3667
Fahrbach, S. E. *See* Truman, J. W.
Fainsod, A. *See* Frumkin, A.
Fainsod, A. *See* Spann, P.
Falciani, F. *See* Dawes, R.
Fallon, J. F. *See* Chang, D. T.
Faust, C. *See* Holdener, B. C.
Fecker, L. *See* Ekblom, P.
Fehon, R. G., Dawson, I. A. and Artavanis-Tsakonas, S. A *Drosophila* homologue of membrane-skeleton protein 4.1 is associated with septate junctions and is encoded by the *coracle* gene **120**, 545
Feijen, A., Goumans, M. J. and van den Eijnden-van Raaij, A. J. M. Expression of activin subunits, activin receptors and follisyatin in postimplantation mouse embryos suggests specific developmental functions for different activins **120**, 3621
Feil, R., Walter, J., Allen, N. D. and Reik, W. Developmental control of allelic methylation in the imprinted mouse *Igf2* and *H19* genes **120**, 2933
Felix, R. *See* Cecchini, M. G.
Feltri, M. L., Scherer, S. S., Nemni, R., Kamholz, J., Vogelbacker, H., Scott, M. O., Canal, N., Quaranta, V. and Wrabetz, L. B_4 integrin expression in myelinating Schwann cells in polarized, developmentally regulated and axonally dependent **120**, 1287
Fernandez, P.-A. *See* Rotello, R. J.
Ferrari, S. *See* Cusella-De Angelis, M. G.
Ferreiro, B., Kintner, C., Zimmerman, K., Anderson, D. and Harris, W. A. *XASH* genes promote neurogenesis in *Xenopus* embryos **120**, 3649
Fessler, J. H. *See* Fogerty, F. J.
Fessler, L. I. *See* Fogerty, F. J.
Fessler, L. I. *See* Tepass, U.
ffrench-Constant, C. *See* Milner, R.
Filvaroff, E. H., Ebner, R. and Derynck, R. Inhibition of myogenic differentiation in myoblasts expressing a truncated type II TGF-β receptor **120**, 1085
Finelli, A. L., Bossie, C. A., Xie, T. and Padgett, R. W. Mutational analysis of the *Drosophila tolloid* gene, a human BMP-1 homolog **120**, 861
Fire, A. *See* Chen, L.
Fire, A. *See* Okkema, P. G.
Fire, A. *See* Seydoux, G.
Firtel, R. A. *See* Dharmawardhane, S.
Firtel, R. A. *See* Powell-Coffman, J. A.
Fischer, K. *See* Detterbeck, S.
Fischer-Vize, J. A. and Mosley, K. L. *marbles* mutants: uncoupling cell determination and nuclear migration in the developing *Drosophila* eye **120**, 2609
Fisher, S. J. *See* Damsky, C. H.
Fishman, M. *See* Lee, R. K. K.
Fitzgerald, M. L. *See* Damsky, C. H.
Fjose, A., Izpisúa-Belmonte, J.-C., Fromental-Ramain, C. and Duboule, D. Expression of the zebrafish gene *hlx-1* in the prechordal plate and during CNS development **120**, 71
Flanders, K. C. *See* Frenz, D. A.
Fleisch, H. *See* Cecchini, M. G.
Fletcher, C. *See* Salinas, P. C.
Fogarty, P., Kalpin, R. F. and Sullivan, W. The *Drosophila* maternal-effect mutation *grapes* causes a metaphase arrest at nuclear cycle 13 **120**, 2131
Fogerty, F. J., Fessler, L. I., Bunch, T. A., Yaron, Y., Parker, C. G., Nelson, R. E., Brower, D. L., Gullberg, D. and Fessler, J. H. Tiggrin, a novel *Drosophila* extracellular matrix protein that functions as a ligand for *Drosophila* $\alpha_{PS2}\beta_{PS}$ integrins **120**, 1747
Ford, M. *See* Murphy, M.
Francis, P. H., Richardson, M. K., Brickell, P. M. and Tickle, C. Bone morphogenetic proteins and a signalling pathway that controls patterning in the developing chick limb **120**, 209
Francois, F. *See* Lang, R.

Frank, E. *See* Sharma, K.
Franks, R. G. *See* Wharton Jr, K. A.
Franz, T. *See* Bober, E.
Fraser, S. E. *See* Birgbauer, E.
Fraser, S. E. *See* Serbedzija, G. N.
Fraser, S. *See* Lumsden, A.
Freeman, M. Misexpression of the *Drosophila argos* gene, a secreted regulator of cell determination **120**, 2297
Frenz, D. A., Liu, W., Williams, J. D., Hatcher, V., Galinovic-Schwartz, V., Flanders, K. C. and Van De Water, T. R. Induction of chondrogenesis: requirement for synergistic interaction of basic fibroblast growth factor and transforming growth factor-beta **120**, 415
Fresquez, C. *See* Zhang, Y.
Fristrom, D., Gotwals, P., Eaton, S., Kornberg, T. B., Sturtevant, M., Bier, E. and Fristrom, J. W. *blistered*: a gene required for vein/intervein formation in wings of *Drosophila* **120**, 2661
Fristrom, J. W. *See* Fristrom, D.
Fritsch, R. *See* Wallin, J.
Frohman, M. A. *See* Carroll, P. M.
Fromental-Ramain, C. *See* Fjose, A.
Frumkin, A., Pillemer, G., Haffner, R., Tarcic, N., Gruenbaum, Y. and Fainsod, A. A role for *CdxA* in gut closure and intestinal epithelia differentiation **120**, 253
Fuchs, E. *See* Byrne, C.
Fukuda, K., Ishii, Y., Saiga, H., Shiokawa, K. and Yasugi, S. Mesenchymal regulation of epithelial gene expression in developing avian stomach: 5′-flanking region of pepsinogen gene can mediate mesenchymal influence on its expression **120**, 3487
Furness, J. B. *See* Murphy, M.
Furness, J. *See* Williams, E. J.
Gaese, F., Kolbeck, R. and Barde, Y.-A. Sensory ganglia require neurotrophin-3 early in development **120**, 1613
Galinovic-Schwartz, V. *See* Frenz, D. A.
Gansmuller, A. *See* Lohnes, D.
Gao, D. *See* Henderson, S. T.
Gao, W.-Q. and Hatten, M. E. Immortalizing oncogenes subvert the establishment of granule cell identity in developing cerebellum **120**, 1059
Garcia-Castro, M. *See* Gomperts, M.
Gearing, D. P. *See* Cheng, L.
Gehring, W. J. *See* Affolter, M.
Gehring, W. J. *See* Grossniklaus, U.
Geiger, B. *See* Heasman, J.
Gendreau, S. B. *See* Moskowitz, I. P. G.
Gendron-Maguire, M. *See* Zhang, M.
George, K. M. *See* Ng, Y.-K.
George, K. M., Leonard, M. W., Roth, M. E., Lieuw, K. H., Kioussis, D., Grosveld, F. and Engel, J. D. Embryonic expression and cloning of the murine GATA-3 gene **120**, 2673
Gergen, J. P. *See* Tsai, C.
Gerhart, J. C. *See* Green, J. B. A.
Ghosh, M. *See* Hoshizaki, D. K.
Giangrande, A. Glia in the fly wing are clonally related to epithelial cells and use the nerve as a pathway for migration **120**, 523
Gilbert, W. *See* Strehlow, D.
Gillot, I. *See* Roberts, S. K.
Giniger, E., Tietje, K., Jan, L. Y. and Jan, Y. N. *lola* encodes a putative transcription factor required for axon growth and guidance in *Drosophila* **120**, 1385
Ginsberg, D. *See* Heasman, J.
Ginsburg, M. *See* Spann, P.
Godsave, S. *See* Dekker, E.-J.
Goldstone, K. *See* Heasman, J.
Gollapudi, R. R. *See* Noll, R.
Gomperts, M., Garcia-Castro, M., Wylie, C. and Heasman, J. Interactions between primordial germ cells play a role in their migration in mouse embryos **120**, 135
González-Garcia, M., Pérez-Ballestero, R., Ding, L., Duan, L., Boise, L. H., Thompson, C. B. and Núnez, G. *bcl-x*$_L$ is the major *bcl-x* mRNA form expressed during murine development and its product localizes to mitochondria **120**, 3033
Goodman, C. S. *See* Kolodkin, A. L.
Gorczyca, M. G., Phillis, R. W. and Budnik, V. The role of *tinman*, a mesodermal cell fate gene, in axon pathfinding during the development of the transverse nerve in *Drosophila* **120**, 2143
Gordon-Thomson, C. and Fabian, B. C. Hypoblastic tissue and fibroblast growth factor induce blood tissue (haemoglobin) in the early chick embryo **120**, 3571
Goring, H. *See* Campbell, G.
Gorry, P. *See* Lohnes, D.
Gotwals, P. *See* Fristrom, D.
Goudou, D. *See* Cifuentes-Diaz, C.
Goulding, M., Lumsden, A. and Paquette, A. J. Regulation of *Pax-3* expression in the dermomyotome and its role in muscle development **120**, 957
Goumans, M. J. *See* Feijen, A.
Granato, M., Schnabel, H. and Schnabel, R. Genesis of an organ: molecular analysis of the *pha-1* gene **120**, 3005
Green, J. B. A., Smith, J. A. and Gerhart, J. C. Slow emergence of a multithreshold response to activin requires cell-contact-dependent sharpening but not prepattern **120**, 2271
Greig, S. *See* Castelli-Gair, J.
Gridley, T. *See* Zhang, M.
Grierson, C. *See* Dolan, L.
Grinblat, Y., Zusman, S., Yee, G., Hynes, R. O. and Kafatos, F. C. Functions of the cytoplasmic domain of the βPS integrin subunit during *Drosophila* development **120**, 91
Grippo, J. F. *See* Zhang, M.
Grootegoed, J. A. *See* Baarends, W. M.
Groppe, J. *See* Affolter, M.
Grossniklaus, U., Cadigan, K. M. and Gehring, W. J. Three maternal coordinate systems cooperate in the patterning of the *Drosophila* head **120**, 3155
Grosveld, F. *See* George, K. M.
Gruenbaum, Y. *See* Frumkin, A.
Gruenbaum, Y. *See* Spann, P.
Gruss, P. *See* Bober, E.
Gu, D., Lee, M.-S., Krahl, T. and Sarvetnick, N. Transitional cells in the regenerating pancreas **120**, 1873
Gudas, L. J. *See* Zhang, M.
Guerrero, I. *See* Capdevila, J.
Gueth-Hallonet, C., Santa-Maria, A., Verroust, P. and Maro, B. GP330 is specifically expressed in outer cells during epithelial differentiation in the preimplantation mouse embryo **120**, 3289
Guild, G. M. *See* Emery, I. F.
Guille, M. J. *See* Walmsley, M. E.
Gullberg, D. *See* Fogerty, F. J.
Gumbiner, B. M. *See* Fagotto, F.
Gumbiner, B. M. *See* Levine, E.
Gunther, T., Struwe, M., Aguzzi, A. and Schughart, K. *open brain*, a new mouse mutant with severe neural tube defects, shows altered gene expression patterns in the developing spinal cord **120**, 3119
Gurdon, J. B. *See* Lemaire, P.
Hafen, E. *See* Diaz-Benjumea, F. J.
Haffner, R. *See* Frumkin, A.
Hagios, C. *See* Tucker, R. P.
Hake, S. *See* Jackson, D.
Halevy, O. *See* Marcelle, C.
Halpern, M. E. *See* Schulte-Merker, S.
Hammerschmidt, M. *See* Schulte-Merker, S.
Harendza, C. J. *See* Zambrowicz, B. P.
Harigae, H. *See* Yomogida, K.
Harris, M. *See* Spencer-Dene, B.
Harris, W. A. *See* Ferreiro, B.
Hartenstein, V. *See* Tepass, U.
Hatada, Y. and Stern, C. D. A fate map of the epiblast of the early chick embryo **120**, 2879
Hatano, O., Takayama, K., Imai, T., Waterman, M. R., Takakusu, A., Omura, T. and Morohashi, K.-i. Sex-dependent expression of a

transcription factor, Ad4BP, regulating steroidogenic P-450 genes in the gonads during prenatal and postnatal rat development **120**, 2787
Hatcher, V. *See* Frenz, D. A.
Hatten, M. E. *See* Gao, W.-Q.
Hawkes, R. *See* Ahn, A. H.
Hay, B. A., Wolff, T. and Rubin, G. M. Expression of baculovirus P35 prevents cell death in *Drosophila* **120**, 2121
Heasman, J. *See* Gomperts, M.
Heasman, J., Ginsberg, D., Geiger, B., Goldstone, K., Pratt, T., Yoshida-Noro, C. and Wylie, C. A functional test for maternally inherited cadherin in *Xenopus* shows its importance in cell adhesion at the blastula stage **120**, 49
Hedborg, F. *See* Ohlsson, R.
Heinrich, G. *See* Strehlow, D.
Helms, J., Thaller, C. and Eichele, G. Relationship between retinoic acid and *sonic hedgehog*, two polarizing signals in the chick wing bud **120**, 3267
Henderson, B. *See* Spencer-Dene, B.
Henderson, S. T., Gao, D., Lambie, E. J. and Kimble, J. *lag-2* may encode a signaling ligand for the GLP-1 and LIN-12 receptors of *C. elegans* **120**, 2913
Herman, M. A. and Horvitz, H. R. The *Caenorhabditis elegans* gene *lin-44* controls the polarity of asymmetric cell divisions **120**, 1035
Herrera, P.-L. *See* Sanvito, F.
Herrmann, B. *See* Conlon, F. L.
Herrup, K. *See* Millen, K. J.
Herrup, R. *See* Ahn, A. H.
Herzog, K.-H., Bailey, K. and Barde, Y.-A. Expression of the *BDNF* gene in the developing visual system of the chick **120**. 1643
Hickey, W. F. *See* Merry, D. E.
Hilfiker, A. *See* Hilfiker-Kleiner, D.
Hilfiker-Kleiner, D., Dübendorfer, A., Hilfiker, A. and Nothiger, R. Genetic control of sex determination in the germ line and soma of the housefly, *Musca domestica* **120**, 2531
Hilton, K. *See* Allen, N. D.
Hing, H. *See* Diederich, R. J.
Hinz, U. *See* Speicher, S. A.
Hirano, S. *See* Shimamura, K.
Hoch, M., Broadie, K., Jäckle, H. and Skaer, H. Sequential fates in a single cell are established by the neurogenic cascade in the Malpighian tubules of *Drosophila* **120**, 3439
Hochman, J. *See* Eyal-Giladi, H.
Hodgkin, J., Zellan, J. D. and Albertson, D. G. Identification of a candidate primary sex determination locus, *fox-1*, on the X chromosome of *Caenorhabditis elegans* **120**, 3681
Hofstetter, W. *See* Cecchini, M. G.
Hogan, B. L. M. *See* Labosky, P. A.
Hogness, D. S. *See* Truman, J. W.
Holdener, B. C., Faust, C., Rosenthal, N. S. and Magnuson, T. *msd* is required for mesoderm induction in mice **120**, 1335
Holder, N. *See* Xu, Q.
Holling, T. *See* Dekker, E.-J.
Holmgren, L. *See* Ohlsson, R.
Holmgren, R. *See* Zhang, Y.
Hoogerbrugge, J. W. *See* Baarends, W. M.
Hope, I. A. PES-1 is expressed during early embryogenesis in *Caenorhabditis elegans* and has homology to the fork head family of transcription factors **120**, 505
Horgan, A. M., Lagrange, M. T. and Copenhaver, P. F. Developmental expression of G proteins in a migratory population of embryonic neurons **120**, 729
Horvitz, H. R. *See* Herman, M. A.
Horvitz, H. R. *See* Labouesse, M.
Hoshizaki, D. K., Blackburn, T., Price, C., Ghosh, M., Miles, K., Ragucci, M. and Sweis, R. Embryonic fat-cell lineage in *Drosophila melanogaster* **120**, 2489
Houliston, E. Microtubule translocation and polymerisation during cortical rotation in *Xenopus* eggs **120**, 1213
Howard, K. R. *See* Jaglarz, M. K.
Huang, S. *See* Bauer, D. V.
Huarte, J. *See* Sanvito, F.
Huikeshoven, H. *See* Cabrera, C. V.
Hutter, H. and Schnabel, R. *glp-1* and inductions establishing embryonic axes in *C. elegans* **120**, 2051
Hwang, S.-P. L., Partin, J. S. and Lennarz, W. J. Characterization of a homolog of human bone morphogenetic protein 1 in the embryo of the sea urchin, *Strongylocentrotus purpuratus* **120**, 559
Hynes, R. O. *See* Grinblat, Y.
Imai, T. *See* Hatano, O.
Insall, R. H. *See* Soede, R. D. M.
Ip, Y. T., Levine, M. and Bier, E. Neurogenic expression of *snail* is controlled by separable CNS and PNS promoter elements **120**, 199
Irvine, K. D. and Wieschaus, E. Cell intercalation during *Drosophila* germband extension and its regulation by pair-rule segmentation genes **120**, 827
Ishii, Y. *See* Fukuda, K.
Ito, E. *See* Yomogida, K.
Itoh, K. and Sokol, S. Y. Heparan sulfate proteoglycans are required for mesoderm formation in *Xenopus* embryos **120**, 2703
Izpisua-Belmonte, J.-C. *See* Fjose, A.
Jackle, H. *See* Hoch, M.
Jackson, D., Veit, B. and Hake, S. Expression of maize *KNOTTED1* related homeobox genes in the shoot apical meristem predicts patterns of morphogenesis in the vegetative shoot **120**, 405
Jacq, B. *See* de Zulueta, P.
Jaenisch, R. *See* Braun, T.
Jaenisch, R. *See* Lee, K.-F.
Jaglarz, M. K. and Howard, K. R. Primordial germ cell migration in *Drosophila melanogaster* is controlled by somatic tissue **120**, 83
Jamrich, M. *See* Taira, M.
Jan, L. Y. *See* Giniger, E.
Jan, L. Y. *See* Vaessin, H.
Jan, Y. N. *See* Giniger, E.
Jan, Y. N. *See* Vaessin, H.
Janatpour, M. *See* Damsky, C. H.
Jardine, K. *See* Vidricaire, G.
Jasoni, C. L., Walker, M. B., Morris, M. D. and Reh, T. A. A chicken achaete-scute homolog (CASH-1) is expressed in a temporally and spatially discrete manner in the developing nervous system **120**, 769
Jenkins, N. A. *See* Salinas, P. C.
Jennings, B., Preiss, A., Delidakis, C. and Bray, S. The Notch signalling pathway is required for *Enhancer of split* bHLH protein expression during neurogenesis in the *Drosophila* embryo **120**, 3537
Jessen, K. R. *See* Morgan, L.
Jin, O. *See* Ang, S.-L.
Jin, Y. *See* Schneider, D. S.
Jo, S. A. *See* Tang, J.
Johnson, F. and Bottjer, S. W. Afferent influences on cell death and birth during development of a cortical nucleus necessary for learned vocal behavior in zebra finches **120**, 13
Johnston, P. *See* Lawrence, P. A.
Jones, B. *See* White, J. A.
Joyner, A. L. *See* Millen, K. J.
Joyner, A. L. *See* Wurst, W.
Julian, J., Chiquet-Ehrismann, R., Erickson, H. P. and Carson, D. D. Tenascin is induced at implantation sites in the mouse uterus and interferes with epithelial cell adhesion **120**, 661
Jurgens, G. *See* Torres-Ruiz, R. A.
Kadoya, Y. *See* Ekblom, P.
Kafatos, F. C. *See* Grinblat, Y.
Kalb, R. G. Regulation of motor neuron dendrite growth by NMDA receptor activation **120**, 3063
Kalil, K. *See* Kuang, R. Z.
Kalpin, R. F. *See* Fogarty, P.
Kamholz, J. *See* Feltri, M. L.
Kandasamy, M. K., Nasrallah, J. B. and Nasrallah, M. E. Pollen-pistil interactions and developmental regulation of pollen tube growth in *Arabidopsis* **120**, 3405
Kane, D. A. *See* Kimmel, C. B.
Kansagara, D. *See* Theisen, H.

Kara, T. *See* Robson, L. G.
Karels, B. *See* Baarends, W. M.
Kasai, Y. *See* Wharton Jr, K. A.
Katz, F. N. *See* Ashley, J. A.
Kelley, M. W., Turner, J. K. and Reh, T. A. Retinoic acid promotes differentiation of photoreceptors in vitro **120**, 2091
Kenny, A. J. *See* Spencer-Dene, B.
Kenyon, C. *See* Austin, J.
Kerridge, S. *See* de Zulueta, P.
Kerridge, S. *See* Mathies, L. D.
Keynes, R. *See* Lumsden, A.
Kidner, C. A. *See* Langdale, J. A.
Kiehart, D. P. *See* Thomas, G. H.
Kim, H.-J. *See* Zhang, M.
Kimble, J. *See* Crittenden, S. L.
Kimble, J. *See* Henderson, S. T.
Kimble, J. *See* Mango, S. E.
Kimelman, D. *See* Cornell, R. A.
Kimmel, A. R. *See* Richardson, D. L.
Kimmel, C. B. *See* Schilling, T. F.
Kimmel, C. B. *See* Schulte-Merker, S.
Kimmel, C. B., Warga, R. M. and Kane, D. A. Cell cycles and clonal strings during formation of the zebrafish central nervous system **120**, 265
Kintner, C. *See* Ferreiro, B.
Kintner, C. *See* Levine, E.
Kioussis, D. *See* George, K. M.
Kirschbaum, N. E. *See* Baldwin, H. S.
Kispert, A. *See* Conlon, F. L.
Klagsbrun, M. *See* Das, S. K.
Klämbt, C. *See* Menne, T. V.
Klein, G. *See* Ekblom, P.
Kloter, U. *See* Affolter, M.
Knust, E. *See* Speicher, S. A.
Kolbeck, R. *See* Gaese, F.
Kolodkin, A. L., Pickup, A. T., Lin, D. M., Goodman, C. S. and Banerjee, U. Characterization of *Star* and its interactions with *sevenless* and *EGF receptor* during photoreceptor cell development in *Drosophila* **120**, 1731
Kooyer, S. *See* Eldon, E.
Kopan, R. *See* Nye, J. S.
Kopan, R., Nye, J. S. and Weintraub, H. The intracellular domain of mouse Notch: a constitutively activated repressor of myogenesis directed at the basic helix-loop-helix region of MyoD **120**, 2385
Kopf, G. S. *See* Moore, G. D.
Kopf, G. S. *See* Xu, Z.
Korade, Z. *See* Sharma, K.
Kornberg, T. B. *See* Fristrom, D.
Korsmeyer, S. J. *See* Merry, D. E.
Koseki, H. *See* Wallin, J.
Krahl, T. *See* Gu, D.
Kramatschek, B. and Campos-Ortega, J. A. Neuroecotdermal transcription of the *Drosophila* neurogenic genes *E(spl)* and *HLH-m5* is regulated by proneural genes **120**, 815
Krasnow, R. E. and Adler, P. N. A single *frizzled* protein has a dual function in tissue polarity **120**, 1883
Krause, M. *See* Chen, L.
Krumlauf, R. *See* Dickinson, M. E.
Krumlauf, R. *See* McKay, I. J.
Krumlauf, R. *See* Zhang, M.
Kuang, R. Z., Merline, M. and Kalil, K. Topographic specificity of corticospinal connections formed in explant coculture **120**, 1937
Kubiak, J. Z. *See* Verlhac, M.-H.
Kuliszewski, M. *See* Souza, P.
Kuraishi, R. and Osanai, K. Contribution of maternal factors and cellular interaction to determination of archenteron in the starfish embryo **120**, 2619
Kuratani, S. *See* Lutz, B.
Kurtz, A., Zimmer, A., Schnütgen, F., Brüning, G., Spener, F. and Müller, T. The expression pattern of a novel gene encoding brain-fatty acid binding protein correlates with neuronal and glial cell development **120**, 2637
Kyewski, B. *See* van der Hoeven, F.
LaBonne, C. and Whitman, M. Mesoderm induction by activin requires FGF-mediated intracellular signals **120**, 463
Labosky, P. A., Barlow, D. P. and Hogan, B. L. M. Mouse embryonic germ (EG) cell lines: transmission through the germline and differences in the methylation imprint of insulin-like growth factor 2 receptor (*Igf2r*) gene compared with embryonic stem (ES) cell lines **120**, 3197
Labouesse, M., Sookhareea, S. and Horvitz, H. R. The *Caenorhabditis elegans* gene *lin-26* is required to specify the fates of hypodermal cells and encodes a presumptive zinc-finger transcription factor **120**, 2359
Laget, V. *See* Oliver, B.
Lagrange, M. T. *See* Horgan, A. M.
Laidlaw, M. and Wessel, G. M. Cortical granule biogenesis is active throughout oogenesis in sea urchins **120**, 1325
Lambie, E. J. *See* Henderson, S. T.
Lambie, E. J. *See* Mango, S. E.
Lander, A. D. *See* Emerling, D. E.
Lang, R., Lustig, M., Francois, F., Sellinger, M. and Plesken, H. Apoptosis during macrophage-dependent ocular tissue remodelling **120**, 3395
Langdale, J. A. and Kidner, C. A. *bundle sheath defective*, a mutation that disrupts cellular differentiation in maize leaves **120**, 673
Langeland, J. A., Attai, S. F., Vorwerk, K. and Carroll, S. B. Positioning adjacent pair-rule stripes in the posterior *Drosophila* embryo **120**, 2945
LaRosa, M. *See* Affolter, M.
Lasko, P. *See* Liang, L.
Lasky, C. J. *See* Oakley, R. A.
Latham, K. E. Strain-specific differences in mouse oocytes and their contributions to epigenetic inheritance **120**, 3419
Lawinger, P. *See* Eldon, E.
Lawler, S., Candia, A. F., Ebner, R., Shum, L., Lopez, A. R., Moses, H. L., Wright, C. V. E. and Derynck, R. The murine type II TGF-β receptor has a coincident embryonic expression and binding preference for TGF-β1 **120**, 165
Lawrence, P. A., Johnston, P. and Vincent, J.-P. Wingless can bring about a mesoderm-to-ectoderm induction in *Drosophila* embryos **120**, 3355
Lawson, E. *See* Dolan, L.
Lawson, E. *See* Scheres, B.
Lazar, M. A. *See* Barres, B. A.
Le Donne, A. *See* Cusella-De Angelis, M. G.
Le Douarin, N. M. *See* Marcelle, C.
Lee, C. H. *See* Levine, E.
Lee, K.-F., Davies, A. M. and Jaenisch, R. p75-deficient embryonic dorsal root sensory and neonatal sympathetic neurons display a decreased sensitivity to NGF **120**, 1027
Lee, M.-S. *See* Gu, D.
Lee, R. K. K., Stainier, D. Y. R., Weinstein, B. M. and Fishman, M. C. Cardiovascular development in the zebrafish. II. Endocardial progenitors are sequestered within the heart field **120**, 3361
Lehman, D. A. *See* Edgar, B. A.
Leiter, A. B. *See* Upchurch, B. H.
Lemaire, P. and Gurdon, J. B. A role for cytoplasmic determinants in mesoderm patterning: cell-autonomous activation of the *goosecoid* and *Xwnt-8* genes along the dorsoventral axis of early *Xenopus* embryos **120**, 1191
LeMeur, M. *See* Mendelsohn, C.
Lennarz, W. J. *See* Hwang, S.-P. L.
Leonard, M. W. *See* George, K. M.
Leptin, M. and Roth, S. Autonomy and non-autonomy in *Drosophila* mesoderm determination and morphogenesis **120**, 853
Leptin, M. *See* Reuter, R.
Levin, T. *See* Eyal-Giladi, H.
Levine, E., Lee, C. H., Kintner, C. and Gumbiner, B. M. Selective disruption of E-cadherin function in early *Xenopus* embryos by a dominant negative mutant **120**, 901

Levine, M. *See* Ip, Y. T.
Lewis, J. *See* McKay, I. J.
Li, S. *See* Lin, S.-C.
Liang, L., Diehl-Jones, W. and Lasko, P. Localization of vasa protein to the *Drosophila* pole plasm is independent of its RNA-binding and helicase activities **120**, 1201
Libbrach, C. *See* Damsky, C. H.
Lieuw, K. H. *See* George, K. M.
Lim, K.-H. *See* Damsky, C. H.
Lin, D. M. *See* Kolodkin, A. L.
Lin, H., Yue, L. and Spradling, A. C. The *Drosophila* fusome, a germline-specific organelle, contains membrane skeletal proteins and functions in cyst formation **120**, 947
Lin, S.-C., Li, S., Drolet, D. W. and Rosenfeld, M. G. Pituitary ontogeny of the Snell dwarf mouse reveals Pit-1-independent and Pit-1-dependent origins of the thyrotrope **120**, 515
Lin, T. *See* Campbell, G.
Lindsay, L. L. and Clark Jr., W. H. Signal transduction during shrimp oocyte activation by extracellular Mg^{2+}: roles of inositol 1,4,5-trisphosphate, tyrosine kinases and G-proteins **120**, 3463
Linstead, P. *See* Dolan, L.
Linzer, D. I. H. *See* Ng, Y.-K.
Liu, J. *See* Souza, P.
Liu, M. *See* Souza, P.
Liu, W. *See* Frenz, D. A.
Lo, D. C. *See* Pecorino, L. T.
Logan, S. K. *See* Damsky, C. H.
Lohnes, D. *See* Mendelsohn, C.
Lohnes, D., Mark, M., Mendelsohn, C., Dollé, P., Dierich, A., Gorry, P., Gansmuller, A. and Chambon, P. Function of the retinoic acid receptors (RARs) during development. (I) Craniofacial and skeletal abnormalities in RAR double mutants **120**, 2723
Lonie, A., D'Andrea, R., Paro, R. and Saint, R. Molecular characterisation of the *Polycomblike* gene of *Drosophila melanogaster*, a *trans*-acting negative regulator of homeotic gene expression **120**, 2629
Loomis, W. F. *See* Richardson, D. L.
Lopez, A. R. *See* Lawler, S.
Lopez, A. *See* Chang, D. T.
Lotan, T. *See* Eyal-Giladi, H.
Lucas, D. A. *See* Zhang, M.
Lufkin, T. *See* Mendelsohn, C.
Lumsden, A. *See* Goulding, M.
Lumsden, A. *See* McKay, I. J.
Lumsden, A. *See* Prince, V.
Lumsden, A., Clarke, J. D. W., Keynes, R. and Fraser, S. Early phenotypic choices by neuronal precursors, revealed by clonal analysis of the chick embryo hindbrain **120**, 1581
Lustig, M. *See* Lang, R.
Lutz, B., Kuratani, S., Cooney, A. J., Wawersik, S., Tsai, S. Y., Eichele, G. and Tsai, M.-J. Developmental regulation of the orphan receptor *COUP-TF II* gene in spinal motor neurons **120**, 25
Lyons, G. E. *See* Edmondson, D. G.
Lyons, K. M. *See* Conlon, F. L.
Macdonald, P. M. *See* Webster, P. J.
MacWilliams, H. K. *See* Detterbeck, S.
Maddaloni, M. *See* Cerioli, S.
Maden, M. *See* McKay, I. J.
Magnuson, T. *See* Holdener, B. C.
Mahanthappa, N. K., Cooper, D. N. W., Barondes, S. H. and Schwarting, G. A. Rat olfactory neurons can utilize the endogenous lectin, L-14, in a novel adhesion mechanism **120**, 1373
Manak, J. R., Mathies, L. D. and Scott, M. P. Regulation of a *decapentaplegic* midgut enhancer by homeotic proteins **120**, 3605
Mango, S. E., Lambie, E. J. and Kimble, J. The *pha-4* gene is required to generate the pharyngeal primordium of *Caenorhabditis elegans* **120**, 3019
Mango, S. E., Thorpe, C. J., Martin, P. R., Chamberlain, S. H. and Bowerman, B. Two maternal genes, *apx-1* and *pie-1*, are required to distinguish the fates of equivalent blastomeres in early *Caenorhabditis elegans* embryos **120**, 2305
Mann, J. R. *See* Buzin, C. H.
Mann, J. R. *See* Szabó, P.
Mann, R. S. *engrailed*-mediated repression of *Ultrabithorax* is necessary for the parasegment 6 identity in *Drosophila* **120**, 3205
Marcelle, C., Eichmann, A., Halevy, O., Bréant, C. and Le Douarin, N. M. Distinct developmental expression of a new avian fibroblast growth factor receptor **120**, 683
Mardon, G., Solomon, N. M. and Rubin, G. M. *dachshund* encodes a nuclear protein required for normal eye and leg development in *Drosophila* **120**, 3473
Mark, M. *See* Lohnes, D.
Mark, M. *See* Mendelsohn, C.
Maro, B. *See* Gueth-Hallonet, C.
Maro, B. *See* Verlhac, M.-H.
Marocco, A. *See* Cerioli, S.
Marsh, J. L. *See* Theisen, H.
Marshall, H. *See* Zhang, M.
Martin, D. *See* Tucker, R. P.
Martin, F. *See* Delannet, M.
Martin, J. F. *See* Edmondson, D. G.
Martin, P. R. *See* Mango, S. E.
Martinez Arias, A. *See* Couso, J. P.
Mathies, L. D. *See* Manak, J. R.
Mathies, L. D., Kerridge, S. and Scott, M. P. Role of the *teashirt* gene in *Drosophila* midgut morphogenesis: secreted proteins mediate the action of homeotic genes **120**, 2799
Matsuno, K. *See* Diederich, R. J.
Mattei, M.-G. *See* van der Hoeven, F.
Maxson, R. *See* Char, B. R.
Mayer, M., Bhakoo, K. and Noble, M. Ciliary neurotrophic factor and leukemia inhibitory factor promote the generation, maturation and survival of oligodendrocytes in vitro **120**, 143
Mayer, U. *See* Ekblom, P.
Mazo, A. *See* Sedkov, Y.
McBurney, M. W. *See* Vidricaire, G.
McCain, E. R. and McClay, D. R. The establishment of bilateral asymmetry in sea urchin embryos **120**, 395
McClay, D. R. *See* McCain, E. R.
McFall-Ngai, M. *See* Montgomery, M. K.
McKay, I. J., Muchamore,I., Krumlauf, R., Maden, M., Lumsden, A. and Lewis, J. The *kreisler* mouse: a hindbrain segmentation mutant that lacks two rhombomeres **120**, 2199
McMahon, A. P. *See* Dickinson, M. E.
McMahon, A. P. *See* Echelard, Y.
McMahon, A. P. *See* Shimamura, K.
McMaster, M. T. *See* Damsky, C. H.
Mege, R. M. *See* Cifuentes-Diaz, C.
Meijers, J. H. C. *See* Baarends, W. M.
Meinke, D. W. *See* Schwartz, B. W.
Meins Jr., F. and Seldran, M. Pseudodirected variation in the requirement of cultured plant cells for cell-division factors **120**, 1163
Mendelsohn, C. *See* Lohnes, D.
Mendelsohn, C., Lohnes, D., Décimo, D., Lufkin, T., LeMeur, M., Chambon, P. and Mark, M. Function of the retinoic acid receptors (RARs) during development. (II) Multiple abnormalities at various stages of organogenesis in RAR double mutants **120**, 2749
Menne, T. V. and Klämbt, C. The formation of commissures in the *Drosophila* CNS depends on the midline cells and on the *Notch* gene **120**, 123
Mercola, M. *See* Symes, K.
Merline, M. *See* Kuang, R. Z.
Merry, D. E., Veis, D. J., Hickey, W. F. and Korsmeyer, S. J. bcl-2 protein expression is widespread in the developing nervous system and retained in the adult PNS **120**, 301
Meyer, C. J. *See* Porter, S. D.
Michelson, A. M. Muscle pattern diversification in *Drosophila* is determined by the autonomous function of homeotic genes in the embryonic mesoderm **120**, 755

Mickanin, C. *See* Baldwin, H. S.
Micklem, G. *See* Castelli-Gair, J.
Miles, K. *See* Hoshizaki, D. K.
Millen, K. J., Wurst, W., Herrup, K. and Joyner, A. L. Abnormal embryonic cerebellar development and patterning of postnatal foliation in two mouse *Engrailed-2* mutants **120**, 695
Miller, M. W. *See* Duhl, D. M. J.
Miller, R. H. *See* Noll, E.
Milner, R. and ffrench-Constant, C. A developmental analysis of oligodendroglial integrins in primary cells: changes in αv-associated β subunits during differentiation **120**, 3497
Mirsky, R. *See* Morgan, L.
Mizrokhi, L. *See* Sedkov, Y.
Mlodzik, M. *See* Ellis, M. C.
Mocci, S. *See* Cecchini, M. G.
Modolell, J. *See* Cubas, P.
Molinari, S. *See* Cusella-De Angelis, M. G.
Molinaro, M. *See* Cusella-De Angelis, M. G.
Montagne, J. *See* Affolter, M.
Montesano, R. *See* Sanvito, F.
Montgomery, M. K. and McFall-Ngai, M. Bacterial symbionts induce host organ morphogenesis during early postembryonic development of the squid *Euprymna scolopes* **120**, 1719
Moody, S. A. *See* Bauer, D. V.
Moore, G. D., Ayabe, T., Visconti, P. E., Schultz, R. M. and Kopf, G. S. Roles of heterotrimeric and monomeric G proteins in sperm-induced activation of mouse eggs **120**, 3313
Morandini, P. *See* Detterbeck, S.
Morgan, L., Jessen, K. R. and Mirsky, R. Negative regulation of the P_0 gene in Schwann cells: suppression of P_0 mRNA and protein induction in cultured Schwann cells by FGF2 and TGFβ1, TGFβ2 and TGFβ3 **120**, 1399
Morisato, D. *See* Schneider, D. S.
Morohashi, K.-i. *See* Hatano, O.
Morris, M. D. *See* Jasoni, C. L.
Morriss-Kay, G. *See* Wood, H.
Moses, H. L. *See* Lawler, S.
Moses, H. L. *See* Serra, R.
Moskowitz, I. P. G., Gendreau, S. B. and Rothman, J. H. Combinatorial specification of blastomere identity by *glp-1*-dependent cellular interactions in the nematode *Caenorhabditis elegans* **120**, 3325
Mosley, K. L. *See* Fischer-Vize, J. A.
Motto, M. *See* Cerioli, S.
Mozer, B. A. and Benzer, S. Ingrowth by photoreceptor axons induces transcription of a retrotransposon in the developing *Drosophila* brain **120**, 1049
Muchamore,I. *See* McKay, I. J.
Muller, T. *See* Kurtz, A.
Murphy, M., Reid, K., Ford, M., Furness, J. B. and Bartlett, P. F. FGF2 regulates proliferation of neural crest cells, with subsequent neuronal differentiation regulated by LIF or related factors. **120**, 3519
Myohara, M. Fate mapping of the silkworm, *Bombyx mori*, with localized UV irradiation of the egg at fertilization **120**, 2869
Nair, S. *See* Spencer-Dene, B.
Nardelli-Haefliger, D., Bruce, A. E. E. and Shankland, M. An axial domain of HOM/Hox gene expression is formed by morphogenetic alignment of independently specified cell lineages in the leech *Helobdella* **120**, 1839
Nasrallah, J. B. *See* Kandasamy, M. K.
Nasrallah, M. E. *See* Kandasamy, M. K.
Nedivi, E. *See* Reinhard, E.
Neel, V. A. and Young, M. W. *igloo*, A GAP-43-related gene expressed in the developing nervous system of *Drosophila* **120**, 2235
Nellen, D. *See* Affolter, M.
Nelson, R. E. *See* Fogerty, F. J.
Nemni, R. *See* Feltri, M. L.
Neuman-Silberberg, F. S. and Schupbach, T. Dorsoventral axis formation in *Drosophila* depends on the correct dosage of the gene *gurken* **120**, 2457
Newman, P. J. *See* Baldwin, H. S.
Newmark, P. A. and Boswell, R. E. The *mago nashi* loucs encodes an essential product required for germ plasm assembly in *Drosophila* **120**, 1303
Ng, Y.-K., George, K. M., Engel, J. D. and Linzer, D. I. H. GATA factor activity is required for the trophoblast-specific transcriptional regulation of the mouse placental lactogen I gene **120**, 3257
Nichols, A. *See* Sanvito, F.
Nicolet, M. *See* Cifuentes-Diaz, C.
Nieuwkoop, P. *See* Dekker, E.-J.
Nishi, Y. *See* Shiomi, K.
Nishida, H. Localization of determinants for formation of the anterior-posterior axis in eggs of the ascidian *Halocynthia roretzi* **120**, 3093
Nishida, H. Localization of egg cytoplasm that promotes differentiation to epidermis in embryos of the ascidian *Halocynthia roretzi* **120**, 235
Nishida, Y. *See* Shiomi, K.
Nishimune, Y. *See* Yomogida, K.
Noble, M. *See* Mayer, M.
Noll, E. and Miller, R. H. Regulation of oligodendrocyte differentiation: a role for retinoic acid in the spinal cord **120**, 649
Noll, R., Sturtevant, M. A., Gollapudi, R. R. and Bier, E. New functions of the *Drosophilia rhomboid* gene during embryonic and adult development are revealed by a novel genetic method, enhancer piracy **120**, 2329
Norris, M. L. *See* Allen, N. D.
Nothiger, R. *See* Hilfiker-Kleiner, D.
Nunez, G. *See* Gonzalez-Garcia, M.
Nussbaumer, U. *See* Affolter, M.
Nusse, R. *See* Salinas, P. C.
Nüsslein-Volhard, C. *See* Schulte-Merker, S.
Nye, J. S. *See* Kopan, R.
Nye, J. S., Kopan, R. and Axel, R. An activated *Notch* suppresses neurogenesis and myogenesis but not gliogenesis in mammalian cells **120**, 2421
O'Farrell, P. H. *See* Duronio, R. J.
O'Farrell, P. H. *See* Edgar, B. A.
O'Neill, J. W. *See* Sturtevant, M. A.
Oakley, R. A., Lasky, C. J., Erickson, C. A. and Tosney, K. W. Glycoconjugates mark a transient barrier to neural crest migration in the chicken embryo **120**, 103
Oberlender, S. A. and Tuan, R. S. Expression and functional involvement of N-cadherin in embryonic limb chondrogenesis **120**, 177
Ohlsson, R., Hedborg, F., Holmgren, L., Walsh, C. and Ekström, T. J. Overlapping patterns of *IGF2* and *H19* expression during human development: biallelic *IGF2* expression correlates with a lack of *H19* expression **120**, 361
Ohtani, H. *See* Yomogida, K.
Okkema, P. G. and Fire, A. The *Caenorhabditis elegans* NK-2 class homeoprotein CEH-22 is involved in combinatorial activation of gene expression in pharyngeal muscle **120**, 2175
Oliver, B., Singer, J., Laget, V., Pennetta, G. and Pauli, D. Function of *Drosophila ovo*$^+$ in germ-line sex determination depends on X-chromosome number **120**, 3185
Olson, E. N. *See* Edmondson, D. G.
Omura, T. *See* Hatano, O.
Oparka, K. J. *See* Duckett, C. M.
Orci, L. *See* Sanvito, F.
Ordahl, C. P. *See* Williams, B. A.
Osanai, K. *See* Kuraishi, R.
Otani, H. *See* Taira, M.
Padgett, R. W. *See* Finelli, A. L.
Page, D. C. *See* Zambrowicz, B. P.
Pall, G. *See* Wood, H.
Palmiter, R. D. *See* Zambrowicz, B. P.
Panganiban, G. F. *See* Skeath, J. B.
Paquette, A. J. *See* Goulding, M.
Paria, B. C. *See* Das, S. K.
Pariente, F. *See* Capdevila, J.
Parker, C. G. *See* Fogerty, F. J.

Paro, R. *See* Lonie, A.
Partin, J. S. *See* Hwang, S.-P. L.
Passas, H. J. *See* Evans, M. M. S.
Patel, N. H. *See* Chiang, C.
Patel, Y. *See* Rappolee, D. A.
Paterson, B. M. *See* Bober, E.
Patient, R. K. *See* Walmsley, M. E.
Patient, R. *See* Xu, Q.
Patterson, B. *See* Springer, M. L.
Pauli, D. *See* Oliver, B.
Pavlova, A., Boutin, E., Cunha, G. and Sassoon, D. *Msx1 (Hox-7.1)* in the adult mouse uterus: cellular interactions underlying regulation of expression **120**, 335
Pecorino, L. T., Lo, D. C. and Brockes, J. P. Isoform-specific induction of a retinoid-responsive antigen after biolistic transfection of chimaeric retinoic acid/thyroid hormone receptors into a regenerating limb **120**, 325
Peifer, M., Sweeton, D., Casey, M. and Wieschaus, E. *wingless* signal and Zeste-white 3 kinase trigger opposing changes in the intracellular distribution of Armadillo **120**, 369
Pelton, R. W. *See* Serra, R.
Pennetta, G. *See* Oliver, B.
Perez-Ballestero, R. *See* Gonzalez-Garcia, M.
Petkovich, M. *See* White, J. A.
Phillis, R. W. *See* Gorczyca, M. G.
Pickup, A. T. *See* Kolodkin, A. L.
Pillemer, G. *See* Frumkin, A.
Pinon, L. G. P. *See* Buj-Bello, A.
Pizzey, J. A. *See* Walmsley, M. E.
Plesken, H. *See* Lang, R.
Poethig, R. S. *See* Evans, M. M. S.
Poethig, S. *See* Dolan, L.
Pollard, J. W. *See* Cecchini, M. G.
Porter, S. D. and Meyer, C. J. A distal tyrosinase upstream element stimulates gene expression in neural-crest-derived melanocytes of transgenic mice: position-independent and mosaic expression **120**, 2103
Posakony, J. W. *See* Schweisguth, F.
Poss, P. M. *See* Tucker, R. P.
Post, M. *See* Baarends, W. M.
Post, M. *See* Souza, P.
Pournin, S. *See* Renard, J.-P.
Powell-Coffman, J. A. and Firtel, R. A. Characterization of a novel *Dictystelium discoideum* prespore-specific gene, *PspB*, reveals conserved regulatory sequences **120**, 1601
Pratt, T. *See* Heasman, J.
Preiss, A. *See* Jennings, B.
Price, C. *See* Hoshizaki, D. K.
Prince, V. and Lumsden, A. *Hoxa-2* expression in normal and transposed rhombomeres: independent regulation in the neural tube and neural crest **120**, 911
Prior, D. A. M. *See* Duckett, C. M.
Prokop, A. and Technau, G. M. Early tagma-specific commitment of *Drosophila* CNS progenitor NB1-1 **120**, 2567
Pruitt, S. C. Discrete endogenous signals mediate neural competence and induction in P19 embryonal carcinoma stem cells **120**, 3301
Pruitt, S. C. Primitive streak mesoderm-like cell lines expressing *Pax-3* and *Hox* gene autoinducing activities **120**, 37
Purcell, J. *See* Theisen, H.
Quaranta, V. *See* Feltri, M. L.
Raff, M. C. *See* Barres, B. A.
Ragucci, M. *See* Hoshizaki, D. K.
Raible, D. W. and Eisen, J. S. Restriction of neural crest cell fate in the trunk of the embryonic zebrafish **120**, 495
Ram, P. T. *See* Worrad, D. M.
Ran, B., Bopp, R. and Suter, B. Null alleles reveal novel requirements for *Bic-D* during *Drosophila* oogenesis and zygotic development **120**, 1233
Rangini, Z. *See* Spann, P.
Rappolee, D. A., Basilico, C., Patel, Y. and Werb, Z. Expression and function of FGF-4 in peri-implantation development in mouse embryos **120**, 2259
Ratner, N. *See* Bhattacharyya, A.
Raymond, P. A. *See* Braisted, J. E.
Reh, T. A. *See* Jasoni, C. L.
Reh, T. A. *See* Kelley, M. W.
Reichardt, L. F. *See* Delannet, M.
Reid, K. *See* Murphy, M.
Reik, W. *See* Feil, R.
Reinhard, E., Nedivi, E., Wegner, J., Skene, J. H. P. and Westerfield, M. Neural selective activation and temporal regulation of a mammalian GAP-43 promoter in zebrafish **120**, 1767
Renard, J.-P., Baldacci, P., Richoux-Duranthon, V., Pournin, S. and Babinet, C. A maternal factor affecting mouse blastocyst formation **120**, 797
Reuter, R. and Leptin, M. Interacting functions of *snail*, *twist* and *huckbein* during the early development of germ layers in *Drosophila* **120**, 1137
Reuter, R. The gene *serpent* has homeotic properties and specifies endoderm versus ectoderm within the *Drosophila* gut **120**, 1123
Rhee, J. T. *See* Yutzey, K. E.
Richards, W. G. *See* Carroll, P. M.
Richardson, D. L., Loomis, W. F. and Kimmel, A. R. Progression of an inductive signal activates sporulation in *Dictyostelium discoideum* **120**, 2891
Richardson, M. K. *See* Francis, P. H.
Richoux-Duranthon, V. *See* Renard, J.-P.
Rieger, F. *See* Cifuentes-Diaz, C.
Rigby, P. W. J. *See* Timmons, P. M.
Roberts, K. *See* Dolan, L.
Roberts, K. *See* Duckett, C. M.
Roberts, S. K., Gillot, I. and Brownlee, C. Cytoplasmic calcium and *Fucus* egg activation **120**, 155
Robertson, E. J. *See* Conlon, F. L.
Robinson, D. N., Cant, K. and Cooley, L. Morphogenesis of *Drosophila* ovarian ring canals **120**, 2015
Robson, L. G., Kara, T., Crawley, A. and Tickle, C. Tissue and cellular patterning of the musculature in chick wings **120**, 1265
Rogers, P. V. *See* Yin, Y.
Rosenfeld, M. G. *See* Lin, S.-C.
Rosenthal, N. S. *See* Holdener, B. C.
Rossant, J. *See* Ang, S.-L.
Rotello, R. J., Fernandez, P.-A. and Yuan, J. Anti-apogens and anti-engulfens: monoclonal antibodies reveal specific antigens on apoptotic and engulfment cells during chicken embryonic development **120**, 1421
Roth, M. E. *See* George, K. M.
Roth, S. and Schüpbach, T. The relationship between ovarian and embryonic dorsoventral patterning in *Drosophila* **120**, 2245
Roth, S. *See* Leptin, M.
Rothman, J. H. *See* Moskowitz, I. P. G.
Rubin, G. M. *See* Hay, B. A.
Rubin, G. M. *See* Mardon, G.
Rudnicki, M. A. *See* Braun, T.
Ruiz-Gomez, M. *See* Cubas, P.
Ruther, U. *See* van der Hoeven, F.
Rutherford, C. L. *See* Yin, Y.
Saiga, H. *See* Fukuda, K.
Saint, R. *See* Lonie, A.
Salamini, F. *See* Cerioli, S.
Salgado, L. M. *See* Weinziger, R.
Salinas, P. C., Fletcher, C., Copeland, N. G., Jenkins, N. A. and Nusse, R. Maintenance of *Wnt-3* expression in Purkinje cells of the mouse cerebellum depends on interactions with granule cells **120**, 1277
Sampedro, J. *See* Capdevila, J.
Santa-Maria, A. *See* Gueth-Hallonet, C.
Sanvito, F., Herrera, P.-L., Huarte, J., Nichols, A., Montesano, R., Orci, L. and Vassalli, J.-D. TGF-β1 influences the relative

development of the exocrine and endocrine pancreas in vitro **120**, 3451
Sarras Jr., M. P. *See* Zhang, X.
Sarvetnick, N. *See* Gu, D.
Sassoon, D. *See* Pavlova, A.
Sater, A. K., Alderton, J. M. and Steinhardt, R. A. An increase in intracellular pH during neural induction in *Xenopus* **120**, 433
Saxon, P. J. *See* Duhl, D. M. J.
Schaap, P. *See* Soede, R. D. M.
Schedl, P. *See* Bhat, K. M.
Scherer, S. S. *See* Feltri, M. L.
Scheres, B., Wolkenfelt, H., Willemsen, V., Terlouw, M., Lawson, E., Dean, C. and Weisbeek, P. Embryonic origin of the *Arabidopsis* primary root and root meristem initials **120**, 2475
Scherson, T. *See* Sechrist, J.
Schilling, T. F. and Kimmel, C. B. Segment and cell type lineage restrictions during pharyngeal arch development in the zebrafish embryo **120**, 483
Schimmang, T. *See* van der Hoeven, F.
Schnabel, H. *See* Granato, M.
Schnabel, R. *See* Granato, M.
Schnabel, R. *See* Hutter, H.
Schneider, D. S., Jin, Y., Morisato, D. and Anderson, K. V. A processed form of the Spätzle protein defines dorsal-ventral polarity in the *Drosophila* embryo **120**, 1243
Schneider, K. *See* Dolan, L.
Schnutgen, F. *See* Kurtz, A.
Schooley, K. *See* Cheng, L.
Schughart, K. *See* Gunther, T.
Schulte-Merker, S., Hammerschmidt, M., Beuchle, D., Cho, K. W., De Robertis, E. M. and Nüsslein-Volhard, C. Expression of zebrafish *goosecoid* and *no tail* gene products in wild-type and mutant *no tail* embryos **120**, 843
Schulte-Merker, S., van Eeden, F. J. M., Halpern, M. E., Kimmel, C. B. and Nüsslein-Volhard, C. *no tail* (*ntl*) is the zebrafish homologue of the mouse T (*Brachyury*) gene **120**, 1009
Schultz, R. M. *See* Moore, G. D.
Schultz, R. M. *See* Worrad, D. M.
Schultz, R. M. *See* Xu, Z.
Schulz, C. and Tautz, D. Autonomous concentration-dependent activation and repression of *Krüppel* by *hunchback* in the *Drosophila* embryo **120**, 3043
Schupbach, T. *See* Neuman-Silberberg, F. S.
Schupbach, T. *See* Roth, S.
Schwarting, G. A. *See* Mahanthappa, N. K.
Schwartz, B. W., Yeung, E. C. and Meinke, D. W. Disruption of morphogenesis and transformation of the suspensor in abnormal *sus*pensor mutants of *Arabidopsis* **120**, 3235
Schweisguth, F. and Posakony, J. W. Antagonistic activities of *Suppressor of Hairless* and *Hairless* control alternative cell fates in the *Drosophila* adult epidermis **120**, 1433
Scott, M. O. *See* Feltri, M. L.
Scott, M. P. *See* Manak, J. R.
Scott, M. P. *See* Mathies, L. D.
Sechrist, J., Scherson, T. and Bronner-Fraser, M. Rhombomere rotation reveals that multiple mechanisms contribute to the segmental pattern of hindbrain neural crest migration **120**, 1777
Sedkov, Y., Tillib, S., Mizrokhi, L. and Mazo, A. The bithorax complex is regulated by *trithorax* earlier during *Drosophila* embryogenesis than is the Antennapedia complex, correlating with a bithorax-like expression pattern of distinct early *trithorax* transcripts **120**, 1907
Sedlackova, L. *See* Souza, P.
Seldin, M. F. *See* Chang, D. T.
Seldran, M. *See* Meins Jr., F.
Sellinger, M. *See* Lang, R.
Sepanski, M. *See* Chen, L.
Serbedzija, G. N., Bronner-Fraser, M. and Fraser, S. E. Developmental potential of trunk neural crest cells in the mouse **120**, 1709
Serra, R., Pelton, R. W. and Moses, H. L. TGFβ1 inhibits branching morphogenesis and N-*myc* expression in lung bud organ cultures **120**, 2153
Seydoux, G. and Fire, A. Soma-germline asymmetry in the distributions of embryonic RNAs in *Caenorhabditis elegans* **120**, 2823
Shankland, M. *See* Nardelli-Haefliger, D.
Sharma, K., Korade, Z. and Frank, E. Development of specific muscle and cutaneous sensory projections in cultured segments of spinal cord **120**, 1315
Shen, H. M. *See* Baldwin, H. S.
Shimamura, K., Hirano, S., McMahon, A. P. and Takeichi, M. *Wnt-1*-dependent regulation of local E-cadherin and αN-catenin expression in the embryonic mouse brain **120**, 2225
Shiokawa, K. *See* Fukuda, K.
Shiomi, K., Takeichi, M., Nishida, Y., Nishi, Y. and Uemura, T. Alternative cell fate choice induced by low-level expression of a regulator of protein phosphatase 2A in the *Drosophila* peripheral nervous system **120**, 1591
Shum, L. *See* Lawler, S.
Simandl, B. K. *See* Chang, D. T.
Simpson, E. M. *See* Zambrowicz, B. P.
Singer, J. *See* Oliver, B.
Singer-Sam, J. *See* Buzin, C. H.
Skaer, H. *See* Hoch, M.
Skeath, J. B., Panganiban, G. F. and Carroll, S. B. The *ventral nervous system defective* gene controls proneural gene expression at two distinct steps during neuroblast formation in *Drosophila* **120**, 1517
Skene, J. H. P. *See* Reinhard, E.
Smith, C. M. and Weisblat, D. A. Micromere fate maps in leech embryos: lineage-specific differences in rates of cell proliferation **120**, 3427
Smith, J. A. *See* Green, J. B. A.
Smith, J. C. *See* Albano, R. M.
Smith, J. C. *See* Walmsley, M. E.
Soede, R. D. M., Insall, R. H., Devreotes, P. N. and Schaap, P. Extracellular cAMP can restore development in *Dictyostelium* cells lacking one, but not two subtypes of early cAMP receptors (cARs). Evidence for involvement of cAR1 in aggregative gene expression **120**, 1997
Sokol, S. Y. *See* Itoh, K.
Solnica-Krezel, L. and Driever, W. Microtubule arrays of the zebrafish yolk cell: organization and function during epiboly **120**, 2443
Solomon, N. M. *See* Mardon, G.
Sookhareea, S. *See* Labouesse, M.
Souza, P., Sedlackova, L., Kuliszewski, M., Wang, J., Liu, J., Tseu, I., Liu, M., Transwell, A. K. and Post, M. Antisense oligodeoxynucleotides targeting PDGF-B mRNA inhibit cell proliferation during embryonic rat lung development **120**, 2163
Spana, E. *See* Campbell, G.
Spann, P., Ginsburg, M., Rangini, Z., Fainsod, A., Eyal-Giladi, H. and Gruenbaum, Y. The spatial and temporal dynamics of *Sax1* (*CHox3*) homeobox gene expression in the chick's spinal cord **120**, 1817
Speicher, S. A., Thomas, U., Hinz, U. and Knust, E. The *Serrate* locus of *Drosophila* and its role in morphogenesis of the wing imaginal discs: control of cell proliferation **120**, 535
Spencer-Dene, B., Thorogood, P., Nair, S., Kenny, A. J., Harris, M. and Henderson, B. Distribution of, and a putative role for, the cell-surface neutral metallo-endopeptidases during mammalian craniofacial development **120**, 3213
Spener, F. *See* Kurtz, A.
Sporn, M. *See* Buchman, V. L.
Spradling, A. C. *See* Lin, H.
Spring, J. *See* Tucker, R. P.
Springer, M. L., Patterson, B. and Spudich, J. A. Stage-specific requirement for myosin II during *Dictyostelium* development **120**, 2651
Spudich, J. A. *See* Springer, M. L.
Stainier, D. Y. R. *See* Lee, R. K. K.

Stanley, E. R. *See* Cecchini, M. G.
Steinhardt, R. A. *See* Sater, A. K.
Steinmann-Zwicky, M. Sex determination of the *Drosophila* germ line: *tra* and *dsx* control somatic inductive signals **120**, 707
Stern, C. D. *See* Hatada, Y.
Sternberg, P. W. *See* Chamberlin, H. M.
Stevens, M. E. *See* Duhl, D. M. J.
Stockdale, F. E. *See* Buffinger, N.
Strehlow, D., Heinrich, G. and Gilbert, W. The fates of the blastomeres of the 16-cell zebrafish embryo **120**, 1791
Strickland, S. *See* Carroll, P. M.
Strickland, S. *See* Wells, J. M.
Struwe, M. *See* Gunther, T.
Sturtevant, M. A. *See* Noll, R.
Sturtevant, M. A., O'Neill, J. W. and Bier, E. Down-regulation of *Drosophila Egf-r* mRNA levels following hyperactivated receptor signaling **120**, 2593
Sturtevant, M. *See* Fristrom, D.
Suen, J. *See* Webster, P. J.
Sullivan, W. *See* Fogarty, P.
Surani, M. A. *See* Allen, N. D.
Suter, B. *See* Ran, B.
Suzuki, Y. *See* Xu, X.
Swann, K. *See* Carroll, J.
Sweeton, D. *See* Peifer, M.
Sweis, R. *See* Hoshizaki, D. K.
Syed, A. *See* Theisen, H.
Symes, K., Yordán, C. and Mercola, M. Morphological differences in *Xenopus* embryonic mesodermal cells are specified as an early response to distinct threshold concentrations of activin **120**, 2339
Szabó, P. and Mann, J. R. Expression and methylation of imprinted genes during in vitro differentiation of mouse parthenogenetic and androgenetic embryonic stem cell lines **120**, 1651
Tainsky, M. *See* Byrne, C.
Taira, M., Otani, H., Jamrich, M. and Dawid, I. B. Expression of the LIM class homeobox gene *Xlim-1* in pronephros and CNS cell lineages of *Xenopus* embryos is affected by retinoic acid and exogastrulation **120**, 1525
Takaesu, N. *See* Conlon, F. L.
Takakusu, A. *See* Hatano, O.
Takayama, K. *See* Hatano, O.
Takeichi, M. *See* Shimamura, K.
Takeichi, M. *See* Shiomi, K.
Takeuchi, I. *See* Traynor, D.
Talbot, W. S. *See* Truman, J. W.
Tam, P. P. L. *See* Trainor, P. A.
Tam, P. P. L., Zhou, S. X. and Tan, S.-S. X-chromosome activity of the mouse primordial germ cells revealed by the expression of an X-linked *lacZ* transgene **120**, 2925
Tan, H. *See* Char, B. R.
Tan, S.-S. *See* Tam, P. P. L.
Tan, S.-S. *See* Trainor, P. A.
Tang, J., Jo, S. A. and Burden, S. J. Separate pathways for synapse-specific and electrical activity-dependent gene expression in skeletal muscle **120**, 1799
Tarcic, N. *See* Frumkin, A.
Tasaka, M. *See* Traynor, D.
Tautz, D. *See* Schulz, C.
Tear, G. *See* Dawes, R.
Technau, G. M. *See* Bossing, T.
Technau, G. M. *See* Prokop, A.
Temple, S. and Davis, A. A. Isolated rat cortical progenitor cells are maintained in division in vitro by membrane-associated factors **120**, 999
Tepass, U. and Hartenstein, V. Epithelium formation in the *Drosophila* midgut depends on the interaction of endoderm and mesoderm **120**, 579
Tepass, U., Fessler, L. I., Aziz, A. and Hartenstein, V. Embryonic origin of hemocytes and their relationship to cell death in *Drosophila* **120**, 1829
Terlouw, M. *See* Scheres, B.
Thaller, C. *See* Helms, J.
Theisen, H., Purcell, J., Bennett, M., Kansagara, D., Syed, A. and Marsh, J. L. *dishevelled* is required during *wingless* signaling to establish both cell polarity and cell identity **120**, 347
Themmen, A. P. N. *See* Baarends, W. M.
Thomas, G. H. and Kiehart, D. P. β_{Heavy} -spectrin has a restricted tissue and subcellular distribution during *Drosophila* embryogenesis **120**, 2039
Thomas, J. B. *See* Blair, S. S.
Thomas, U. *See* Speicher, S. A.
Thompson, C. B. *See* Gonzalez-Garcia, M.
Thorogood, P. *See* Spencer-Dene, B.
Thorpe, C. J. *See* Mango, S. E.
Tickle, C. *See* Francis, P. H.
Tickle, C. *See* Robson, L. G.
Tietje, K. *See* Giniger, E.
Tillib, S. *See* Sedkov, Y.
Timmermans, A. *See* Dekker, E.-J.
Timmons, P. M., Wallin, J., Rigby, P. W. J. and Balling, R. Expression and function of *Pax 1* during development of the pectoral girdle **120**, 2773
Timpl, R. *See* Ekblom, P.
Tomlinson, A. *See* Campbell, G.
Torres-Ruiz, R. A. and Jürgens, G. Mutations in the *FASS* gene uncouple pattern formation and morphogenesis in *Arabidopsis* development **120**, 2967
Tosney, K. W. *See* Oakley, R. A.
Trainor, P. A., Tan, S.-S. and Tam, P. P. L. Cranial paraxial mesoderm: regionalisation of cell fate and impact on craniofacial development in mouse embryos **120**, 2397
Transwell, A. K. *See* Souza, P.
Trask, T. *See* Baldwin, H. S.
Traynor, D., Tasaka, M., Takeuchi, I. and Williams, J. Aberrant pattern formation in myosin heavy chain mutants of *Dictyostelium* **120**, 591
Tremblay, P. *See* Bober, E.
Troemel, E. R. *See* Crittenden, S. L.
Truman, J. W., Talbot, W. S., Fahrbach, S. E. and Hogness, D. S. Ecdysone receptor expression in the CNS correlates with stage-specific responses to ecdysteroids during *Drosophila* and *Manduca* development **120**, 219
Tsai, C. and Gergen, J. P. Gap gene properties of the pair-rule gene *runt* during *Drosophila* segmentation **120**, 1671
Tsai, M.-J. *See* Lutz, B.
Tsai, S. Y. *See* Lutz, B.
Tseu, I. *See* Souza, P.
Tsirka, S. E. *See* Carroll, P. M.
Tuan, R. S. *See* Oberlender, S. A.
Tucker, R. P., Spring, J., Baumgartner, S., Martin, D., Hagios, C., Poss, P. M. and Chiquet-Ehrismann, R. Novel tenascin variants with a distinctive pattern of expression in the avian embryo **120**, 637
Turner, J. K. *See* Kelley, M. W.
Uemura, T. *See* Shiomi, K.
Uilenbroek, J. Th. J. *See* Baarends, W. M.
Ungar, A. *See* Zhang, Y.
Upchurch, B. H., Aponte, G. W. and Leiter, A. B. Expression of peptide YY in all four islet cell types in the developing mouse pancreas suggests a common peptide YY-producing progenitor **120**, 245
Vaessen, M.-J. *See* Dekker, E.-J.
Vaessin, H., Brand, M., Jan, L. Y. and Jan, Y. N. *daughterless* is essential for neuronal precursor differentiation but not for initiation of neuronal precursor formation in *Drosophila* embryo **120**, 935
Van De Water, T. R. *See* Frenz, D. A.
van den Berg, C. *See* Dekker, E.-J.
van den Eijnden-van Raaij, A. J. M. *See* Feijen, A.
van der Hoeven, F., Schimmang, T., Volkmann, A., Mattei, M.-G., Kyewski, B. and Rüther, U. Programmed cell death is affected in the novel mouse mutant *Fused toes* (*Ft*). **120**, 2601

van der Schoot, P. J. C. M. *See* Baarends, W. M.
van Eeden, F. J. M. *See* Schulte-Merker, S.
van Grunsven, L. A. *See* Damen, W. G. M.
van Helmond, M. J. *See* Baarends, W. M.
van Kessel, A. G. *See* Dekker, E.-J.
van Loon, A. E. *See* Damen, W. G. M.
Vassalli, J.-D. *See* Sanvito, F.
Vassileva, G. *See* Echelard, Y.
Veis, D. J. *See* Merry, D. E.
Veit, B. *See* Jackson, D.
Verheyen, E. M. and Cooley, L. Profilin mutations disrupt multiple actin-dependent processes during *Drosophila* development **120**, 717
Verlhac, M.-H., Kubiak, J. Z., Clarke, H. J. and Maro, B. Microtubule and chromatin behavior follow MAP kinase activity but not MPF activity during meiosis in mouse oocytes **120**, 1017
Verroust, P. *See* Gueth-Hallonet, C.
Vidricaire, G., Jardine, K. and McBurney, M. W. Expression of the *Brachyury* gene during mesoderm development in differentiating embryonal carcinoma cell cultures **120**, 115
VijayRaghavan, K. *See* Volk, T.
Vincent, J.-P. *See* Lawrence, P. A.
Visconti, P. E. *See* Moore, G. D.
Vivarelli, E. *See* Cusella-De Angelis, M. G.
Vogelbacker, H. *See* Feltri, M. L.
Volk, T. and VijayRaghavan, K. A central role for epidermal segment border cells in the induction of muscle patterning in the *Drosophila* embryo **120**, 59
Volkmann, A. *See* van der Hoeven, F.
von Kessler, D. P. *See* Chang, D. T.
Vorwerk, K. *See* Langeland, J. A.
Vrieling, H. *See* Duhl, D. M. J.
Waddle, J., Cooper, J. A. and Waterson, R. H. Transient localized accumulation of actin in *Caenorhabditis elegans* blastomeres with oriented asymmetric divisions **120**, 2317
Walker, M. B. *See* Jasoni, C. L.
Walldorf, U. *See* Affolter, M.
Wallin, J. *See* Timmons, P. M.
Wallin, J., Wilting, J., Koseki, H., Fritsch, R., Christ, B. and Balling, R. The role of *Pax-1* in axial skeleton development **120**, 1109
Walmsley, M. E., Guille, M. J., Bertwistle, D., Smith, J. C., Pizzey, J. A. and Patient, R. K. Negative control of *Xenopus* GATA-2 by activin and noggin with eventual expression in precursors of the ventral blood islands **120**, 2519
Walsh, C. *See* Ohlsson, R.
Walsh, F. S. *See* Williams, E. J.
Walter, J. *See* Feil, R.
Wang, J. *See* Souza, P.
Wang, X.-N. *See* Das, S. K.
Warga, R. M. *See* Kimmel, C. B.
Wassef, M. *See* Bally-Cuif, L.
Wasserman, S. A. *See* Castrillon, D. H.
Waterman, M. R. *See* Hatano, O.
Waterson, R. H. *See* Waddle, J.
Wawersik, S. *See* Lutz, B.
Weber, U. *See* Ellis, M. C.
Webster, P. J., Suen, J. and Macdonald, P. M. *Drosophila virilis oskar* transgenes direct body patterning but not pole cell formation or maintenance of mRNA localization in *D. melanogaster* **120**, 2027
Wegner, J. *See* Reinhard, E.
Weih, F. *See* Carrasco, D.
Weijer, C. J. *See* Bichler, G.
Weinstein, B. M. *See* Lee, R. K. K.
Weintraub, H. *See* Kopan, R.
Weinziger, R., Salgado, L. M., David, C. N. and Bosch, T. C. G. *Ks1*, an epithelial cell-specific gene, responds to early signals of head formation in *Hydra* **120**, 2511
Weisbeek, P. *See* Scheres, B.
Weisblat, D. A. *See* Smith, C. M.
Wells, J. M. and Strickland, S. Aprotinin, a Kunitz-type protease inhibitor, stimulates skeletal muscle differentiation **120**, 3639
Werb, Z. *See* Rappolee, D. A.
Wessel, G. M. *See* Laidlaw, M.
Westerfield, M. *See* Reinhard, E.
Wetterauer, B. *See* Detterbeck, S.
Wetterwald, A. *See* Cecchini, M. G.
Wharton Jr, K. A., Franks, R. G., Kasai, Y. and Crews, S. T. Control of CNS midline transcription by asymmetric E-box-like elements: similarity to xenobiotic responsive regulation **120**, 3563
Whitaker, M. *See* Carroll, J.
White, J. A., Boffa, M. B., Jones, B. and Petkovich, M. A zebrafish retinoic acid receptor expressed in the regenerating caudal fin **120**, 1861
White, L. S. *See* Cheng, L.
Whitman, M. *See* LaBonne, C.
Whittingham, D. *See* Carroll, J.
Wiersdorff, V. *See* Ellis, M. C.
Wieschaus, E. *See* Irvine, K. D.
Wieschaus, E. *See* Peifer, M.
Willemsen, V. *See* Scheres, B.
Williams, B. A. and Ordahl, C. P. *Pax-3* expression in segmental mesoderm marks early stages in myogenic cell specification **120**, 785
Williams, E. J., Furness, J., Walsh, F. S. and Doherty, P. Characterisation of the second messenger pathway underlying neurite outgrowth stimulated by FGF **120**, 1685
Williams, J. D. *See* Frenz, D. A.
Williams, J. *See* Traynor, D.
Wilming, L. G. *See* Baarends, W. M.
Wilson, S. W. *See* Xu, Q.
Wilting, J. *See* Bober, E.
Wilting, J. *See* Wallin, J.
Wolf, N. *See* Edgar, L. G.
Wolff, T. *See* Hay, B. A.
Wolkenfelt, H. *See* Scheres, B.
Wood, H., Pall, G. and Morriss-Kay, G. Exposure to retinoic acid before or after the onset of somitogenesis reveals separate effects on rhombomeric segmentation and 3′ *HoxB* gene expression domains **120**, 2279
Wood, W. B. *See* Edgar, L. G.
Worrad, D. M., Ram, P. T. and Schultz, R. M. Regulation of gene expression in the mouse oocyte and early preimplantation embryo: developmental changes in Sp1 and TATA box-binding protein, TBP **120**, 2347
Wrabetz, L. *See* Feltri, M. L.
Wright, C. V. E. *See* Lawler, S.
Wurst, W. *See* Millen, K. J.
Wurst, W., Auerbach, A. B. and Joyner, A. L. Multiple developmental defects in *Engrailed-1* mutant mice: an early mid-hindbrain deletion and patterning defects in forelimbs and sternum **120**, 2065
Wylie, C. *See* Gomperts, M.
Wylie, C. *See* Heasman, J.
Xie, T. *See* Finelli, A. L.
Xu, P.-X. *See* Xu, X.
Xu, Q., Holder, N., Patient, R. and Wilson, S. W. Spatially regulated expression of three receptor tyrosine kinase genes during gastrulation in the zebrafish **120**, 287
Xu, X., Xu, P.-X. and Suzuki, Y. A maternal homeobox gene, *Bombyx caudal*, forms both mRNA and protein concentration gradients spanning anteroposterior axis during gastrulation **120**, 277
Xu, Z., Kopf, G. S. and Schultz, R. M. Involvement of inositol 1,4,5-trisphosphate-mediated Ca^{2+} release in early and late events of mouse egg activation **120**, 1851
Yamada, T. Caudalization by the amphibian organizer: *brachyury*, convergent extension and retinoic acid **120**, 3051
Yamamoto, M. *See* Yomogida, K.
Yan, H.-C. *See* Baldwin, H. S.
Yaron, Y. *See* Fogerty, F. J.
Yasugi, S. *See* Fukuda, K.
Yee, G. *See* Grinblat, Y.
Yeung, E. C. *See* Schwartz, B. W.
Yin, Y., Rogers, P. V. and Rutherford, C. L. Dual regulation of the

glycogen phosphorylase 2 gene of *Dictyostelium discoideum*: the effects of DIF-1, cAMP, NH_3 and adenosine **120**, 1169
Yomogida, K., Ohtani, H., Harigae, H., Ito, E., Nishimune, Y., Engel, J. D. and Yamamoto, M. Developmental stage- and spermatogenic cycle ..pecific expression of transcription factor GATA-1 in mouse Sertoli cells **120**, 1759
Yordan, C. *See* Symes, K.
Yoshida-Noro, C. *See* Heasman, J.
Young, K. E. *See* Chiang, C.
Young, M. W. *See* Neel, V. A.
Yuan, J. *See* Rotello, R. J.
Yue, L. *See* Lin, H.
Yutzey, K. E., Rhee, J. T. and Bader, D. Expression of the atrial-specific myosin heavy chain AMHC1 and the establishment of anteroposterior polarity in the developing chicken heart **120**, 871
Zambrowicz, B. P., Zimmermann, J. W., Harendza, C. J., Simpson, E. M., Page, D. C., Brinster, R. L. and Palmiter, R. D. Expression of a mouse *Zfy-1/lacZ* transgene in the somatic cells of the embryonic gonad and germ cells of the adult testis **120**, 1549
Zavortink, M. *See* Blair, S. S.
Zellan, J. D. *See* Hodgkin, J.
Zhang, H.-Y. *See* Ekblom, P.
Zhang, M., Kim, H.-J., Marshall, H., Gendron-Maguire, M., Lucas, D. A., Baron, A., Gudas, L. J., Gridley, T., Krumlauf, R. and Grippo, J. F. Ectopic *Hoxa-1* induces rhombomere transformation in mouse hindbrain **120**, 2431
Zhang, X. and Sarras Jr., M. P. Cell-extracellular matrix interactions under in vivo conditions during interstitial cell migration in *Hydra vulgaris* **120**, 425
Zhang, Y., Ungar, A., Fresquez, C. and Holmgren, R. Ectopic expression of either the *Drosophila gooseberry-distal* or *proximal* gene causes alterations of cell fate in the epidermis and central nervous system **120**, 1151
Zhao, R. *See* Chang, D. T.
Zhou, S. X. *See* Tam, P. P. L.
Zhou, Y. *See* Damsky, C. H.
Zimmer, A. *See* Kurtz, A.
Zimmerman, K. *See* Ferreiro, B.
Zimmermann, J. W. *See* Zambrowicz, B. P.
Zusman, S. *See* Grinblat, Y.

Subject Index

abdominal-A
dpp regulation by homeotic genes: MANAK, MATHIES AND SCOTT **120**, 3605.
Hox genes in arthropods: AKAM, AVEROF, CASTELLI-GAIR, DAWES, FALCIANI AND FERRIER **Supplement**, 209.
teashirt and midgut morphogenesis: MATHIES, KERRIDGE AND SCOTT **120**, 2799.
temporal requirements for homeotic genes: CASTELLI-GAIR, GREIG, MICKLEM AND AKAM **120**, 1983.
Abdominal-B
temporal requirements for homeotic genes: CASTELLI-GAIR, GREIG, MICKLEM AND AKAM **120**, 1983.
Acanthostega gunnari
evolutionary developmental biology of the tetrapod limb: HINCHLIFFE **Supplement**, 163.
vertebrate limb evolution: COATES **Supplement**, 169.
Acetylcholine receptor
innervation-dependent gene regulation: TANG, JO AND BURDEN **120**, 1799.
achaete-scute
daughterless and neuronal precursor in *Drosophila*: VAESSIN, BRAND, JAN AND JAN **120**, 935.
regulation of *scute* by *emc*: CABRERA, ALONSO AND HUIKESHOVEN **120**, 3595.
***achaete-scute* homolog**
CASH in the nervous system: JASONI, WALKER, MORRIS AND REH **120**, 769.
Acheta
evolution of arthropod segmentation: PATEL **Supplement**, 201.
Acromion
Pax-1 during development of the pectoral girdle: TIMMONS, WALLIN, RIGBY AND BALLING **120**, 2773.
Actin
Caenorhabditis elegans capping protein: WADDLE, COOPER AND WATERSON **120**, 2317.
profilin mutation in *Drosophila*: VERHEYEN AND COOLEY **120**, 717.
Activation
shrimp oocyte activation by Mg^{2+}: LINDSAY AND CLARK JR. **120**, 3463.
Kruppel regulation by *hunchback*: SCHULZ AND TAUTZ **120**, 3043.
Activin
activin, follistatin and mouse embryos: ALBANO, ARKELL, BEDDINGTON AND SMITH **120**, 803.
activin-mediated induction requires FGF: CORNELL AND KIMELMAN **120**, 453.
activins in murine embryogenesis: FEIJEN, GOUMANS AND VAN DEN EIJNDEN-VAN RAAIJ **120**, 3621.
expression of a novel serine/threonine kinase receptor gene: BAARENDS, AN HELMOND, OST, AN DER SCHOOT, OOGERBRUGGE, E WINTER, ILENBROEK, ARELS, ILMING, EIJERS, HEMMEN AND ROOTEGOED **120**, 189.
GATA-2 in *Xenopus* embryos: WALMSLEY, GUILLE, BERTWISTLE, SMITH, PIZZEY AND PATIENT **120**, 2519.
induction requires FGF signaling: LABONNE AND WHITMAN **120**, 463.
proteoglycans in mesoderm formation in *Xenopus*: ITOH AND SOKOL **120**, 2703.
thresholds and cell morphology: SYMES, YORDAN AND MERCOLA **120**, 2339.
Activin-binding protein
activins in murine embryogenesis: FEIJEN, GOUMANS AND VAN DEN EIJNDEN-VAN RAAIJ **120**, 3621.
Activity-dependent development
NMDA receptor-mediated dendrite development: KALB **120**, 3063.
***Ac* transposon**
embryonic origin of root meristem initials: SCHERES, WOLKENFELT, WILLEMSEN, TERLOUW, LAWSON, DEAN AND WEISBEEK **120**, 2475.
Ad4BP
expression in gonads and adrenal gland: HATANO, TAKAYAMA, IMAI, WATERMAN, TAKAKUSU, OMURA AND MOROHASHI **120**, 2787.
Adaptation
rescue of *car*$^-$ development: SOEDE, INSALL, DEVREOTES AND SCHAAP **120**, 1997.
Adenylyl cyclase
regulatory role of the Gα1 subunit in *Dictyostelium* morphogenesis: DHARMAWARDHANE **120**, 3549.
Adh
fat-cell lineage: HOSHIZAKI, BLACKBURN, PRICE, GHOSH, MILES, RAGUCCI AND SWEIS **120**, 2489.
Adhesion
L-14 mediates olfactory neuron adhesion: MAHANTHAPPA, COOPER, BARONDES AND SCHWARTING **120**, 1373.
thalamic cell behaviour on cortical slices: EMERLING AND LANDER **120**, 2811.
Adipogenesis
fat-cell lineage: HOSHIZAKI, BLACKBURN, PRICE, GHOSH, MILES, RAGUCCI AND SWEIS **120**, 2489.
Adult hippocampus
t-PA/lacZ transgenic mice: CARROLL, TSIRKA, RICHARDS, FROHMAN AND STRICKLAND **120**, 3173.
Aggregation
stage-specific requirement for myosin: SPRINGER, PATTERSON AND SPUDICH **120**, 2651.
agouti
molecular basis of the mouse A^y mutation: DUHL, STEVENS, VRIELING, SAXON, MILLER, EPSTEIN AND BARSH **120**, 1695.
Aldolase C
zebrin II is identical to aldolase C: AHN, DZIENNIS, HAWKES AND HERRUP **120**, 2081.
Allele-specific assay
Xist RNA in mouse tissues and ES cells: BUZIN, MANN AND SINGER-SAM **120**, 3529.
Alyssum
evolution of flowers and inflorescences: COEN **Supplement**, 107.
α-Amanitin
early transcription in *Caenorhabditis*: EDGAR, WOLF AND WOOD **120**, 443.
8-Br-cAMP
induction of *Dictyostelium* sporulation: RICHARDSON, LOOMIS AND KIMMEL **120**, 2891.
cAMP
the *gp2* gene regulation in *Dictyostelium*: YIN, ROGERS AND RUTHERFORD **120**, 1169.
cAMP receptor plasticity
rescue of *car*$^-$ development: SOEDE, INSALL, DEVREOTES AND SCHAAP **120**, 1997.
Amphibian
β-catenin distribution in *Xenopus* embryos: FAGOTTO AND GUMBINER **120**, 3667.
caudalization by the organizer: YAMADA **120**, 3051.
Amphioxus
gene duplications and vertebrate origins: HOLLAND, GARCIA-FERNANDEZ, WILLIAMS AND SIDOW **Supplement**, 125.
Amylase
transitional cells in the regenerating pancreas: GU, LEE, KRAHL AND SARVETNICK **120**, 1873.
Androgene
mouse egg modifiers: LATHAM **120**, 3419.
Androgenetic
imprinting in embryonic stem cells: SZABO AND MANN **120**, 1651.

Animal cap assays
blastomere clones during gastrulation: BAUER, HUANG AND MOODY **120**, 1179.
Ankyrin repeats
deltex/Notch ANK repeat interaction: DIEDERICH, MATSUNO, HING AND ARTAVANIS-TSAKONAS **120**, 473.
Annelid
Hox genes in arthropods: AKAM, AVEROF, CASTELLI-GAIR, DAWES, FALCIANI AND FERRIER **Supplement**, 209.
micromere fate maps: SMITH AND WEISBLAT **120**, 3427.
Antennapedia
Hox genes in arthropods: AKAM, AVEROF, CASTELLI-GAIR, DAWES, FALCIANI AND FERRIER **Supplement**, 209.
regulation of bithorax by *trithorax* in *Drosophila*: SEDKOV, TILLIB, MIZROKHI AND MAZO **120**, 1907.
teashirt and midgut morphogenesis: MATHIES, KERRIDGE AND SCOTT **120**, 2799.
Anterior-like cell
analysis of a Dd anterior-like cell mutant: BICHLER AND WEIJER **120**, 2857.
prespore-like cells of *Dictyostelium*: DETTERBECK, MORANDINI, WETTERAUER, BACHMAIR, FISCHER AND MACWILLIAMS **120**, 2847.
Anteroposterior axis
caudal mRNA and protein during *Bombyx* gastrulation: XU, XU AND SUZUKI **120**, 277.
Anteroposterior defect
CRABP expression and anteroposterior defects in *Xenopus*: DEKKER, VAESSEN, VAN DEN BERG, TIMMERMANS, GODSAVE, HOLLING, NIEUWKOOP, VAN KESSEL AND DURSTON **120**, 973.
Anteroposterior determination
role of Hox genes in limb bud morphogenesis: MORGAN AND TABIN **Supplement**, 181.
Anteroposterior polarity
polarity in heart formation: YUTZEY, RHEE AND BADER **120**, 871.
Antheridiogen
sex-determining genes in fern *Ceratopteris*: BANKS **120**, 1949.
Anti-apogen
and anti-engulfens: ROTELLO, FERNANDEZ AND YUAN **120**, 1421.
Anti-engulfen
anti-apogens and anti-engulfens: ROTELLO, FERNANDEZ AND YUAN **120**, 1421.
Anti-mullerian hormone
expression of a novel serine/threonine kinase receptor gene: BAARENDS, AN HELMOND, OST, AN DER SCHOOT, OOGERBRUGGE, E WINTER, ILENBROEK, ARELS, ILMING, EIJERS, HEMMEN AND ROOTEGOED **120**, 189.
Antirrhinum
evolution of flowers and inflorescences: COEN **Supplement**, 107.
Antisense oligodeoxynucleotides
inhibition of PDGF-B translation: SOUZA, SEDLACKOVA, KULISZEWSKI, WANG, LIU, TSEU, LIU, TRANSWELL AND POST **120**, 2163.
Antp
teashirt and midgut morphogenesis: MATHIES, KERRIDGE AND SCOTT **120**, 2799.
Aortic arch
multiple abnormalities in RAR double mutants: MENDELSOHN, LOHNES, DECIMO, LUFKIN, LEMEUR, CHAMBON AND MARK **120**, 2749.
AP2
gene expression in developing epidermis: BYRNE, TAINSKY AND FUCHS **120**, 2369.
Apoptosis
anti-apogens and anti-engulfens: ROTELLO, FERNANDEZ AND YUAN **120**, 1421.
apoptosis in macrophage-dependent regression: MURPHY **120**, 3395.
Bcl-x expression during mouse development: GONZALEZ-GARCIA, PEREZ-BALLESTERO, DING, DUAN, BOISE, THOMPSON AND NUNEZ **120**, 3033.
cytokines and pancreatic differentiation: SANVITO **120**, 3451.
mouse mutant *Ft* and programmed cell death: VAN DER HOEVEN, SCHIMMANG, VOLKMANN, MATTEI, KYEWSKI AND RUTHER **120**, 2601.
Appendage
apterous and dorsoventral compartmentalization: BLAIR, BROWER, THOMAS AND ZAVORTINK **120**, 1805.
evolution of diversity in insects: CARROLL **Supplement**, 217.
Aprotinin
induction of myogenesis by a Kunitz-type molecule: WELLS AND STRICKLAND **120**, 3639.
apx-1
apx-1 and dorsal blastomere identity: MANGO, THORPE, MARTIN, CHAMBERLAIN AND BOWERMAN **120**, 2305.
Arabidopsis
abnormal suspensor mutants of *Arabidopsis*: SCHWARTZ, YEUNG AND MEINKE **120**, 3235.
cell patterning in the root of *Arabidopsis*: DOLAN, DUCKETT, GRIERSON, LINSTEAD, SCHNEIDER, LAWSON, DEAN, POETHIG AND ROBERTS **120**, 2465.
dye-coupling in *Arabidopsis* root epidermis: DUCKETT, OPARKA, PRIOR, DOLAN AND ROBERTS **120**, 3247.
effect of the *FASS* gene on morphogenesis: TORRES-RUIZ AND JURGENS **120**, 2967.
embryonic origin of root meristem initials: SCHERES, WOLKENFELT, WILLEMSEN, TERLOUW, LAWSON, DEAN AND WEISBEEK **120**, 2475.
evolution of flowers and inflorescences: COEN **Supplement**, 107.
pollen-pistil interactions in *Arabidopsis*: KANDASAMY, NASRALLAH AND NASRALLAH **120**, 3405.
Archenteron
determination of archenteron in starfish: KURAISHI AND OSANAI **120**, 2619.
Archetype
evolutionary developmental biology of the tetrapod limb: HINCHLIFFE **Supplement**, 163.
Arctiidae
symmetry systems and compartments in Lepidopteran wings: NIJHOUT **Supplement**, 225.
Argon laser
regeneration of photoreceptors: BRAISTED, ESSMAN AND RAYMOND **120**, 2409.
argos
over-expression of *argos*: FREEMAN **120**, 2297.
Armadillo
arm stripes and *wg* signal transduction: PEIFER, SWEETON, CASEY AND WIESCHAUS **120**, 369.
dischevelled in *wingless* signaling: THEISEN, PURCELL, BENNETT, KANSAGARA, SYED AND MARSH **120**, 347.
Arthropod
insect embryogenesis: TAUTZ, FRIEDRICH AND SCHRODER **Supplement**, 193.
Arthropod body plan
Hox genes in arthropods: AKAM, AVEROF, CASTELLI-GAIR, DAWES, FALCIANI AND FERRIER **Supplement**, 209.
Ascidia
A-P axis determinants: NISHIDA **120**, 3093.
egg cytoplasmic determinants: NISHIDA **120**, 235.
gene loss and gain in the evolution of vertebrates: RUDDLE, BENTLEY, MURTHA AND RISCH **Supplement**, 155.
Asymmetric cell division
antagonistic activities of *Su(H)* and *H*: SCHWEISGUTH AND POSAKONY **120**, 1433.
evolutionary origin of development: WOLPERT **Supplement**, 79.
Asymmetric division
Caenorhabditis elegans capping protein: WADDLE, COOPER AND WATERSON **120**, 2317.

Asymmetry
embryonic RNAs in *Caenorhabditis*: SEYDOUX AND FIRE **120**, 2823.
establishment of left-right asymmetry: HUTTER AND SCHNABEL **120**, 2051.
Atavism
craniofacial, skeletal abnormalities and RARs in ontogenesis: LOHNES, MARK, MENDELSOHN, DOLLE, DIERICH, GORRY, GANSMULLER AND CHAMBON **120**, 2723.
temporal colinearity and phylotypic progression: DUBOULE **Supplement**, 135.
Autoradiography
early transcription in *Caenorhabditis*: EDGAR, WOLF AND WOOD **120**, 443.
Autoregulation
ectopic *teashirt* expression: DE ZULUETA, ALEXANDRE, JACQ AND KERRIDGE **120**, 2287.
Avian marginal zone
marginal zone cells become primitive streak inducers only when in hypoblast: EYAL-GILADI, LOTAN, LEVIN, AVNER AND HOCHMAN **120**, 2501.
Axial developing
cell cycles and clonal strings in zebrafish: KIMMEL, WARGA AND KANE **120**, 265.
Axial patterning
rtk gene expression during zebrafish gastrulation: XU, HOLDER, PATIENT AND WILSON **120**, 287.
Axis
microtubule movement in *Xenopus* eggs: HOULISTON **120**, 1213.
Axis determination
ascidian A-P axis determinants: NISHIDA **120**, 3093.
cytoplasmic determinants in frog development: LEMAIRE AND GURDON **120**, 1191.
Axis formation
alignment of HOM/Hox gene domains in leech: NARDELLI-HAEFLIGER, BRUCE AND SHANKLAND **120**, 1839.
axis formation in the *Drosophila* leg: DIAZ-BENJUMEA AND COHEN **120**, 1661.
caudalization by the organizer: YAMADA **120**, 3051.
Axis specification
role of Hox genes in limb bud morphogenesis: MORGAN AND TABIN **Supplement**, 181.
Axon
β_4 integrin in myelinating Schwann cells: FELTRI, SCHERER, NEMNI, KAMHOLZ, VOGELBACKER, SCOTT, CANAL, QUARANTA AND WRABETZ **120**, 1287.
Axon guidance
axonal guidance by an identified mesodermal cell: CHIANG **120**, 3581.
corticospinal specificity in coculture: KUANG, MERLINE AND KALIL **120**, 1937.
thalamic cell behaviour on cortical slices: EMERLING AND LANDER **120**, 2811.
Axon pathfinding
lola encodes a putative transcription factor: GINIGER, TIETJE, JAN AND JAN **120**, 1385.
Axonal development
thalamic cell behaviour on cortical slices: EMERLING AND LANDER **120**, 2811.
Axonal growth
FGF and neurite outgrowth: WILLIAMS, FURNESS, WALSH AND DOHERTY **120**, 1685.
B cell
c-*rel* expression in lymphoid tissues: CARRASCO, WEIH AND BRAVO **120**, 2991.
Baculovirus
expression of baculovirus P35 prevents cell death in *Drosophila*: HAY, WOLFF AND RUBIN **120**, 2121.
Baldwin effect
evolutionary origin of development: WOLPERT **Supplement**, 79.
BAPTA
Fucus egg activation: ROBERTS, GILLOT AND BROWNLEE **120**, 155.
bcl-2
Bcl-x expression during mouse development: GONZALEZ-GARCIA, PEREZ-BALLESTERO, DING, DUAN, BOISE, THOMPSON AND NUNEZ **120**, 3033.
Bcl-2 protein
bcl-2 in the developing nervous system: MERRY, VEIS, HICKEY AND KORSMEYER **120**, 301.
bcl-x
Bcl-x expression during mouse development: GONZALEZ-GARCIA, PEREZ-BALLESTERO, DING, DUAN, BOISE, THOMPSON AND NUNEZ **120**, 3033.
BDNF
selective change in neurotrophin response: BUJ-BELLO, PINON AND DAVIES **120**, 1573.
bicoid
gap gene properties of *runt*: TSAI AND GERGEN **120**, 1671.
Hox genes in arthropods: AKAM, AVEROF, CASTELLI-GAIR, DAWES, FALCIANI AND FERRIER **Supplement**, 209.
insect embryogenesis: TAUTZ, FRIEDRICH AND SCHRODER **Supplement**, 193.
the evolution of insect patterning mechanisms: SANDER **Supplement**, 187.
Bilateral asymmetry
sea urchin axis of bilateral asymmetry: MCCAIN AND MCCLAY **120**, 395.
Biolistics
chimaeric RA receptors in wound epidermis: PECORINO, LO AND BROCKES **120**, 325.
Bisulphite sequence
DNA methylation of imprinted genes: FEIL, WALTER, ALLEN AND REIK **120**, 2933.
bithorax
regulation of bithorax by *trithorax* in *Drosophila*: SEDKOV, TILLIB, MIZROKHI AND MAZO **120**, 1907.
Bithorax complex
generating a parasegment 6 identity: MANN **120**, 3205.
homeotic control of muscle development: MICHELSON **120**, 755.
temporal requirements for homeotic genes: CASTELLI-GAIR, GREIG, MICKLEM AND AKAM **120**, 1983.
Blastea
evolutionary origin of development: WOLPERT **Supplement**, 79.
Blastocyst
FGF-4 expression in mouse inner cell mass: RAPPOLEE, BASILICO, PATEL AND WERB **120**, 2259.
HB-EGF in the periimplantation mouse uterus: DAS, WANG, PARIA, DAMM, ABRAHAM, KLAGSBRUN, ANDREWS AND DEY **120**, 1071.
maternal factor and mouse blastocyst formation: RENARD, BALDACCI, RICHOUX-DURANTHON, POURNIN AND BABINET **120**, 797.
Blastoderm
bFGF and hypoblast induce Hb in chick blastoderm: GORDON-THOMSON AND FABIAN **120**, 3571.
Blastomere
apx-1 and dorsal blastomere identity: MANGO, THORPE, MARTIN, CHAMBERLAIN AND BOWERMAN **120**, 2305.
determination of archenteron in starfish: KURAISHI AND OSANAI **120**, 2619.
specification of blastomere identity: MOSKOWITZ, GENDREAU AND ROTHMAN **120**, 3325.
zebrafish 16-cell-stage fate map: STREHLOW, HEINRICH AND GILBERT **120**, 1791.
Blastula
cadherin in the *Xenopus* blastula: HEASMAN, GINSBERG, GEIGER, GOLDSTONE, PRATT, YOSHIDA-NORO AND WYLIE **120**, 49.

BMP
growth factors in development: HOGAN, BLESSING, WINNIER, SUZUKI AND JONES **Supplement**, 53.
BMP-1
tolloid mutations: FINELLI, BOSSIE, XIE AND PADGETT **120**, 861.
Bmp-2
Bmp-2 and *Bmp-4* expression in the chick limb bud: FRANCIS, RICHARDSON, BRICKELL AND TICKLE **120**, 209.
Bmp-4
Bmp-2 and *Bmp-4* expression in the chick limb bud: FRANCIS, RICHARDSON, BRICKELL AND TICKLE **120**, 209.
Body patterning
phylogenetic analysis of *oskar* function: WEBSTER, SUEN AND MACDONALD **120**, 2027.
Body wall muscle
axon pathfinding in *Drosophila*: GORCZYCA, PHILLIS AND BUDNIK **120**, 2143.
Bomakellia
molecular biology and palaeontology: CONWAY MORRIS **Supplement**, 1.
Bombyx
caudal mRNA and protein during *Bombyx* gastrulation: XU, XU AND SUZUKI **120**, 277.
fate mapping of silkworm eggs: MYOHARA **120**, 2869.
Bone morphogenetic protein
Bmp-2 and *Bmp-4* expression in the chick limb bud: FRANCIS, RICHARDSON, BRICKELL AND TICKLE **120**, 209.
Bone morphology
Pax-1 during development of the pectoral girdle: TIMMONS, WALLIN, RIGBY AND BALLING **120**, 2773.
Boundary
violation of hindbrain compartments: BIRGBAUER AND FRASER **120**, 1347.
Boundary formation
Wnt-1 in met/mesencephalic grafts: BALLY-CUIF AND WASSEF **120**, 3379.
Brachydanio
mammalian GAP-43 transgenes in zebrafish: REINHARD, NEDIVI, WEGNER, SKENE AND WESTERFIELD **120**, 1767.
RARs and fin regeneration: WHITE, BOFFA, JONES AND PETKOVICH **120**, 1861.
vertebrate limb evolution: COATES **Supplement**, 169.
zebrafish 16-cell-stage fate map: STREHLOW, HEINRICH AND GILBERT **120**, 1791.
Brachyury (t)
a zebrafish homologue of the mouse *T* gene: SCHULTE-MERKER, VAN EEDEN, HALPERN, KIMMEL AND NUSSLEIN-VOLHARD **120**, 1009.
Brachyury expression in P19 cells: VIDRICAIRE, JARDINE AND MCBURNEY **120**, 115.
caudalization by the organizer: YAMADA **120**, 3051.
evolution of vertebrate gastrulation: DE ROBERTIS, FAINSOD, GONT AND STEINBEISSER **Supplement**, 117.
expression of *goosecoid* in zebrafish embryos: SCHULTE-MERKER, HAMMERSCHMIDT, BEUCHLE, CHO, DE ROBERTIS AND NUSSLEIN-VOLHARD **120**, 843.
mesoderm induction in mice: HOLDENER, FAUST, ROSENTHAL AND MAGNUSON **120**, 1335.
Brain morphogenesis
cadherin expression in *Wnt-1* mutants: SHIMAMURA, HIRANO, MCMAHON AND TAKEICHI **120**, 2225.
Branchial arches
fate of cranial somitomeres: TRAINOR, TAN AND TAM **120**, 2397.
Branchiostoma
gene duplications and vertebrate origins: HOLLAND, GARCIA-FERNANDEZ, WILLIAMS AND SIDOW **Supplement**, 125.
Bristles
profilin mutation in *Drosophila*: VERHEYEN AND COOLEY **120**, 717.
Broad-Complex
Drosophila BR-C protein expression: EMERY, BEDIAN AND GUILD **120**, 3275.
Bundle-sheath
cellular differentiation in maize leaves: LANGDALE AND KIDNER **120**, 673.
Butterfly
evolution of diversity in insects: CARROLL **Supplement**, 217.
symmetry systems and compartments in Lepidopteran wings: NIJHOUT **Supplement**, 225.
buttonless
axonal guidance by an identified mesodermal cell: CHIANG **120**, 3581.
c-*myc*
TGFβ1 inhibits lung bud development: SERRA, PELTON AND MOSES **120**, 2153.
C4 photosynthesis
cellular differentiation in maize leaves: LANGDALE AND KIDNER **120**, 673.
Cadherin
β-catenin distribution in *Xenopus* embryos: FAGOTTO AND GUMBINER **120**, 3667.
cadherin in the *Xenopus* blastula: HEASMAN, GINSBERG, GEIGER, GOLDSTONE, PRATT, YOSHIDA-NORO AND WYLIE **120**, 49.
E-cadherin
cadherin expression in *Wnt-1* mutants: SHIMAMURA, HIRANO, MCMAHON AND TAKEICHI **120**, 2225.
disruption of *Xenopus* E-cadherin: LEVINE, LEE, KINTNER AND GUMBINER **120**, 901.
N-cadherin
N-cadherin in neuromuscular system: CIFUENTES-DIAZ, NICOLET, GOUDOU, RIEGER AND MEGE **120**, 1.
Caenorhabditis
apx-1 and dorsal blastomere identity: MANGO, THORPE, MARTIN, CHAMBERLAIN AND BOWERMAN **120**, 2305.
capping protein: WADDLE, COOPER AND WATERSON **120**, 2317.
cell contact and neurogenesis in *Caenorhabditis*: AUSTIN AND KENYON **120**, 313.
early transcription in *Caenorhabditis*: EDGAR, WOLF AND WOOD **120**, 443.
embryonic RNAs in *Caenorhabditis*: SEYDOUX AND FIRE **120**, 2823.
establishment of left-right asymmetry: HUTTER AND SCHNABEL **120**, 2051.
evolution of cell lineages in nematodes: SOMMER, CARTA AND STERNBERG **Supplement**, 85.
germ line localization of GLP-1: CRITTENDEN, TROEMEL, EVANS AND KIMBLE **120**, 2901.
HLH-1 is essential: CHEN, KRAUSE, SEPANSKI AND FIRE **120**, 1631.
HOM/Hox functional conservation: MANAK AND SCOTT **Supplement**, 61.
hypodermal cell fates: LABOUESSE, SOOKHAREEA AND HORVITZ **120**, 2359.
lag-2 encodes a ligand for GLP-1/LIN-12: HENDERSON, GAO, LAMBIE AND KIMBLE **120**, 2913.
lin-3/let-23 in *Caenorhabditis elegans* males: CHAMBERLIN AND STERNBERG **120**, 2713.
lin-44 mutations reverse cell polarity: HERMAN AND HORVITZ **120**, 1035.
nematode primary sex determination: HODGKIN, ZELLAN AND ALBERTSON **120**, 3681.
PES-1: expression and homology: HOPE **120**, 505.
pha-1 and organ development: GRANATO, SCHNABEL AND SCHNABEL **120**, 3005.
pha-4 and organ development: MANGO, LAMBIE AND KIMBLE **120**, 3019.
pharyngeal muscle gene regulation: OKKEMA AND FIRE **120**, 2175.
role of HOM/Hox genes in morphogenesis: CHOW AND EMMONS **120**, 2579.

specification of blastomere identity: MOSKOWITZ, GENDREAU AND ROTHMAN **120**, 3325.
Calcium
mouse egg activation: XU, KOPF AND SCHULTZ **120**, 1851.
oscillations in mouse oocytes: CARROLL **120**, 3507.
shrimp oocyte activation by Mg^{2+}: LINDSAY AND CLARK JR. **120**, 3463.
Calmodulin binding protein
a *Drosophila* GAP-43 homolog: NEEL AND YOUNG **120**, 2235.
Cambrian
molecular biology and palaeontology: CONWAY MORRIS **Supplement**, 1.
phylogeny and the Cambrian radiation: PHILIPPE, CHENUIL AND ADOUTTE **Supplement**, 15.
Carbocyanine dye
fate map of chick epiblast: HATADA AND STERN **120**, 2879.
Carbohydrate
L-14 mediates olfactory neuron adhesion: MAHANTHAPPA, COOPER, BARONDES AND SCHWARTING **120**, 1373.
Carbonic anhydrase II (CA II)
transitional cells in the regenerating pancreas: GU, LEE, KRAHL AND SARVETNICK **120**, 1873.
Cardiovascular
development in zebrafish: LEE, STAINIER, WEINSTEIN AND FISHMAN **120**, 3361.
PECAM-1 expression during cardiovascular development: BALDWIN, SHEN, YAN, DELISSER, CHUNG, MICKANIN, TRASK, KIRSCHBAUM, NEWMAN, ALBELDA AND BUCK **120**, 2539.
β-Catenin
arm stripes and *wg* signal transduction: PEIFER, SWEETON, CASEY AND WIESCHAUS **120**, 369.
distribution in *Xenopus* embryos: FAGOTTO AND GUMBINER **120**, 3667.
N-catenin
cadherin expression in *Wnt-1* mutants: SHIMAMURA, HIRANO, MCMAHON AND TAKEICHI **120**, 2225.
Caudal fin
RARs and fin regeneration: WHITE, BOFFA, JONES AND PETKOVICH **120**, 1861.
Caudal genes
CdxA in gut morphogenesis: FRUMKIN, PILLEMER, HAFFNER, TARCIC, GRUENBAUM AND FAINSOD **120**, 253.
Caudalization
caudalization by the organizer: YAMADA **120**, 3051.
caudal
HOM/Hox functional conservation: MANAK AND SCOTT **Supplement**, 61.
cdc25
transcriptional regulation of *string*: EDGAR, LEHMAN AND O'FARRELL **120**, 3131.
Cell ablation
micromere fate maps: SMITH AND WEISBLAT **120**, 3427.
Cell adhesion
avian crest cell migration on vitronectin: DELANNET, MARTIN, BOSSY, CHERESH, REICHARDT AND DUBAND **120**, 2687.
N-cadherin in neuromuscular system: CIFUENTES-DIAZ, NICOLET, GOUDOU, RIEGER AND MEGE **120**, 1.
cadherin in the *Xenopus* blastula: HEASMAN, GINSBERG, GEIGER, GOLDSTONE, PRATT, YOSHIDA-NORO AND WYLIE **120**, 49.
β-catenin distribution in *Xenopus* embryos: FAGOTTO AND GUMBINER **120**, 3667.
disruption of *Xenopus* E-cadherin: LEVINE, LEE, KINTNER AND GUMBINER **120**, 901.
Drosophila integrins in development: GRINBLAT, ZUSMAN, YEE, HYNES AND KAFATOS **120**, 91.
mouse PGC migration: GOMPERTS, GARCIA-CASTRO, WYLIE AND HEASMAN **120**, 135.
Cell aggregate culture
tissue interaction and pepsinogen expression: FUKUDA **120**, 3487.
Cell-cell adhesion
integrin mutant phenotypes: BROWN **120**, 1221.
Cell-cell interaction
germ line localization of GLP-1: CRITTENDEN, TROEMEL, EVANS AND KIMBLE **120**, 2901.
N-cadherin and chondrogenesis: OBERLENDER AND TUAN **120**, 177.
Cell-cell signalling
E(spl)bHLH proteins and Notch signalling: JENNINGS **120**, 3537.
hedgehog family proteins in development: FIETZ, CONCORDET, BARBOSA, JOHNSON, KRAUSS, MCMAHON, TABIN AND INGHAM **Supplement**, 43.
Cell contact
cell contact and neurogenesis in *Caenorhabditis*: AUSTIN AND KENYON **120**, 313.
Cell cycle
a syncytial embryonic metaphase arrest: FOGARTY, KALPIN AND SULLIVAN **120**, 2131.
cell cycles and clonal strings in zebrafish: KIMMEL, WARGA AND KANE **120**, 265.
gene expression in preimplantation embryo: WORRAD, RAM AND SCHULTZ **120**, 2347.
G_1 gene expression in *Drosophila*: DURONIO AND O'FARRELL **120**, 1503.
transcriptional regulation of *string*: EDGAR, LEHMAN AND O'FARRELL **120**, 3131.
Cell death
bcl-2 in the developing nervous system: MERRY, VEIS, HICKEY AND KORSMEYER **120**, 301.
Bcl-x expression during mouse development: GONZALEZ-GARCIA, PEREZ-BALLESTERO, DING, DUAN, BOISE, THOMPSON AND NUNEZ **120**, 3033.
Drosophila hemocytes and cell death: TEPASS, FESSLER, AZIZ AND HARTENSTEIN **120**, 1829.
evolution of cell lineages in nematodes: SOMMER, CARTA AND STERNBERG **Supplement**, 85.
expression of baculovirus P35 prevents cell death in *Drosophila*: HAY, WOLFF AND RUBIN **120**, 2121.
in vivo role of NT-3 for sensory neurons: GAESE, KOLBECK AND BARDE **120**, 1613.
symbiotic bacteria induce host morphogenesis: MONTGOMERY AND MCFALL-NGAI **120**, 1719.
Cell determination
marbles mutants and nuclear migration: FISCHER-VIZE AND MOSLEY **120**, 2609.
Cell differentiation
evolutionary origin of development: WOLPERT **Supplement**, 79.
symbiotic bacteria induce host morphogenesis: MONTGOMERY AND MCFALL-NGAI **120**, 1719.
Cell division
antagonistic activities of *Su(H)* and *H*: SCHWEISGUTH AND POSAKONY **120**, 1433.
Caenorhabditis elegans capping protein: WADDLE, COOPER AND WATERSON **120**, 2317.
proliferation of cortical progenitor cells: TEMPLE AND DAVIS **120**, 999.
SpOct and cleavage of sea urchin zygotes: CHAR, TAN AND MAXSON **120**, 1929.
Cell division factors
pseudodirected variation in cell-division factor requirement: MEINS JR. AND SELDRAN **120**, 1163.
Cell fate
antagonistic activities of *Su(H)* and *H*: SCHWEISGUTH AND POSAKONY **120**, 1433.
Caenorhabditis elegans hypodermal cell fates: LABOUESSE, SOOKHAREEA AND HORVITZ **120**, 2359.
ectopic *gooseberry* changes cell fate: ZHANG, UNGAR, FRESQUEZ AND HOLMGREN **120**, 1151.
fate of cranial somitomeres: TRAINOR, TAN AND TAM **120**, 2397.

lin-3/let-23 in *Caenorhabditis elegans* males: CHAMBERLIN AND STERNBERG **120**, 2713.
lineage analysis of the *Drosophila* CNS midline: BOSSING AND TECHNAU **120**, 1895.
mammalian Notch suppresses neurogenesis: NYE, KOPAN AND AXEL **120**, 2421.
mouse neural crest lineage: SERBEDZIJA, BRONNER-FRASER AND FRASER **120**, 1709.
protein phosphatase 2A and cell fate: SHIOMI, TAKEICHI, NISHIDA, NISHI AND UEMURA **120**, 1591.
restriction of zebrafish trunk crest fate: RAIBLE AND EISEN **120**, 495.

Cell fate determination
dachshund function in eye and leg morphogenesis: MARDON, SOLOMON AND RUBIN **120**, 3473.
requirements for *Bicaudal-D*: RAN, BOPP AND SUTTER **120**, 1233.

Cell fusion
ascidian egg cytoplasmic determinants: NISHIDA **120**, 235.

Cell interaction
axis formation in the *Drosophila* leg: DIAZ-BENJUMEA AND COHEN **120**, 1661.
homeobox gene expression in the adult uterus: PAVLOVA, BOUTIN, CUNHA AND SASSOON **120**, 335.
lin-3/let-23 in *Caenorhabditis elegans* males: CHAMBERLIN AND STERNBERG **120**, 2713.

Cell lineage
alignment of HOM/Hox gene domains in leech: NARDELLI-HAEFLIGER, BRUCE AND SHANKLAND **120**, 1839.
apterous and dorsoventral compartmentalization: BLAIR, BROWER, THOMAS AND ZAVORTINK **120**, 1805.
blastomere clones during gastrulation: BAUER, HUANG AND MOODY **120**, 1179.
cell cycles and clonal strings in zebrafish: KIMMEL, WARGA AND KANE **120**, 265.
establishment of left-right asymmetry: HUTTER AND SCHNABEL **120**, 2051.
evolution of cell lineages in nematodes: SOMMER, CARTA AND STERNBERG **Supplement**, 85.
evolution of echinoderm development: WRAY AND BELY **Supplement**, 97.
lin-3/let-23 in *Caenorhabditis elegans* males: CHAMBERLIN AND STERNBERG **120**, 2713.
lin-44 mutations reverse cell polarity: HERMAN AND HORVITZ **120**, 1035.
lineage analysis of the *Drosophila* CNS midline: BOSSING AND TECHNAU **120**, 1895.
micromere fate maps: SMITH AND WEISBLAT **120**, 3427.
miti gene in RP2/sib lineage specification: BHAT AND SCHEDL **120**, 1483.
mouse neural crest lineage: SERBEDZIJA, BRONNER-FRASER AND FRASER **120**, 1709.
regeneration of photoreceptors: BRAISTED, ESSMAN AND RAYMOND **120**, 2409.
specification of blastomere identity: MOSKOWITZ, GENDREAU AND ROTHMAN **120**, 3325.
tagma-specific commitment of a *Drosophila* neuroblast: PROKOP AND TECHNAU **120**, 2567.
violation of hindbrain compartments: BIRGBAUER AND FRASER **120**, 1347.
Xlim-1 gene expression in *Xenopus*: TAIRA, OTANI, JAMRICH AND DAWID **120**, 1525.

Cell lines
establishment of granule cell identity: GAO AND HATTEN **120**, 1059.

Cell migration
avian crest cell migration on vitronectin: DELANNET, MARTIN, BOSSY, CHERESH, REICHARDT AND DUBAND **120**, 2687.
Drosophila SRF expressed in trachea: AFFOLTER, MONTAGNE, WALLDORF, GROPPE, KLOTER, LAROSA AND GEHRING **120**, 743.
effect of ECM on I-cell migration in hydra: ZHANG AND SARRAS JR. **120**, 425.
evolution of cell lineages in nematodes: SOMMER, CARTA AND STERNBERG **Supplement**, 85.
G proteins in neuronal migration: HORGAN, LAGRANGE AND COPENHAVER **120**, 729.
hindbrain neural crest migration: SECHRIST, SCHERSON AND BRONNER-FRASER **120**, 1777.
origin and migration of peripheral glia: GIANGRANDE **120**, 523.
Pax-3 is an early marker for myogenic precursors: BOBER, FRANZ, ARNOLD, GRUSS AND TREMBLAY **120**, 603.
thick veins and TGFβ homologs in *Drosophila*: AFFOLTER, NELLEN, NUSSBAUMER AND BASLER **120**, 3105.

Cell morphology
activin thresholds and cell morphology: SYMES, YORDAN AND MERCOLA **120**, 2339.

Cell motility
primordial germ cell migration in *Drosophila*: JAGLARZ AND HOWARD **120**, 83.

Cell patterning
evolutionary origin of development: WOLPERT **Supplement**, 79.

Cell polarity
β_{Heavy}-spectrin during fly embryogenesis: THOMAS AND KIEHART **120**, 2039.
dischevelled in *wingless* signaling: THEISEN, PURCELL, BENNETT, KANSAGARA, SYED AND MARSH **120**, 347.
gp330 during mouse early development: GUETH-HALLONET, SANTA-MARIA, VERROUST AND MARO **120**, 3289.
lin-44 mutations reverse cell polarity: HERMAN AND HORVITZ **120**, 1035.

Cell proliferation
pseudodirected variation in cell-division factor requirement: MEINS JR. AND SELDRAN **120**, 1163.
Serrate and imaginal wing disc development: SPEICHER, THOMAS, HINZ AND KNUST **120**, 535.
Wnt-1 can act as a mitogen in the CNS: DICKINSON, KRUMLAUF AND MCMAHON **120**, 1453.

Cell signalling
apx-1 and dorsal blastomere identity: MANGO, THORPE, MARTIN, CHAMBERLAIN AND BOWERMAN **120**, 2305.
wingless signalling in the *Drosophila* wing margin: COUSO, BISHOP AND MARTINEZ ARIAS **120**, 621.
Wnt-1 can act as a mitogen in the CNS: DICKINSON, KRUMLAUF AND MCMAHON **120**, 1453.

Cell sorting
analysis of a Dd anterior-like cell mutant: BICHLER AND WEIJER **120**, 2857.

Cell specification
embryonic function of *emc*: CUBAS, MODOLELL AND RUIZ-GOMEZ **120**, 2555.
tip cell specification in *Drosophila* Malpighian tubules: HOCH **120**, 3439.

Cell type conversion
prespore-like cells of *Dictyostelium*: DETTERBECK, MORANDINI, WETTERAUER, BACHMAIR, FISCHER AND MACWILLIAMS **120**, 2847.

Cell type proportioning
analysis of a Dd anterior-like cell mutant: BICHLER AND WEIJER **120**, 2857.

Cellular condensation
N-cadherin and chondrogenesis: OBERLENDER AND TUAN **120**, 177.

Cellular interaction
specification of blastomere identity: MOSKOWITZ, GENDREAU AND ROTHMAN **120**, 3325.

Cellular morphogenesis
regulatory role of the Gα1 subunit in *Dictyostelium* morphogenesis: DHARMAWARDHANE **120**, 3549.

Cellular retinoic acid binding protein
CRABP expression and anteroposterior defects in *Xenopus*: DEKKER,

VAESSEN, VAN DEN BERG, TIMMERMANS, GODSAVE, HOLLING, NIEUWKOOP, VAN KESSEL AND DURSTON **120**, 973.

Central nervous system
ectopic *gooseberry* changes cell fate: ZHANG, UNGAR, FRESQUEZ AND HOLMGREN **120**, 1151.
Xlim-1 gene expression in *Xenopus*: TAIRA, OTANI, JAMRICH AND DAWID **120**, 1525.

centroradialis
evolution of flowers and inflorescences: COEN **Supplement**, 107.

Centrosome
Caenorhabditis elegans capping protein: WADDLE, COOPER AND WATERSON **120**, 2317.

Ceratopteris
sex-determining genes in fern *Ceratopteris*: BANKS **120**, 1949.

Cerebellar neuron
FGF and neurite outgrowth: WILLIAMS, FURNESS, WALSH AND DOHERTY **120**, 1685.

Cerebellum
En-2 and cerebellar patterning: MILLEN, WURST, HERRUP AND JOYNER **120**, 695.
establishment of granule cell identity: GAO AND HATTEN **120**, 1059.
multiple developmental defects in *Engrailed-1* mutant mice: WURST, AUERBACH AND JOYNER **120**, 2065.
zebrin II is identical to aldolase C: AHN, DZIENNIS, HAWKES AND HERRUP **120**, 2081.

Cerebral neocortex
thalamic cell behaviour on cortical slices: EMERLING AND LANDER **120**, 2811.

Checkpoint
a syncytial embryonic metaphase arrest: FOGARTY, KALPIN AND SULLIVAN **120**, 2131.

Chick
anti-apogens and anti-engulfens: ROTELLO, FERNANDEZ AND YUAN **120**, 1421.
axons arrest Schwann cells: BHATTACHARYYA, BRACKENBURY AND RATNER **120**, 1411.
bFGF and hypoblast induce Hb in chick blastoderm: GORDON-THOMSON AND FABIAN **120**, 3571.
CdxA in gut morphogenesis: FRUMKIN, PILLEMER, HAFFNER, TARCIC, GRUENBAUM AND FAINSOD **120**, 253.
COUP-TF II in motor neuron development: LUTZ, KURATANI, COONEY, WAWERSIK, TSAI, EICHELE AND TSAI **120**, 25.
evolution of vertebrate gastrulation: DE ROBERTIS, FAINSOD, GONT AND STEINBEISSER **Supplement**, 117.
fate map of chick epiblast: HATADA AND STERN **120**, 2879.
hindbrain expression of chick *Hoxa-2*: PRINCE AND LUMSDEN **120**, 911.
hindbrain neural crest migration: SECHRIST, SCHERSON AND BRONNER-FRASER **120**, 1777.
influence of axial structures on myogenesis: BOBER, BRAND-SABERI, EBENSPERGER, WILTING, BALLING, PATERSON, ARNOLD AND CHRIST **120**, 3073.
marginal zone cells become primitive streak inducers only when in hypoblast: EYAL-GILADI, LOTAN, LEVIN, AVNER AND HOCHMAN **120**, 2501.
myogenic induction in somites: BUFFINGER AND STOCKDALE **120**, 1443.
N-cadherin in neuromuscular system: CIFUENTES-DIAZ, NICOLET, GOUDOU, RIEGER AND MEGE **120**, 1.
neuronal lineage in the chick hindbrain: LUMSDEN, CLARKE, KEYNES AND FRASER **120**, 1581.
polarity in heart formation: YUTZEY, RHEE AND BADER **120**, 871.
positional signaling in the chick wing bud: HELMS, THALLER AND EICHELE **120**, 3267.
Sax1 expression in the spinal cord: SPANN, GINSBURG, RANGINI, FAINSOD, EYAL-GILADI AND GRUENBAUM **120**, 1817.
tissue interaction and pepsinogen expression: FUKUDA **120**, 3487.

Chick limb
Bmp-2 and *Bmp-4* expression in the chick limb bud: FRANCIS, RICHARDSON, BRICKELL AND TICKLE **120**, 209.
patterning of limb muscles: ROBSON, KARA, CRAWLEY AND TICKLE **120**, 1265.

Chimera
Wnt-1 in met/mesencephalic grafts: BALLY-CUIF AND WASSEF **120**, 3379.

Chloroplast development
cellular differentiation in maize leaves: LANGDALE AND KIDNER **120**, 673.

Chondrogenesis
synergism of bFGF and TGF-β_1 in chondrogenesis: FRENZ, LIU, WILLIAMS, HATCHER, GALINOVIC-SCHWARTZ, FLANDERS AND VAN DE WATER **120**, 415.

Chondroitin sulfate
glycoconjugates and neural crest cells: OAKLEY, LASKY, ERICKSON AND TOSNEY **120**, 103.

Chordates
Hox genes in arthropods: AKAM, AVEROF, CASTELLI-GAIR, DAWES, FALCIANI AND FERRIER **Supplement**, 209.

Choroid plexus
DNA methylation of imprinted genes: FEIL, WALTER, ALLEN AND REIK **120**, 2933.

CHox3
Sax1 expression in the spinal cord: SPANN, GINSBURG, RANGINI, FAINSOD, EYAL-GILADI AND GRUENBAUM **120**, 1817.

Chromosomal re-activation
X chromosome in primordial germ cells: TAM, ZHOU AND TAN **120**, 2925.

Cilia
tubulin expression in *Patella* embryos: DAMEN, VAN GRUNSVEN AND VAN LOON **120**, 2835.

Ciliary neurotrophic factor
CNTF and oligodendrocyte differentiation: MAYER, BHAKOO AND NOBLE **120**, 143.
role of LIFR in PGC growth: CHENG, GEARING, WHITE, COMPTON, SCHOOLEY AND DONOVAN **120**, 3145.

Ciona
gene duplications and vertebrate origins: HOLLAND, GARCIA-FERNANDEZ, WILLIAMS AND SIDOW **Supplement**, 125.

***Cis*-acting elements**
regulation of *E(sp)l*: KRAMATSCHEK AND CAMPOS-ORTEGA **120**, 815.
regulation of prespore gene expression: POWELL-COFFMAN AND FIRTEL **120**, 1601.

Cleavage
SpOct and cleavage of sea urchin zygotes: CHAR, TAN AND MAXSON **120**, 1929.

Cleavage pattern
sea urchin axis of bilateral asymmetry: MCCAIN AND MCCLAY **120**, 395.

Cleavage pattern
ascidian A-P axis determinants: NISHIDA **120**, 3093.

Clonal analysis
cell patterning in the root of *Arabidopsis*: DOLAN, DUCKETT, GRIERSON, LINSTEAD, SCHNEIDER, LAWSON, DEAN, POETHIG AND ROBERTS **120**, 2465.
embryonic origin of root meristem initials: SCHERES, WOLKENFELT, WILLEMSEN, TERLOUW, LAWSON, DEAN AND WEISBEEK **120**, 2475.
neuronal lineage in the chick hindbrain: LUMSDEN, CLARKE, KEYNES AND FRASER **120**, 1581.

Clonal development
development of the maize leaf epidermis: CERIOLI, MAROCCO, MADDALONI, MOTTO AND SALAMINI **120**, 2113.

Clone
neuronal lineage in the chick hindbrain: LUMSDEN, CLARKE, KEYNES AND FRASER **120**, 1581.

CNS
B-FABP expression during CNS development: KURTZ, ZIMMER, SCHNUTGEN, BRUNING, SPENER AND MULLER **120**, 2637.
embryonic expression and cloning of the murine GATA-3 gene: GEORGE, LEONARD, ROTH, LIEUW, KIOUSSIS, GROSVELD AND ENGEL **120**, 2673.
expression of ecdysone receptors: TRUMAN, TALBOT, FAHRBACH AND HOGNESS **120**, 219.
Hoxd-dependent regulation of *Evx-2* expression: DOLLE **Supplement**, 143.
lineage analysis of the *Drosophila* CNS midline: BOSSING AND TECHNAU **120**, 1895.
proliferation of cortical progenitor cells: TEMPLE AND DAVIS **120**, 999.
tagma-specific commitment of a *Drosophila* neuroblast: PROKOP AND TECHNAU **120**, 2567.
CNS midline
CNS midline transcription: WHARTON JR **120**, 3563.
Cold-sensitive
stage-specific requirement for myosin: SPRINGER, PATTERSON AND SPUDICH **120**, 2651.
Collagen
effect of ECM on I-cell migration in hydra: ZHANG AND SARRAS JR. **120**, 425.
Colony Stimulating Factor-1
CSF-1 regulation of tissue macrophages: CECCHINI, DOMINGUEZ, MOCCI, WETTERWALD, FELIX, FLEISCH, CHRISHOLM, HOFSTETTER, POLLARD AND STANLEY **120**, 1357.
Colour patterns
evolution of diversity in insects: CARROLL **Supplement**, 217.
Commissure formation
commissure formation depends on midline: MENNE AND KLAMBT **120**, 123.
Communication
dye-coupling in *Arabidopsis* root epidermis: DUCKETT, OPARKA, PRIOR, DOLAN AND ROBERTS **120**, 3247.
Compaction
gp330 during mouse early development: GUETH-HALLONET, SANTA-MARIA, VERROUST AND MARO **120**, 3289.
Comparative method
evolution of echinoderm development: WRAY AND BELY **Supplement**, 97.
Compartment
symmetry systems and compartments in Lepidopteran wings: NIJHOUT **Supplement**, 225.
violation of hindbrain compartments: BIRGBAUER AND FRASER **120**, 1347.
Compartmentation
zebrin II is identical to aldolase C: AHN, DZIENNIS, HAWKES AND HERRUP **120**, 2081.
Competition
Drosophila R7 retinotopic map formation: ASHLEY AND KATZ **120**, 1537.
Complex phylogeny
Hoxd-dependent regulation of *Evx-2* expression: DOLLE **Supplement**, 143.
Confocal microscopy
calcium oscillations in mouse oocytes: CARROLL **120**, 3507.
Conserved
HOM/Hox functional conservation: MANAK AND SCOTT **Supplement**, 61.
Convergence
cell cycles and clonal strings in zebrafish: KIMMEL, WARGA AND KANE **120**, 265.
Coracle
a *Drosophila* protein 4.1 homologue: FEHON, DAWSON AND ARTAVANIS-TSAKONAS **120**, 545.
Cortical development
thalamic cell behaviour on cortical slices: EMERLING AND LANDER **120**, 2811.
Cortical granule
cortical granule biogenesis: LAIDLAW AND WESSEL **120**, 1325.
Cortical progenitor cell
proliferation of cortical progenitor cells: TEMPLE AND DAVIS **120**, 999.
Cortical rotation
microtubule movement in *Xenopus* eggs: HOULISTON **120**, 1213.
Corticospinal development
corticospinal specificity in coculture: KUANG, MERLINE AND KALIL **120**, 1937.
***COUP-TF II* gene**
in motor neuron development: LUTZ, KURATANI, COONEY, WAWERSIK, TSAI, EICHELE AND TSAI **120**, 25.
CRABP I
kreisler, a hindbrain segmentation mutant: MCKAY, MUCHAMORE, KRUMLAUF, MADEN, LUMSDEN AND LEWIS **120**, 2199.
Cranial nerves
kreisler, a hindbrain segmentation mutant: MCKAY, MUCHAMORE, KRUMLAUF, MADEN, LUMSDEN AND LEWIS **120**, 2199.
Craniofacial development
fate of cranial somitomeres: TRAINOR, TAN AND TAM **120**, 2397.
Craniofacial morphogenesis
peptidases in craniofacial development: SPENCER-DENE, THOROGOOD, NAIR, KENNY, HARRIS AND HENDERSON **120**, 3213.
Critical period
NMDA receptor-mediated dendrite development: KALB **120**, 3063.
Crustacea
evolution of arthropod segmentation: PATEL **Supplement**, 201.
Hox genes in arthropods: AKAM, AVEROF, CASTELLI-GAIR, DAWES, FALCIANI AND FERRIER **Supplement**, 209.
Cruznema
evolution of cell lineages in nematodes: SOMMER, CARTA AND STERNBERG **Supplement**, 85.
CSF-1
regulation of tissue macrophages: CECCHINI, DOMINGUEZ, MOCCI, WETTERWALD, FELIX, FLEISCH, CHRISHOLM, HOFSTETTER, POLLARD AND STANLEY **120**, 1357.
Culmination
induction of *Dictyostelium* sporulation: RICHARDSON, LOOMIS AND KIMMEL **120**, 2891.
cut
HOM/Hox functional conservation: MANAK AND SCOTT **Supplement**, 61.
Cutaneous cell
regulation of NGF synthesis by TGF-β in development: BUCHMAN, SPORN AND DAVIES **120**, 1621.
Cyclic AMP
growth factors suppress P_o induction: MORGAN, JESSEN AND MIRSKY **120**, 1399.
Cyclin E
G_1 gene expression in *Drosophila*: DURONIO AND O'FARRELL **120**, 1503.
cycloidea
evolution of flowers and inflorescences: COEN **Supplement**, 107.
Cyst formation
the fusome contains membrane skeletal proteins: LIN, YUE AND SPRADLING **120**, 947.
Cytokinesis
diaphanous required for cytokinesis: CASTRILLON AND WASSERMAN **120**, 3367.
Cytokinins
pseudodirected variation in cell-division factor requirement: MEINS JR. AND SELDRAN **120**, 1163.
Cytoplasmic calcium
Fucus egg activation: ROBERTS, GILLOT AND BROWNLEE **120**, 155.
Cytoplasmic determinants
ascidian A-P axis determinants: NISHIDA **120**, 3093.
ascidian egg cytoplasmic determinants: NISHIDA **120**, 235.

cytoplasmic determinants in frog development: LEMAIRE AND GURDON **120**, 1191.
Cytoplasmic domain
Drosophila integrins in development: GRINBLAT, ZUSMAN, YEE, HYNES AND KAFATOS **120**, 91.
Cytoplasmic localization
evolutionary origin of development: WOLPERT **Supplement**, 79.
Cytoplasmic transfer
ascidian A-P axis determinants: NISHIDA **120**, 3093.
ascidian egg cytoplasmic determinants: NISHIDA **120**, 235.
Cytoskeleton
a syncytial embryonic metaphase arrest: FOGARTY, KALPIN AND SULLIVAN **120**, 2131.
marbles mutants and nuclear migration: FISCHER-VIZE AND MOSLEY **120**, 2609.
profilin mutation in *Drosophila*: VERHEYEN AND COOLEY **120**, 717.
requirements for *Bicaudal-D*: RAN, BOPP AND SUTTER **120**, 1233.
Cytotactin
novel tenascin variants: TUCKER, SPRING, BAUMGARTNER, MARTIN, HAGIOS, POSS AND CHIQUET-EHRISMANN **120**, 637.
Cytotrophoblast
integrins and trophoblast invasion: DAMSKY **120**, 3657.
dachshund
function in eye and leg morphogenesis: MARDON, SOLOMON AND RUBIN **120**, 3473.
daughterless
and neuronal precursor in *Drosophila*: VAESSIN, BRAND, JAN AND JAN **120**, 935.
function during oogenesis: CUMMINGS AND CRONMILLER **120**, 381.
DCg1
fat-cell lineage: HOSHIZAKI, BLACKBURN, PRICE, GHOSH, MILES, RAGUCCI AND SWEIS **120**, 2489.
DDK mouse strain
maternal factor and mouse blastocyst formation: RENARD, BALDACCI, RICHOUX-DURANTHON, POURNIN AND BABINET **120**, 797.
DEAD-box
biochemical analysis of mutant vasa proteins: LIANG, DIEHL-JONES AND LASKO **120**, 1201.
Deafferentation
afferent control of neuron death and cell birth: JOHNSON AND BOTTJER **120**, 13.
decapentaplegic
growth factors in development: HOGAN, BLESSING, WINNIER, SUZUKI AND JONES **Supplement**, 53.
hedgehog family proteins in development: FIETZ, CONCORDET, BARBOSA, JOHNSON, KRAUSS, MCMAHON, TABIN AND INGHAM **Supplement**, 43.
regulation by homeotic genes: MANAK, MATHIES AND SCOTT **120**, 3605.
teashirt and midgut morphogenesis: MATHIES, KERRIDGE AND SCOTT **120**, 2799.
thick veins and TGFβ homologs in *Drosophila*: AFFOLTER, NELLEN, NUSSBAUMER AND BASLER **120**, 3105.
tolloid mutations: FINELLI, BOSSIE, XIE AND PADGETT **120**, 861.
Delayed implantation
HB-EGF in the periimplantation mouse uterus: DAS, WANG, PARIA, DAMM, ABRAHAM, KLAGSBRUN, ANDREWS AND DEY **120**, 1071.
Delta
lag-2 encodes a ligand for GLP-1/LIN-12: HENDERSON, GAO, LAMBIE AND KIMBLE **120**, 2913.
deltex
deltex/Notch ANK repeat interaction: DIEDERICH, MATSUNO, HING AND ARTAVANIS-TSAKONAS **120**, 473.
Dendrite
NMDA receptor-mediated dendrite development: KALB **120**, 3063.
DER
sevenless and epidermal development in *Drosophila*: DIAZ-BENJUMEA AND HAFEN **120**, 569.
Dermomyotome
Pax-3 in myogenic specification: WILLIAMS AND ORDAHL **120**, 785.
Pax-3 is an early marker for myogenic precursors: BOBER, FRANZ, ARNOLD, GRUSS AND TREMBLAY **120**, 603.
Determination
determination of archenteron in starfish: KURAISHI AND OSANAI **120**, 2619.
fat-cell lineage: HOSHIZAKI, BLACKBURN, PRICE, GHOSH, MILES, RAGUCCI AND SWEIS **120**, 2489.
over-expression of *argos*: FREEMAN **120**, 2297.
tagma-specific commitment of a *Drosophila* neuroblast: PROKOP AND TECHNAU **120**, 2567.
Development
anti-apogens and anti-engulfens: ROTELLO, FERNANDEZ AND YUAN **120**, 1421.
En-2 and cerebellar patterning: MILLEN, WURST, HERRUP AND JOYNER **120**, 695.
Hoxd-dependent regulation of *Evx-2* expression: DOLLE **Supplement**, 143.
novel tenascin variants: TUCKER, SPRING, BAUMGARTNER, MARTIN, HAGIOS, POSS AND CHIQUET-EHRISMANN **120**, 637.
Developmental potential
mouse neural crest lineage: SERBEDZIJA, BRONNER-FRASER AND FRASER **120**, 1709.
diaphanous
required for cytokinesis: CASTRILLON AND WASSERMAN **120**, 3367.
Dickinsonia
molecular biology and palaeontology: CONWAY MORRIS **Supplement**, 1.
Dictyostelium
analysis of a Dd anterior-like cell mutant: BICHLER AND WEIJER **120**, 2857.
gp2 gene regulation in *Dictyostelium*: YIN, ROGERS AND RUTHERFORD **120**, 1169.
induction of *Dictyostelium* sporulation: RICHARDSON, LOOMIS AND KIMMEL **120**, 2891.
prespore-like cells of *Dictyostelium*: DETTERBECK, MORANDINI, WETTERAUER, BACHMAIR, FISCHER AND MACWILLIAMS **120**, 2847.
regulation of prespore gene expression: POWELL-COFFMAN AND FIRTEL **120**, 1601.
regulatory role of the Gα1 subunit in *Dictyostelium* morphogenesis: DHARMAWARDHANE **120**, 3549.
rescue of *car*⁻ development: SOEDE, INSALL, DEVREOTES AND SCHAAP **120**, 1997.
stage-specific requirement for myosin: SPRINGER, PATTERSON AND SPUDICH **120**, 2651.
DIF
the *gp2* gene regulation in *Dictyostelium*: YIN, ROGERS AND RUTHERFORD **120**, 1169.
Differentiation
cellular differentiation in maize leaves: LANGDALE AND KIDNER **120**, 673.
CNTF and oligodendrocyte differentiation: MAYER, BHAKOO AND NOBLE **120**, 143.
developmental regulation of oligodendroglial integrins: MILNER AND FFRENCH-CONSTANT **120**, 3497.
fat-cell lineage: HOSHIZAKI, BLACKBURN, PRICE, GHOSH, MILES, RAGUCCI AND SWEIS **120**, 2489.
the *gp2* gene regulation in *Dictyostelium*: YIN, ROGERS AND RUTHERFORD **120**, 1169.

growth factors suppress P_o induction: MORGAN, JESSEN AND MIRSKY **120**, 1399.
myogenesis and type II TGF-β receptor: FILVAROFF, EBNER AND DERYNCK **120**, 1085.
regeneration of photoreceptors: BRAISTED, ESSMAN AND RAYMOND **120**, 2409.

Differentiation marker
tubulin expression in *Patella* embryos: DAMEN, VAN GRUNSVEN AND VAN LOON **120**, 2835.

Digit number
role of Hox genes in limb bud morphogenesis: MORGAN AND TABIN **Supplement**, 181.

Digits
vertebrate limb evolution: COATES **Supplement**, 169.

DiI
fate map of chick epiblast: HATADA AND STERN **120**, 2879.
lineage analysis of the *Drosophila* CNS midline: BOSSING AND TECHNAU **120**, 1895.
violation of hindbrain compartments: BIRGBAUER AND FRASER **120**, 1347.

Dimorphism
sex-determining genes in fern *Ceratopteris*: BANKS **120**, 1949.

DiO
fate map of chick epiblast: HATADA AND STERN **120**, 2879.

***Dischevelled* gene**
in *wingless* signaling: THEISEN, PURCELL, BENNETT, KANSAGARA, SYED AND MARSH **120**, 347.

Distal-less
evolution of diversity in insects: CARROLL **Supplement**, 217.
generating a parasegment 6 identity: MANN **120**, 3205.

Divalent cation
shrimp oocyte activation by Mg^{2+}: LINDSAY AND CLARK JR. **120**, 3463.

DNA binding protein
regulation of prespore gene expression: POWELL-COFFMAN AND FIRTEL **120**, 1601.

DNA methylation
DNA methylation of imprinted genes: FEIL, WALTER, ALLEN AND REIK **120**, 2933.

DNA synthesis
growth factors suppress P_o induction: MORGAN, JESSEN AND MIRSKY **120**, 1399.

Dominant allele
enhancer piracy and *rhomboid* function: NOLL, STURTEVANT, GOLLAPUDI AND BIER **120**, 2329.

Dorsal lip
blastomere clones during gastrulation: BAUER, HUANG AND MOODY **120**, 1179.

Dorsal median cells
axonal guidance by an identified mesodermal cell: CHIANG **120**, 3581.

Dorsal root ganglia
open brain mutation: GUNTHER, STRUWE, AGUZZI AND SCHUGHART **120**, 3119.

Dorsal-ventral patterning
tolloid mutations: FINELLI, BOSSIE, XIE AND PADGETT **120**, 861.

Dorsoventral axis
sea urchin axis of bilateral asymmetry: MCCAIN AND MCCLAY **120**, 395.

Dorsoventral compartments
apterous and dorsoventral compartmentalization: BLAIR, BROWER, THOMAS AND ZAVORTINK **120**, 1805.

Dorsoventral pattern
gurken dosage and dorsoventral patterning: NEUMAN-SILBERBERG AND SCHUPBACH **120**, 2457.

Dorsoventral polarity
spatzle protein defines dorsal-ventral polarity in *Drosophila*: SCHNEIDER, JIN, MORISATO AND ANDERSON **120**, 1243.

Double sex
somatic *tra* and *dsx* control of sex of germ cells: STEINMANN-ZWICKY **120**, 707.

Down-regulation
down-regulation of *Egf-r* mRNA: STURTEVANT, O'NEILL AND BIER **120**, 2593.

Drk
sevenless and epidermal development in *Drosophila*: DIAZ-BENJUMEA AND HAFEN **120**, 569.

Drosophila
a syncytial embryonic metaphase arrest: FOGARTY, KALPIN AND SULLIVAN **120**, 2131.
antagonistic activities of *Su(H)* and *H*: SCHWEISGUTH AND POSAKONY **120**, 1433.
apterous and dorsoventral compartmentalization: BLAIR, BROWER, THOMAS AND ZAVORTINK **120**, 1805.
arm stripes and *wg* signal transduction: PEIFER, SWEETON, CASEY AND WIESCHAUS **120**, 369.
axon pathfinding in *Drosophila*: GORCZYCA, PHILLIS AND BUDNIK **120**, 2143.
axonal guidance by an identified mesodermal cell: CHIANG **120**, 3581.
β_{Heavy}-spectrin during fly embryogenesis: THOMAS AND KIEHART **120**, 2039.
biochemical analysis of mutant vasa proteins: LIANG, DIEHL-JONES AND LASKO **120**, 1201.
blistered wing development: FRISTROM, GOTWALS, EATON, KORNBERG, STURTEVANT, BIER AND FRISTROM **120**, 2661.
BR-C protein expression: EMERY, BEDIAN AND GUILD **120**, 3275.
cell intercalation during germband extension: IRVINE AND WIESCHAUS **120**, 827.
CNS expression of ecdysone receptors: TRUMAN, TALBOT, FAHRBACH AND HOGNESS **120**, 219.
CNS midline transcription: WHARTON JR **120**, 3563.
control of *snail* neuronal expression: IP, LEVINE AND BIER **120**, 199.
coracle, a *Drosophila* protein 4.1 homologue: FEHON, DAWSON AND ARTAVANIS-TSAKONAS **120**, 545.
dachshund function in eye and leg morphogenesis: MARDON, SOLOMON AND RUBIN **120**, 3473.
daughterless and neuronal precursor in *Drosophila*: VAESSIN, BRAND, JAN AND JAN **120**, 935.
deltex/Notch ANK repeat interaction: DIEDERICH, MATSUNO, HING AND ARTAVANIS-TSAKONAS **120**, 473.
dischevelled in *wingless* signaling: THEISEN, PURCELL, BENNETT, KANSAGARA, SYED AND MARSH **120**, 347.
down-regulation of *Egf-r* mRNA: STURTEVANT, O'NEILL AND BIER **120**, 2593.
dpp regulation by homeotic genes: MANAK, MATHIES AND SCOTT **120**, 3605.
E(spl)bHLH proteins and Notch signalling: JENNINGS **120**, 3537.
early patterning in *Schistocerca*: DAWES, DAWSON, FALCIANI, TEAR AND AKAM **120**, 1561.
ectopic *gooseberry* changes cell fate: ZHANG, UNGAR, FRESQUEZ AND HOLMGREN **120**, 1151.
ectopic *teashirt* expression: DE ZULUETA, ALEXANDRE, JACQ AND KERRIDGE **120**, 2287.
enhancer piracy and *rhomboid* function: NOLL, STURTEVANT, GOLLAPUDI AND BIER **120**, 2329.
evolution of arthropod segmentation: PATEL **Supplement**, 201.
expression of baculovirus P35 prevents cell death in *Drosophila*: HAY, WOLFF AND RUBIN **120**, 2121.
fat-cell lineage: HOSHIZAKI, BLACKBURN, PRICE, GHOSH, MILES, RAGUCCI AND SWEIS **120**, 2489.
fusome contains membrane skeletal proteins: LIN, YUE AND SPRADLING **120**, 947.
G_1 gene expression in *Drosophila*: DURONIO AND O'FARRELL **120**, 1503.

gap gene properties of *runt*: TSAI AND GERGEN **120**, 1671.
generating a parasegment 6 identity: MANN **120**, 3205.
growth factors in development: HOGAN, BLESSING, WINNIER, SUZUKI AND JONES **Supplement**, 53.
gurken dosage and dorsoventral patterning: NEUMAN-SILBERBERG AND SCHUPBACH **120**, 2457.
head development: GROSSNIKLAUS, CADIGAN AND GEHRING **120**, 3155.
hedgehog family proteins in development: FIETZ, CONCORDET, BARBOSA, JOHNSON, KRAUSS, MCMAHON, TABIN AND INGHAM **Supplement**, 43.
hemocytes and cell death: TEPASS, FESSLER, AZIZ AND HARTENSTEIN **120**, 1829.
HOM/Hox functional conservation: MANAK AND SCOTT **Supplement**, 61.
homeosis within the alimentary canal: REUTER **120**, 1123.
homeotic control of muscle development: MICHELSON **120**, 755.
Hoxd-dependent regulation of *Evx-2* expression: DOLLE **Supplement**, 143.
hs-*frizzled* function in tissue polarity: KRASNOW AND ADLER **120**, 1883.
insect embryogenesis: TAUTZ, FRIEDRICH AND SCHRODER **Supplement**, 193.
integrin mutant phenotypes: BROWN **120**, 1221.
integrins in development: GRINBLAT, ZUSMAN, YEE, HYNES AND KAFATOS **120**, 91.
interaction between *hkb, sna* and *twi*: REUTER AND LEPTIN **120**, 1137.
Kruppel regulation by *hunchback*: SCHULZ AND TAUTZ **120**, 3043.
lineage analysis of the *Drosophila* CNS midline: BOSSING AND TECHNAU **120**, 1895.
lola encodes a putative transcription factor: GINIGER, TIETJE, JAN AND JAN **120**, 1385.
marbles mutants and nuclear migration: FISCHER-VIZE AND MOSLEY **120**, 2609.
mesodermal Wingless affects the ectoderm: LAWRENCE, JOHNSTON AND VINCENT **120**, 3355.
midgut epithelium formation: TEPASS AND HARTENSTEIN **120**, 579.
miti gene in RP2/sib lineage specification: BHAT AND SCHEDL **120**, 1483.
molecular analysis of *mago nashi*: NEWMARK AND BOSWELL **120**, 1303.
nerves activate transposon expression: MOZER AND BENZER **120**, 1049.
origin and migration of peripheral glia: GIANGRANDE **120**, 523.
ovarian ring canals: ROBINSON, CANT AND COOLEY **120**, 2015.
over-expression of *argos*: FREEMAN **120**, 2297.
ovo and the X: OLIVER, SINGER, LAGET, PENNETTA AND PAULI **120**, 3185.
Polycomblike gene: LONIE, D'ANDREA, PARO AND SAINT **120**, 2629.
primordial germ cell migration in *Drosophila*: JAGLARZ AND HOWARD **120**, 83.
profilin mutation in *Drosophila*: VERHEYEN AND COOLEY **120**, 717.
protein phosphatase 2A and cell fate: SHIOMI, TAKEICHI, NISHIDA, NISHI AND UEMURA **120**, 1591.
R7 retinotopic map formation: ASHLEY AND KATZ **120**, 1537. 3595.
regulation of bithorax by *trithorax* in *Drosophila*: SEDKOV, TILLIB, MIZROKHI AND MAZO **120**, 1907.
regulation of *E(sp)l*: KRAMATSCHEK AND CAMPOS-ORTEGA **120**, 815.
regulation of posterior of *h* pair-rule stripes: LANGELAND, ATTAI, VORWERK AND CARROLL **120**, 2945.
regulation of *scute* by *emc*: CABRERA, ALONSO AND HUIKESHOVEN **120**, requirements for *Bicaudal-D*: RAN, BOPP AND SUTTER **120**, 1233.
RK2, a glial-specific homeodomain protein in *Drosophila*: CAMPBELL, GORING, LIN, SPANA, ANDERSSON, DOE AND TOMLINSON **120**, 2957.
sca and the morphogenetic furrow: ELLIS, WEBER, WIERSDORFF AND MLODZIK **120**, 1959.
segment border cells induce muscle patterning: VOLK AND VIJAYRAGHAVAN **120**, 59.
Serrate and imaginal wing disc development: SPEICHER, THOMAS, HINZ AND KNUST **120**, 535.
sevenless and epidermal development in *Drosophila*: DIAZ-BENJUMEA AND HAFEN **120**, 569.
spatzle protein defines dorsal-ventral polarity in *Drosophila*: SCHNEIDER, JIN, MORISATO AND ANDERSON **120**, 1243.
Star and its interactions with *sevenless* and *EGF* receptor in *Drosophila:* KOLODKIN, PICKUP, LIN, GOODMAN AND BANERJEE **120**, 1731.
subcellular localization of patched protein: CAPDEVILA, PARIENTE, SAMPEDRO, ALONSO AND GUERRERO **120**, 987.
tagma-specific commitment of a *Drosophila* neuroblast: PROKOP AND TECHNAU **120**, 2567.
teashirt and midgut morphogenesis: MATHIES, KERRIDGE AND SCOTT **120**, 2799.
temporal requirements for homeotic genes: CASTELLI-GAIR, GREIG, MICKLEM AND AKAM **120**, 1983.
temporal colinearity and phylotypic progression: DUBOULE **Supplement**, 135.
thick veins and TGFβ homologs in *Drosophila*: AFFOLTER, NELLEN, NUSSBAUMER AND BASLER **120**, 3105.
tiggrin, *Drosophila* integrin ligand: FOGERTY, FESSLER, BUNCH, YARON, PARKER, NELSON, BROWER, GULLBERG AND FESSLER **120**, 1747.
tip cell specification in *Drosophila* Malpighian tubules: HOCH **120**, 3439.
tolloid mutations: FINELLI, BOSSIE, XIE AND PADGETT **120**, 861.
transcriptional regulation of *string*: EDGAR, LEHMAN AND O'FARRELL **120**, 3131.
vnd and early neurogenesis: SKEATH, PANGANIBAN AND CARROLL **120**, 1517.

***Drosophila* CNS**
commissure formation depends on midline: MENNE AND KLAMBT **120**, 123.

***Drosophila* embryo**
embryonic function of *emc*: CUBAS, MODOLELL AND RUIZ-GOMEZ **120**, 2555.

***Drosophila* GAP-43**
a *Drosophila* GAP-43 homolog: NEEL AND YOUNG **120**, 2235.

***Drosophila* limb deformity**
diaphanous required for cytokinesis: CASTRILLON AND WASSERMAN **120**, 3367.

***Drosophila* oogenesis**
daughterless function during oogenesis: CUMMINGS AND CRONMILLER **120**, 381.

***Drosophila* pattern formation**
grk localisation and embryonic pattern: ROTH AND SCHUPBACH **120**, 2245.

Drosophila virilis
phylogenetic analysis of *oskar* function: WEBSTER, SUEN AND MACDONALD **120**, 2027.

Duplication
Hox genes in arthropods: AKAM, AVEROF, CASTELLI-GAIR, DAWES, FALCIANI AND FERRIER **Supplement**, 209.

Dye-coupling
in *Arabidopsis* root epidermis: DUCKETT, OPARKA, PRIOR, DOLAN AND ROBERTS **120**, 3247.

E(spl)
E(spl)bHLH proteins and Notch signalling: JENNINGS **120**, 3537.
regulation of *E(spl)*: KRAMATSCHEK AND CAMPOS-ORTEGA **120**, 815.

Ear development
kreisler, a hindbrain segmentation mutant: MCKAY, MUCHAMORE, KRUMLAUF, MADEN, LUMSDEN AND LEWIS **120**, 2199.
Early gene expression
activin-mediated induction requires FGF: CORNELL AND KIMELMAN **120**, 453.
Ecdysone
Drosophila BR-C protein expression: EMERY, BEDIAN AND GUILD **120**, 3275.
Ecdysone receptor
CNS expression of ecdysone receptors: TRUMAN, TALBOT, FAHRBACH AND HOGNESS **120**, 219.
Echinoderm
gene loss and gain in the evolution of vertebrates: RUDDLE, BENTLEY, MURTHA AND RISCH **Supplement**, 155.
ECM
tenascin expression during implantation: JULIAN, CHIQUET-EHRISMANN, ERICKSON AND CARSON **120**, 661.
Ectoderm
disruption of *Xenopus* E-cadherin: LEVINE, LEE, KINTNER AND GUMBINER **120**, 901.
mesoderm regulates mouse *Otx2* expression: ANG, CONLON, JIN AND ROSSANT **120**, 2979.
Ectopic expression
ectopic *gooseberry* changes cell fate: ZHANG, UNGAR, FRESQUEZ AND HOLMGREN **120**, 1151.
Ediacaran
molecular biology and palaeontology: CONWAY MORRIS **Supplement**, 1.
EGF
cytokines and pancreatic differentiation: SANVITO **120**, 3451.
sevenless and epidermal development in *Drosophila*: DIAZ-BENJUMEA AND HAFEN **120**, 569.
EGF-like protein
Serrate and imaginal wing disc development: SPEICHER, THOMAS, HINZ AND KNUST **120**, 535.
EGF receptor (EGF-R)
coracle, a *Drosophila* protein 4.1 homologue: FEHON, DAWSON AND ARTAVANIS-TSAKONAS **120**, 545.
down-regulation of *Egf-r* mRNA: STURTEVANT, O'NEILL AND BIER **120**, 2593.
enhancer piracy and *rhomboid* function: NOLL, STURTEVANT, GOLLAPUDI AND BIER **120**, 2329.
HB-EGF in the periimplantation mouse uterus: DAS, WANG, PARIA, DAMM, ABRAHAM, KLAGSBRUN, ANDREWS AND DEY **120**, 1071.
Star and its interactions with *sevenless* and *EGF receptor* in *Drosophila:* KOLODKIN, PICKUP, LIN, GOODMAN AND BANERJEE **120**, 1731.
Egg
ascidian A-P axis determinants: NISHIDA **120**, 3093.
Fucus egg activation: ROBERTS, GILLOT AND BROWNLEE **120**, 155.
microtubule movement in *Xenopus* eggs: HOULISTON **120**, 1213.
mouse egg activation: XU, KOPF AND SCHULTZ **120**, 1851.
sperm-induced egg activation: MOORE, AYABE, VISCONTI, SCHULTZ AND KOPF **120**, 3313.
Egg modifier
mouse egg modifiers: LATHAM **120**, 3419.
Egg-timer model
temporal colinearity and phylotypic progression: DUBOULE **Supplement**, 135.
Einbahnstrasse
temporal colinearity and phylotypic progression: DUBOULE **Supplement**, 135.
Electrophoretic study
marginal zone cells become primitive streak inducers only when in hypoblast: EYAL-GILADI, LOTAN, LEVIN, AVNER AND HOCHMAN **120**, 2501.
Elongation
effect of the *FASS* gene on morphogenesis: TORRES-RUIZ AND JURGENS **120**, 2967.
Embryo
evolutionary origin of development: WOLPERT **Supplement**, 79.
sea urchin axis of bilateral asymmetry: MCCAIN AND MCCLAY **120**, 395.
Embryogenesis
a syncytial embryonic metaphase arrest: FOGARTY, KALPIN AND SULLIVAN **120**, 2131.
Caenorhabditis elegans PES-1: expression and homology: HOPE **120**, 505.
cloning and expression pattern of FREK in avian embryo: MARCELLE, EICHMANN, HALEVY, BREANT AND LE DOUARIN **120**, 683.
embryonic origin of root meristem initials: SCHERES, WOLKENFELT, WILLEMSEN, TERLOUW, LAWSON, DEAN AND WEISBEEK **120**, 2475.
embryonic RNAs in *Caenorhabditis*: SEYDOUX AND FIRE **120**, 2823.
integrin mutant phenotypes: BROWN **120**, 1221.
tiggrin, *Drosophila* integrin ligand: FOGERTY, FESSLER, BUNCH, YARON, PARKER, NELSON, BROWER, GULLBERG AND FESSLER **120**, 1747.
Embryoid body
imprinting in embryonic stem cells: SZABO AND MANN **120**, 1651.
Embryonal carcinoma cell
Brachyury expression in P19 cells: VIDRICAIRE, JARDINE AND MCBURNEY **120**, 115.
neural-inducing factors: PRUITT **120**, 3301.
Embryonic ectoderm
gene expression in developing epidermis: BYRNE, TAINSKY AND FUCHS **120**, 2369.
Embryonic germ cell
EG cells: developmental potential and imprinting: LABOSKY, BARLOW AND HOGAN **120**, 3197.
Embryonic induction
mesodermal Wingless affects the ectoderm: LAWRENCE, JOHNSTON AND VINCENT **120**, 3355.
primitive streak mesoderm-like cell lines: PRUITT **120**, 37.
Embryonic lung development
inhibition of PDGF-B translation: SOUZA, SEDLACKOVA, KULISZEWSKI, WANG, LIU, TSEU, LIU, TRANSWELL AND POST **120**, 2163.
Embryonic midline
Star and its interactions with sevenless and EGF receptor in *Drosophila*: KOLODKIN, PICKUP, LIN, GOODMAN AND BANERJEE **120**, 1731.
Embryonic stem cell
EG cells: developmental potential and imprinting: LABOSKY, BARLOW AND HOGAN **120**, 3197.
imprinting in embryonic stem cells: SZABO AND MANN **120**, 1651.
imprinting in parthenogenetic stem cells: ALLEN, BARTON, HILTON, NORRIS AND SURANI **120**, 1473.
role of LIFR in PGC growth: CHENG, GEARING, WHITE, COMPTON, SCHOOLEY AND DONOVAN **120**, 3145.
Embryonically transcribed RNA
embryonic RNAs in *Caenorhabditis*: SEYDOUX AND FIRE **120**, 2823.
En-2
Wnt-3 expression in the cerebellum: SALINAS, FLETCHER, COPELAND, JENKINS AND NUSSE **120**, 1277.
Endocardial precursor
cardiovascular development in zebrafish: LEE, STAINIER, WEINSTEIN AND FISHMAN **120**, 3361.
Endocrine pancreas
cytokines and pancreatic differentiation: SANVITO **120**, 3451.
Endoderm
CdxA in gut morphogenesis: FRUMKIN, PILLEMER, HAFFNER, TARCIC, GRUENBAUM AND FAINSOD **120**, 253.

homeosis within the alimentary canal: REUTER **120**, 1123.
interaction between *hkb, sna* and *twi*: REUTER AND LEPTIN **120**, 1137.
Endopeptidase-24.18
peptidases in craniofacial development: SPENCER-DENE, THOROGOOD, NAIR, KENNY, HARRIS AND HENDERSON **120**, 3213.
Endoreduplication
G_1 gene expression in *Drosophila*: DURONIO AND O'FARRELL **120**, 1503.
Endothelium
PECAM-1 expression during cardiovascular development: BALDWIN, SHEN, YAN, DELISSER, CHUNG, MICKANIN, TRASK, KIRSCHBAUM, NEWMAN, ALBELDA AND BUCK **120**, 2539.
engrailed
evolution of arthropod segmentation: PATEL **Supplement**, 201.
generating a parasegment 6 identity: MANN **120**, 3205.
hedgehog family proteins in development: FIETZ, CONCORDET, BARBOSA, JOHNSON, KRAUSS, MCMAHON, TABIN AND INGHAM **Supplement**, 43.
HOM/Hox functional conservation: MANAK AND SCOTT **Supplement**, 61.
mesodermal Wingless affects the ectoderm: LAWRENCE, JOHNSTON AND VINCENT **120**, 3355.
Engrailed-1
multiple developmental defects in *Engrailed-1* mutant mice: WURST, AUERBACH AND JOYNER **120**, 2065.
Enhancer
CNS midline transcription: WHARTON JR **120**, 3563.
control of *snail* neuronal expression: IP, LEVINE AND BIER **120**, 199.
Enhancer piracy
enhancer piracy and *rhomboid* function: NOLL, STURTEVANT, GOLLAPUDI AND BIER **120**, 2329.
Enhancer trapping
enhancer piracy and *rhomboid* function: NOLL, STURTEVANT, GOLLAPUDI AND BIER **120**, 2329.
Ensheathing cells
B-FABP expression during CNS development: KURTZ, ZIMMER, SCHNUTGEN, BRUNING, SPENER AND MULLER **120**, 2637.
Enteric nervous system
G proteins in neuronal migration: HORGAN, LAGRANGE AND COPENHAVER **120**, 729.
Epiblast
fate map of chick epiblast: HATADA AND STERN **120**, 2879.
Epiboly
blastomere clones during gastrulation: BAUER, HUANG AND MOODY **120**, 1179.
Epidermis
cell patterning in the root of *Arabidopsis*: DOLAN, DUCKETT, GRIERSON, LINSTEAD, SCHNEIDER, LAWSON, DEAN, POETHIG AND ROBERTS **120**, 2465.
dye-coupling in *Arabidopsis* root epidermis: DUCKETT, OPARKA, PRIOR, DOLAN AND ROBERTS **120**, 3247.
gl15 regulates epidermal identity in maize: EVANS, PASSAS AND POETHIG **120**, 1971.
Epidermis differentiation
ascidian egg cytoplasmic determinants: NISHIDA **120**, 235.
Epigenetic inheritance
mouse egg modifiers: LATHAM **120**, 3419.
Epigenetic selection
pseudodirected variation in cell-division factor requirement: MEINS JR. AND SELDRAN **120**, 1163.
Epithelial-mesenchymal interaction
synergism of bFGF and TGF-β_1 in chondrogenesis: FRENZ, LIU, WILLIAMS, HATCHER, GALINOVIC-SCHWARTZ, FLANDERS AND VAN DE WATER **120**, 415.
tissue interaction and pepsinogen expression: FUKUDA **120**, 3487.
Epithelium
gp330 during mouse early development: GUETH-HALLONET, SANTA-MARIA, VERROUST AND MARO **120**, 3289.
midgut epithelium formation: TEPASS AND HARTENSTEIN **120**, 579.
nidogen in the embryo: EKBLOM, EKBLOM, FECKER, KLEIN, ZHANG, KADOYA, CHU, MAYER AND TIMPL **120**, 2003.
Equivalence groups
apx-1 and dorsal blastomere identity: MANGO, THORPE, MARTIN, CHAMBERLAIN AND BOWERMAN **120**, 2305.
ES cell
Xist RNA in mouse tissues and ES cells: BUZIN, MANN AND SINGER-SAM **120**, 3529.
Ethylene
cell patterning in the root of *Arabidopsis*: DOLAN, DUCKETT, GRIERSON, LINSTEAD, SCHNEIDER, LAWSON, DEAN, POETHIG AND ROBERTS **120**, 2465.
Euprymna
symbiotic bacteria induce host morphogenesis: MONTGOMERY AND MCFALL-NGAI **120**, 1719.
Eusthenopteran
evolutionary developmental biology of the tetrapod limb: HINCHLIFFE **Supplement**, 163.
even-skipped
evolution of arthropod segmentation: PATEL **Supplement**, 201.
gap gene properties of *runt*: TSAI AND GERGEN **120**, 1671.
Hoxd-dependent regulation of *Evx-2* expression: DOLLE **Supplement**, 143.
Evolution
craniofacial, skeletal abnormalities and RARs in ontogenesis: LOHNES, MARK, MENDELSOHN, DOLLE, DIERICH, GORRY, GANSMULLER AND CHAMBON **120**, 2723.
evolution of arthropod segmentation: PATEL **Supplement**, 201.
evolution of cell lineages in nematodes: SOMMER, CARTA AND STERNBERG **Supplement**, 85.
evolutionary origin of development: WOLPERT **Supplement**, 79.
gene duplications and vertebrate origins: HOLLAND, GARCIA-FERNANDEZ, WILLIAMS AND SIDOW **Supplement**, 125.
HOM/Hox functional conservation: MANAK AND SCOTT **Supplement**, 61.
Hox genes in arthropods: AKAM, AVEROF, CASTELLI-GAIR, DAWES, FALCIANI AND FERRIER **Supplement**, 209.
insect embryogenesis: TAUTZ, FRIEDRICH AND SCHRODER **Supplement**, 193.
molecular biology and palaeontology: CONWAY MORRIS **Supplement**, 1.
phylogeny and the Cambrian radiation: PHILIPPE, CHENUIL AND ADOUTTE **Supplement**, 15.
vertebrate limb evolution: COATES **Supplement**, 169.
Evolution of development
evolution of echinoderm development: WRAY AND BELY **Supplement**, 97.
Evolutionary conservation
caudal mRNA and protein during *Bombyx* gastrulation: XU, XU AND SUZUKI **120**, 277.
mammalian GAP-43 transgenes in zebrafish: REINHARD, NEDIVI, WEGNER, SKENE AND WESTERFIELD **120**, 1767.
Evx-1
Hoxd-dependent regulation of *Evx-2* expression: DOLLE **Supplement**, 143.
Evx1
mesoderm induction in mice: HOLDENER, FAUST, ROSENTHAL AND MAGNUSON **120**, 1335.
Exd/Pbx group
HOM/Hox functional conservation: MANAK AND SCOTT **Supplement**, 61.
Exencephaly
open brain mutation: GUNTHER, STRUWE, AGUZZI AND SCHUGHART **120**, 3119.

Exit glia
axon pathfinding in *Drosophila*: GORCZYCA, PHILLIS AND BUDNIK **120**, 2143.
Exocrine pancreas
cytokines and pancreatic differentiation: SANVITO **120**, 3451.
Exogastrulation
Xlim-1 gene expression in *Xenopus*: TAIRA, OTANI, JAMRICH AND DAWID **120**, 1525.
Exons
protein families in the Metazoan genome: CHOTHIA **Supplement**, 27.
Explant coculture
corticospinal specificity in coculture: KUANG, MERLINE AND KALIL **120**, 1937.
Explant culture
mesoderm regulates mouse *Otx2* expression: ANG, CONLON, JIN AND ROSSANT **120**, 2979.
Expression
bcl-2 in the developing nervous system: MERRY, VEIS, HICKEY AND KORSMEYER **120**, 301.
embryonic expression and cloning of the murine GATA-3 gene: GEORGE, LEONARD, ROTH, LIEUW, KIOUSSIS, GROSVELD AND ENGEL **120**, 2673.
homeobox gene expression in the adult uterus: PAVLOVA, BOUTIN, CUNHA AND SASSOON **120**, 335.
imprinting in embryonic stem cells: SZABO AND MANN **120**, 1651.
murine *hedgehog* gene: CHANG, LOPEZ, VON KESSLER, CHIANG, SIMANDL, ZHAO, SELDIN, FALLON AND BEACHY **120**, 3339.
muscle development in *Myf-5* mutant mice: BRAUN, BOBER, RUDNICKI, JAENISCH AND ARNOLD **120**, 3083.
open brain mutation: GUNTHER, STRUWE, AGUZZI AND SCHUGHART **120**, 3119.
Sax1 expression in the spinal cord: SPANN, GINSBURG, RANGINI, FAINSOD, EYAL-GILADI AND GRUENBAUM **120**, 1817.
Expression domain
temporal colinearity and phylotypic progression: DUBOULE **Supplement**, 135.
Expression gradient
induction of *Dictyostelium* sporulation: RICHARDSON, LOOMIS AND KIMMEL **120**, 2891.
Extension
cell cycles and clonal strings in zebrafish: KIMMEL, WARGA AND KANE **120**, 265.
cell intercalation during germband extension: IRVINE AND WIESCHAUS **120**, 827.
Extracellular cAMP
rescue of *car*$^{-}$ development: SOEDE, INSALL, DEVREOTES AND SCHAAP **120**, 1997.
Extracellular matrix
cytokines and pancreatic differentiation: SANVITO **120**, 3451.
effect of ECM on I-cell migration in hydra: ZHANG AND SARRAS JR. **120**, 425.
integrin mutant phenotypes: BROWN **120**, 1221.
L-14 mediates olfactory neuron adhesion: MAHANTHAPPA, COOPER, BARONDES AND SCHWARTING **120**, 1373.
laminin receptors on mesenchyme: CRAWFORD AND BURKE **120**, 3227.
N-cadherin and chondrogenesis: OBERLENDER AND TUAN **120**, 177.
novel tenascin variants: TUCKER, SPRING, BAUMGARTNER, MARTIN, HAGIOS, POSS AND CHIQUET-EHRISMANN **120**, 637.
sca and the morphogenetic furrow: ELLIS, WEBER, WIERSDORFF AND MLODZIK **120**, 1959.
tenascin expression during implantation: JULIAN, CHIQUET-EHRISMANN, ERICKSON AND CARSON **120**, 661.
Extracellular matrix protein
evolution of ECM proteins: ENGEL, EFIMOV AND MAURER **Supplement**, 35.
tiggrin, *Drosophila* integrin ligand: FOGERTY, FESSLER, BUNCH, YARON, PARKER, NELSON, BROWER, GULLBERG AND FESSLER **120**, 1747.
extramacrochaetae
embryonic function of *emc*: CUBAS, MODOLELL AND RUIZ-GOMEZ **120**, 2555.
regulation of *scute* by emc: CABRERA, ALONSO AND HUIKESHOVEN **120**, 3595.
Eye
craniofacial, skeletal abnormalities and RARs in ontogenesis: LOHNES, MARK, MENDELSOHN, DOLLE, DIERICH, GORRY, GANSMULLER AND CHAMBON **120**, 2723.
expression of baculovirus P35 prevents cell death in *Drosophila*: HAY, WOLFF AND RUBIN **120**, 2121.
marbles mutants and nuclear migration: FISCHER-VIZE AND MOSLEY **120**, 2609.
open brain mutation: GUNTHER, STRUWE, AGUZZI AND SCHUGHART **120**, 3119.
over-expression of *argos*: FREEMAN **120**, 2297.
Star and its interactions with sevenless and EGF receptor in *Drosophila*: KOLODKIN, PICKUP, LIN, GOODMAN AND BANERJEE **120**, 1731.
falsiflora
evolution of flowers and inflorescences: COEN **Supplement**, 107.
fass
effect of the *FASS* gene on morphogenesis: TORRES-RUIZ AND JURGENS **120**, 2967.
Fat body
fat-cell lineage: HOSHIZAKI, BLACKBURN, PRICE, GHOSH, MILES, RAGUCCI AND SWEIS **120**, 2489.
Fate determination
ascidian egg cytoplasmic determinants: NISHIDA **120**, 235.
Fate map
apx-1 and dorsal blastomere identity: MANGO, THORPE, MARTIN, CHAMBERLAIN AND BOWERMAN **120**, 2305.
blastomere clones during gastrulation: BAUER, HUANG AND MOODY **120**, 1179.
fate mapping of silkworm eggs: MYOHARA **120**, 2869.
interaction between *hkb, sna* and *twi*: REUTER AND LEPTIN **120**, 1137.
micromere fate maps: SMITH AND WEISBLAT **120**, 3427.
zebrafish 16-cell-stage fate map: STREHLOW, HEINRICH AND GILBERT **120**, 1791.
Fate restriction
neuronal lineage in the chick hindbrain: LUMSDEN, CLARKE, KEYNES AND FRASER **120**, 1581.
Fatty acid binding protein
B-FABP expression during CNS development: KURTZ, ZIMMER, SCHNUTGEN, BRUNING, SPENER AND MULLER **120**, 2637.
Fertilization
cortical granule biogenesis: LAIDLAW AND WESSEL **120**, 1325.
fate mapping of silkworm eggs: MYOHARA **120**, 2869.
sperm-induced egg activation: MOORE, AYABE, VISCONTI, SCHULTZ AND KOPF **120**, 3313.
FGF (See Fibroblast growth factor)
bFGF
and hypoblast induce Hb in chick blastoderm: GORDON-THOMSON AND FABIAN **120**, 3571.
inhibition of oligodendrocyte differentiation by RA: NOLL AND MILLER **120**, 649.
role of LIFR in PGC growth: CHENG, GEARING, WHITE, COMPTON, SCHOOLEY AND DONOVAN **120**, 3145.
synergism of bFGF and TGF-β_1 in chondrogenesis: FRENZ, LIU, WILLIAMS, HATCHER, GALINOVIC-SCHWARTZ, FLANDERS AND VAN DE WATER **120**, 415.
Fgf4
mesoderm induction in mice: HOLDENER, FAUST, ROSENTHAL AND MAGNUSON **120**, 1335.

Fgf5
mesoderm induction in mice: HOLDENER, FAUST, ROSENTHAL AND MAGNUSON **120**, 1335.
Fgfr1
mesoderm induction in mice: HOLDENER, FAUST, ROSENTHAL AND MAGNUSON **120**, 1335.
Fgfr2
mesoderm induction in mice: HOLDENER, FAUST, ROSENTHAL AND MAGNUSON **120**, 1335.
Fibroblast growth factor
activin induction requires FGF signaling: LABONNE AND WHITMAN **120**, 463.
activin-mediated induction requires FGF: CORNELL AND KIMELMAN **120**, 453.
bFGF and hypoblast induce Hb in chick blastoderm: GORDON-THOMSON AND FABIAN **120**, 3571.
FGF and neurite outgrowth: WILLIAMS, FURNESS, WALSH AND DOHERTY **120**, 1685.
FGF regulated neural crest cell division: MURPHY **120**, 3519.
FGF-4 expression in mouse inner cell mass: RAPPOLEE, BASILICO, PATEL AND WERB **120**, 2259.
proteoglycans in mesoderm formation in *Xenopus*: ITOH AND SOKOL **120**, 2703.
Fibroblast growth factor receptor
cloning and expression pattern of FREK in avian embryo: MARCELLE, EICHMANN, HALEVY, BREANT AND LE DOUARIN **120**, 683.
Fibronectin
effect of ECM on I-cell migration in hydra: ZHANG AND SARRAS JR. **120**, 425.
Field
cardiovascular development in zebrafish: LEE, STAINIER, WEINSTEIN AND FISHMAN **120**, 3361.
Fin
RARs and fin regeneration: WHITE, BOFFA, JONES AND PETKOVICH **120**, 1861.
vertebrate limb evolution: COATES **Supplement**, 169.
Floor-plate induction
hedgehog family proteins in development: FIETZ, CONCORDET, BARBOSA, JOHNSON, KRAUSS, MCMAHON, TABIN AND INGHAM **Supplement**, 43.
floricaula
evolution of flowers and inflorescences: COEN **Supplement**, 107.
Flower evolution
evolution of flowers and inflorescences: COEN **Supplement**, 107.
Fluorescent dye labelling
zebrafish 16-cell-stage fate map: STREHLOW, HEINRICH AND GILBERT **120**, 1791.
Fly
origin and migration of peripheral glia: GIANGRANDE **120**, 523.
FMRFamide
axon pathfinding in *Drosophila*: GORCZYCA, PHILLIS AND BUDNIK **120**, 2143.
Foliation
En-2 and cerebellar patterning: MILLEN, WURST, HERRUP AND JOYNER **120**, 695.
Follicle formation
daughterless function during oogenesis: CUMMINGS AND CRONMILLER **120**, 381.
Follistatin
activin, follistatin and mouse embryos: ALBANO, ARKELL, BEDDINGTON AND SMITH **120**, 803.
activins in murine embryogenesis: FEIJEN, GOUMANS AND VAN DEN EIJNDEN-VAN RAAIJ **120**, 3621.
Fork head homologue
Caenorhabditis elegans PES-1: expression and homology: HOPE **120**, 505.
forkhead
HOM/Hox functional conservation: MANAK AND SCOTT **Supplement**, 61.
Forskolin
growth factors suppress P_o induction: MORGAN, JESSEN AND MIRSKY **120**, 1399.
Fossil
molecular biology and palaeontology: CONWAY MORRIS **Supplement**, 1.
fox-1
nematode prima[illegible] determination: HODGKIN, ZELLAN AND ALBERTSON **120**, 3681.
frizzled
hs-*frizzled* function in tissue polarity: KRASNOW AND ADLER **120**, 1883.
Fucus
Fucus egg activation: ROBERTS, GILLOT AND BROWNLEE **120**, 155.
Functional redundancy
multiple abnormalities in RAR double mutants: MENDELSOHN, LOHNES, DECIMO, LUFKIN, LEMEUR, CHAMBON AND MARK **120**, 2749.
Fura-2-dextran
Fucus egg activation: ROBERTS, GILLOT AND BROWNLEE **120**, 155.
Fused
origin and migration of peripheral glia: GIANGRANDE **120**, 523.
fushi tarazu
early patterning in *Schistocerca*: DAWES, DAWSON, FALCIANI, TEAR AND AKAM **120**, 1561.
gap gene properties of *runt*: TSAI AND GERGEN **120**, 1671.
Fusome
the fusome contains membrane skeletal proteins: LIN, YUE AND SPRADLING **120**, 947.
G protein
in neuronal migration: HORGAN, LAGRANGE AND COPENHAVER **120**, 729.
sperm-induced egg activation: MOORE, AYABE, VISCONTI, SCHULTZ AND KOPF **120**, 3313.
G_1-S phase
G_1 gene expression in *Drosophila*: DURONIO AND O'FARRELL **120**, 1503.
Gα subunit
regulatory role of the Gα1 subunit in *Dictyostelium* morphogenesis: DHARMAWARDHANE **120**, 3549.
GAL4
temporal requirements for homeotic genes: CASTELLI-GAIR, GREIG, MICKLEM AND AKAM **120**, 1983.
β-Galactosidase
prespore-like cells of *Dictyostelium*: DETTERBECK, MORANDINI, WETTERAUER, BACHMAIR, FISCHER AND MACWILLIAMS **120**, 2847.
Ganglion mother cell
miti gene in RP2/sib lineage specification: BHAT AND SCHEDL **120**, 1483.
Gap gene
gap gene properties of *runt*: TSAI AND GERGEN **120**, 1671.
Kruppel regulation by *hunchback*: SCHULZ AND TAUTZ **120**, 3043.
Gap protein
regulation of posterior of *h* pair-rule stripes: LANGELAND, ATTAI, VORWERK AND CARROLL **120**, 2945.
GAP-43
mammalian GAP-43 transgenes in zebrafish: REINHARD, NEDIVI, WEGNER, SKENE AND WESTERFIELD **120**, 1767.
***gap1* mutant**
Drosophila R7 retinotopic map formation: ASHLEY AND KATZ **120**, 1537.
Gastrula
tagma-specific commitment of a *Drosophila* neuroblast: PROKOP AND TECHNAU **120**, 2567.
Gastrulation
activin thresholds and cell morphology: SYMES, YORDAN AND MERCOLA **120**, 2339.

autonomy of *Drosophila* mesoderm development: LEPTIN AND ROTH **120**, 853.
β-catenin distribution in *Xenopus* embryos: FAGOTTO AND GUMBINER **120**, 3667.
cloning and expression pattern of FREK in avian embryo: MARCELLE, EICHMANN, HALEVY, BREANT AND LE DOUARIN **120**, 683.
determination of archenteron in starfish: KURAISHI AND OSANAI **120**, 2619.
disruption of *Xenopus* E-cadherin: LEVINE, LEE, KINTNER AND GUMBINER **120**, 901.
evolution of echinoderm development: WRAY AND BELY **Supplement**, 97.
evolution of vertebrate gastrulation: DE ROBERTIS, FAINSOD, GONT AND STEINBEISSER **Supplement**, 117.
expression of *goosecoid* in zebrafish embryos: SCHULTE-MERKER, HAMMERSCHMIDT, BEUCHLE, CHO, DE ROBERTIS AND NUSSLEIN-VOLHARD **120**, 843.
fate map of chick epiblast: HATADA AND STERN **120**, 2879.
induction of second axis by mouse node: BEDDINGTON **120**, 613.
interaction between *hkb, sna* and *twi*: REUTER AND LEPTIN **120**, 1137.
laminin receptors on mesenchyme: CRAWFORD AND BURKE **120**, 3227.
mesoderm regulates mouse *Otx2* expression: ANG, CONLON, JIN AND ROSSANT **120**, 2979.
nodal function in mouse embryos: CONLON, LYONS, TAKAESU, BARTH, KISPERT, HERRMANN AND ROBERTSON **120**, 1919.
proteoglycans in mesoderm formation in *Xenopus*: ITOH AND SOKOL **120**, 2703.
rtk gene expression during zebrafish gastrulation: XU, HOLDER, PATIENT AND WILSON **120**, 287.

GATA factor
regulation of trophoblast gene expression: NG, GEORGE, ENGEL AND LINZER **120**, 3257.

GATA-1
GATA-1 expression in mouse Sertoli cells: YOMOGIDA, OHTANI, HARIGAE, ITO, NISHIMUNE, ENGEL AND YAMAMOTO **120**, 1759.

GATA-2
GATA-2 in *Xenopus* embryos: WALMSLEY, GUILLE, BERTWISTLE, SMITH, PIZZEY AND PATIENT **120**, 2519.

Gene
pha-1 and organ development: GRANATO, SCHNABEL AND SCHNABEL **120**, 3005.

Gene activation
temporal colinearity and phylotypic progression: DUBOULE **Supplement**, 135.

Gene disruption
rescue of *car*⁻ development: SOEDE, INSALL, DEVREOTES AND SCHAAP **120**, 1997.

Gene duplication
gene duplications and vertebrate origins: HOLLAND, GARCIA-FERNANDEZ, WILLIAMS AND SIDOW **Supplement**, 125.
protein families in the Metazoan genome: CHOTHIA **Supplement**, 27.

Gene expression
apterous and dorsoventral compartmentalization: BLAIR, BROWER, THOMAS AND ZAVORTINK **120**, 1805.
Caenorhabditis elegans PES-1: expression and homology: HOPE **120**, 505.
cytoplasmic determinants in frog development: LEMAIRE AND GURDON **120**, 1191.
homeobox gene expression in the adult uterus: PAVLOVA, BOUTIN, CUNHA AND SASSOON **120**, 335.
in developing epidermis: BYRNE, TAINSKY AND FUCHS **120**, 2369.
in preimplantation embryo: WORRAD, RAM AND SCHULTZ **120**, 2347.
induction of *Dictyostelium* sporulation: RICHARDSON, LOOMIS AND KIMMEL **120**, 2891.
murine *hedgehog* gene: CHANG, LOPEZ, VON KESSLER, CHIANG, SIMANDL, ZHAO, SELDIN, FALLON AND BEACHY **120**, 3339.
open brain mutation: GUNTHER, STRUWE, AGUZZI AND SCHUGHART **120**, 3119.
rescue of *car*⁻ development: SOEDE, INSALL, DEVREOTES AND SCHAAP **120**, 1997.

Gene families
gene loss and gain in the evolution of vertebrates: RUDDLE, BENTLEY, MURTHA AND RISCH **Supplement**, 155.

Gene isolation
B-FABP expression during CNS development: KURTZ, ZIMMER, SCHNUTGEN, BRUNING, SPENER AND MULLER **120**, 2637.

Gene-morphology relationship
evolutionary developmental biology of the tetrapod limb: HINCHLIFFE **Supplement**, 163.

Gene mutation
protein families in the Metazoan genome: CHOTHIA **Supplement**, 27.

Gene regulation
evolution of echinoderm development: WRAY AND BELY **Supplement**, 97.
interaction between *hkb, sna* and *twi*: REUTER AND LEPTIN **120**, 1137.
Kruppel regulation by *hunchback*: SCHULZ AND TAUTZ **120**, 3043.
mammalian GAP-43 transgenes in zebrafish: REINHARD, NEDIVI, WEGNER, SKENE AND WESTERFIELD **120**, 1767.
of bithorax by *trithorax* in *Drosophila*: SEDKOV, TILLIB, MIZROKHI AND MAZO **120**, 1907.
regulation of *E(spl)*: KRAMATSCHEK AND CAMPOS-ORTEGA **120**, 815.

gene targeting
Hoxd-11 mutant mice: DAVIS AND CAPECCHI **120**, 2187.

Genetic interaction
enhancer piracy and *rhomboid* function: NOLL, STURTEVANT, GOLLAPUDI AND BIER **120**, 2329.

Genetic linkage
murine *hedgehog* gene: CHANG, LOPEZ, VON KESSLER, CHIANG, SIMANDL, ZHAO, SELDIN, FALLON AND BEACHY **120**, 3339.

Genetic mosaics
sex in soma and germ line of *Musca*: HILFIKER-KLEINER, DUBENDORFER, HILFIKER AND NOTHIGER **120**, 2531.

Genital ridge
Zfy-1/lacZ expression in the mouse: ZAMBROWICZ, ZIMMERMANN, HARENDZA, SIMPSON, PAGE AND R. L. **120**, 1549.

Genital tract
multiple abnormalities in RAR double mutants: MENDELSOHN, LOHNES, DECIMO, LUFKIN, LEMEUR, CHAMBON AND MARK **120**, 2749.

Genome duplication
gene loss and gain in the evolution of vertebrates: RUDDLE, BENTLEY, MURTHA AND RISCH **Supplement**, 155.

Genome imprinting
mouse egg modifiers: LATHAM **120**, 3419.

Genome size
gene duplications and vertebrate origins: HOLLAND, GARCIA-FERNANDEZ, WILLIAMS AND SIDOW **Supplement**, 125.

Geometridae
symmetry systems and compartments in Lepidopteran wings: NIJHOUT **Supplement**, 225.

Germ band
cell intercalation during germband extension: IRVINE AND WIESCHAUS **120**, 827.

Germ cell
biochemical analysis of mutant vasa proteins: LIANG, DIEHL-JONES AND LASKO **120**, 1201.

phylogenetic analysis of *oskar* function: WEBSTER, SUEN AND MACDONALD **120**, 2027.
somatic *tra* and *dsx* control of sex of germ cells: STEINMANN-ZWICKY **120**, 707.
Zfy-1/lacZ expression in the mouse: ZAMBROWICZ, ZIMMERMANN, HARENDZA, SIMPSON, PAGE AND R. L. **120**, 1549.
Germ layer
autonomy of *Drosophila* mesoderm development: LEPTIN AND ROTH **120**, 853.
homeosis within the alimentary canal: REUTER **120**, 1123.
interaction between *hkb, sna* and *twi*: REUTER AND LEPTIN **120**, 1137.
Germ line
embryonic RNAs in *Caenorhabditis*: SEYDOUX AND FIRE **120**, 2823.
germ line localization of GLP-1: CRITTENDEN, TROEMEL, EVANS AND KIMBLE **120**, 2901.
the fusome contains membrane skeletal proteins: LIN, YUE AND SPRADLING **120**, 947.
Germ plasm assembly
molecular analysis of *mago nashi*: NEWMARK AND BOSWELL **120**, 1303.
Germ type
the evolution of insect patterning mechanisms: SANDER **Supplement**, 187.
Glia
RK2, a glial-specific homeodomain protein in *Drosophila*: CAMPBELL, GORING, LIN, SPANA, ANDERSSON, DOE AND TOMLINSON **120**, 2957.
tagma-specific commitment of a *Drosophila* neuroblast: PROKOP AND TECHNAU **120**, 2567.
Gliagenesis
origin and migration of peripheral glia: GIANGRANDE **120**, 523.
glossy
development of the maize leaf epidermis: CERIOLI, MAROCCO, MADDALONI, MOTTO AND SALAMINI **120**, 2113.
glossy15
gl15 regulates epidermal identity in maize: EVANS, PASSAS AND POETHIG **120**, 1971.
glp-1
apx-1 and dorsal blastomere identity: MANGO, THORPE, MARTIN, CHAMBERLAIN AND BOWERMAN **120**, 2305.
lag-2 encodes a ligand for GLP-1/LIN-12: HENDERSON, GAO, LAMBIE AND KIMBLE **120**, 2913.
specification of blastomere identity: MOSKOWITZ, GENDREAU AND ROTHMAN **120**, 3325.
GLP-1
germ line localization of GLP-1: CRITTENDEN, TROEMEL, EVANS AND KIMBLE **120**, 2901.
Glycogen phosphorylase gene
the *gp2* gene regulation in *Dictyostelium*: YIN, ROGERS AND RUTHERFORD **120**, 1169.
Glycolipid
L-14 mediates olfactory neuron adhesion: MAHANTHAPPA, COOPER, BARONDES AND SCHWARTING **120**, 1373.
Goldfish
regeneration of photoreceptors: BRAISTED, ESSMAN AND RAYMOND **120**, 2409.
Gonadogenesis
primordial germ cell migration in *Drosophila*: JAGLARZ AND HOWARD **120**, 83.
Gooseberry
ectopic *gooseberry* changes cell fate: ZHANG, UNGAR, FRESQUEZ AND HOLMGREN **120**, 1151.
goosecoid
cytoplasmic determinants in frog development: LEMAIRE AND GURDON **120**, 1191.
emergence of activin thresholds: GREEN, SMITH AND GERHART **120**, 2271.
evolution of vertebrate gastrulation: DE ROBERTIS, FAINSOD, GONT AND STEINBEISSER **Supplement**, 117.
expression of *goosecoid* in zebrafish embryos: SCHULTE-MERKER, HAMMERSCHMIDT, BEUCHLE, CHO, DE ROBERTIS AND NUSSLEIN-VOLHARD **120**, 843.
growth factors in development: HOGAN, BLESSING, WINNIER, SUZUKI AND JONES **Supplement**, 53.
mesoderm induction in mice: HOLDENER, FAUST, ROSENTHAL AND MAGNUSON **120**, 1335.
gp330
gp330 during mouse early development: GUETH-HALLONET, SANTA-MARIA, VERROUST AND MARO **120**, 3289.
Gradient
regulation of posterior of *h* pair-rule stripes: LANGELAND, ATTAI, VORWERK AND CARROLL **120**, 2945.
Granule cells
Wnt-3 expression in the cerebellum: SALINAS, FLETCHER, COPELAND, JENKINS AND NUSSE **120**, 1277.
Granule neuron
establishment of granule cell identity: GAO AND HATTEN **120**, 1059.
grapes
a syncytial embryonic metaphase arrest: FOGARTY, KALPIN AND SULLIVAN **120**, 2131.
Grasshopper
early patterning in *Schistocerca*: DAWES, DAWSON, FALCIANI, TEAR AND AKAM **120**, 1561.
Growth
role of Hox genes in limb bud morphogenesis: MORGAN AND TABIN **Supplement**, 181.
Growth control
temporal colinearity and phylotypic progression: DUBOULE **Supplement**, 135.
Growth factor
activin-mediated induction requires FGF: CORNELL AND KIMELMAN **120**, 453.
CSF-1 regulation of tissue macrophages: CECCHINI, DOMINGUEZ, MOCCI, WETTERWALD, FELIX, FLEISCH, CHRISHOLM, HOFSTETTER, POLLARD AND STANLEY **120**, 1357.
cytokines and pancreatic differentiation: SANVITO **120**, 3451.
EG cells: developmental potential and imprinting: LABOSKY, BARLOW AND HOGAN **120**, 3197.
induction of myogenesis by a Kunitz-type molecule: WELLS AND STRICKLAND **120**, 3639.
myogenesis and type II TGF-β receptor: FILVAROFF, EBNER AND DERYNCK **120**, 1085.
nodal function in mouse embryos: CONLON, LYONS, TAKAESU, BARTH, KISPERT, HERRMANN AND ROBERTSON **120**, 1919.
pseudodirected variation in cell-division factor requirement: MEINS JR. AND SELDRAN **120**, 1163.
TGFβ and muscle histogenesis: CUSELLA-DE ANGELIS, MOLINARI, LE DONNE, COLETTA, VIVARELLI, BOUCHE, MOLINARO, FERRARI AND COSSU **120**, 925.
Gryllus
insect embryogenesis: TAUTZ, FRIEDRICH AND SCHRODER **Supplement**, 193.
Guanylyl cyclase
regulatory role of the Gα1 subunit in *Dictyostelium* morphogenesis: DHARMAWARDHANE **120**, 3549.
Guidance cues
sensory projections in the spinal cord: SHARMA, KORADE AND FRANK **120**, 1315.
gurken
gurken dosage and dorsoventral patterning: NEUMAN-SILBERBERG AND SCHUPBACH **120**, 2457.
Gut
CdxA in gut morphogenesis: FRUMKIN, PILLEMER, HAFFNER, TARCIC, GRUENBAUM AND FAINSOD **120**, 253.
insect embryogenesis: TAUTZ, FRIEDRICH AND SCHRODER **Supplement**, 193.

H1 kinase
MAP kinase during meiotic maturation: VERLHAC, KUBIAK, CLARKE AND MARO **120**, 1017.
mouse egg activation: XU, KOPF AND SCHULTZ **120**, 1851.
H19
DNA methylation of imprinted genes: FEIL, WALTER, ALLEN AND REIK **120**, 2933.
overlapping patterns of *IGF2* and *H19* expression: OHLSSON, HEDBORG, HOLMGREN, WALSH AND EKSTROM **120**, 361.
H19
mesoderm induction in mice: HOLDENER, FAUST, ROSENTHAL AND MAGNUSON **120**, 1335.
Haematopoiesis
GATA-2 in *Xenopus* embryos: WALMSLEY, GUILLE, BERTWISTLE, SMITH, PIZZEY AND PATIENT **120**, 2519.
Haemoglobin
bFGF and hypoblast induce Hb in chick blastoderm: GORDON-THOMSON AND FABIAN **120**, 3571.
Hairless
antagonistic activities of *Su(H)* and *H*: SCHWEISGUTH AND POSAKONY **120**, 1433.
hairy
gap gene properties of *runt*: TSAI AND GERGEN **120**, 1671.
regulation of posterior of *h* pair-rule stripes: LANGELAND, ATTAI, VORWERK AND CARROLL **120**, 2945.
Halkieriids
molecular biology and palaeontology: CONWAY MORRIS **Supplement**, 1.
Halocynthia
ascidian A-P axis determinants: NISHIDA **120**, 3093.
HB-EGF
in the periimplantation mouse uterus: DAS, WANG, PARIA, DAMM, ABRAHAM, KLAGSBRUN, ANDREWS AND DEY **120**, 1071.
HCG
tenascin expression during implantation: JULIAN, CHIQUET-EHRISMANN, ERICKSON AND CARSON **120**, 661.
Head development
Drosophila head development: GROSSNIKLAUS, CADIGAN AND GEHRING **120**, 3155.
Heart
cardiovascular development in zebrafish: LEE, STAINIER, WEINSTEIN AND FISHMAN **120**, 3361.
multiple abnormalities in RAR double mutants: MENDELSOHN, LOHNES, DECIMO, LUFKIN, LEMEUR, CHAMBON AND MARK **120**, 2749.
Heart formation
polarity in heart formation: YUTZEY, RHEE AND BADER **120**, 871.
Heat shock
over-expression of *argos*: FREEMAN **120**, 2297.
Heat-shock promoter
ectopic *teashirt* expression: DE ZULUETA, ALEXANDRE, JACQ AND KERRIDGE **120**, 2287.
hedgehog
dachshund function in eye and leg morphogenesis: MARDON, SOLOMON AND RUBIN **120**, 3473.
evolutionary developmental biology of the tetrapod limb: HINCHLIFFE **Supplement**, 163.
hedgehog family proteins in development: FIETZ, CONCORDET, BARBOSA, JOHNSON, KRAUSS, MCMAHON, TABIN AND INGHAM **Supplement**, 43.
murine *hedgehog* gene: CHANG, LOPEZ, VON KESSLER, CHIANG, SIMANDL, ZHAO, SELDIN, FALLON AND BEACHY **120**, 3339.
Helix-Loop-Helix
regulation of *scute* by *emc*: CABRERA, ALONSO AND HUIKESHOVEN **120**, 3595.
XASH genes promote neurogenesis: FERREIRO **120**, 3649.
Helix-loop-helix protein
embryonic function of *emc*: CUBAS, MODOLELL AND RUIZ-GOMEZ **120**, 2555.
Helobdella
alignment of HOM/Hox gene domains in leech: NARDELLI-HAEFLIGER, BRUCE AND SHANKLAND **120**, 1839.
Hemocyte
Drosophila hemocytes and cell death: TEPASS, FESSLER, AZIZ AND HARTENSTEIN **120**, 1829.
Hemopoesis
c-*rel* expression in lymphoid tissues: CARRASCO, WEIH AND BRAVO **120**, 2991.
Heparan sulphate
proteoglycans in mesoderm formation in *Xenopus*: ITOH AND SOKOL **120**, 2703.
Hepialidae
symmetry systems and compartments in Lepidopteran wings: NIJHOUT **Supplement**, 225.
Heterochrony
gl15 regulates epidermal identity in maize: EVANS, PASSAS AND POETHIG **120**, 1971.
Heterotrimeric
sperm-induced egg activation: MOORE, AYABE, VISCONTI, SCHULTZ AND KOPF **120**, 3313.
Hindbrain
activin, follistatin and mouse embryos: ALBANO, ARKELL, BEDDINGTON AND SMITH **120**, 803.
expression of chick *Hoxa-2*: PRINCE AND LUMSDEN **120**, 911.
neural crest migration: SECHRIST, SCHERSON AND BRONNER-FRASER **120**, 1777.
neuronal lineage in the chick hindbrain: LUMSDEN, CLARKE, KEYNES AND FRASER **120**, 1581.
rhombomere transformation and *Hoxa-1*: ZHANG, KIM, MARSHALL, GENDRON-MAGUIRE, LUCAS, BARON, GUDAS, GRIDLEY, KRUMLAUF AND GRIPPO **120**, 2431.
violation of hindbrain compartments: BIRGBAUER AND FRASER **120**, 1347.
Hindbrain segmentation
expression of zebrafish *hlx-1* gene: FJOSE, IZPISUA-BELMONTE, FROMENTAL-RAMAIN AND DUBOULE **120**, 71.
bHLH factor
influence of axial structures on myogenesis: BOBER, BRAND-SABERI, EBENSPERGER, WILTING, BALLING, PATERSON, ARNOLD AND CHRIST **120**, 3073.
hlh-1
Caenorhabditis HLH-1 is essential: CHEN, KRAUSE, SEPANSKI AND FIRE **120**, 1631.
HOM-C/Hox genes
role of HOM/Hox genes in morphogenesis: CHOW AND EMMONS **120**, 2579.
HOM/Hox gene
alignment of HOM/Hox gene domains in leech: NARDELLI-HAEFLIGER, BRUCE AND SHANKLAND **120**, 1839.
Homeobox
apterous and dorsoventral compartmentalization: BLAIR, BROWER, THOMAS AND ZAVORTINK **120**, 1805.
CdxA in gut morphogenesis: FRUMKIN, PILLEMER, HAFFNER, TARCIC, GRUENBAUM AND FAINSOD **120**, 253.
early patterning in *Schistocerca*: DAWES, DAWSON, FALCIANI, TEAR AND AKAM **120**, 1561.
En-2 and cerebellar patterning: MILLEN, WURST, HERRUP AND JOYNER **120**, 695.
gene duplications and vertebrate origins: HOLLAND, GARCIA-FERNANDEZ, WILLIAMS AND SIDOW **Supplement**, 125.
gene expression in the adult uterus: PAVLOVA, BOUTIN, CUNHA AND gene loss and gain in the evolution of vertebrates: RUDDLE, BENTLEY, MURTHA AND RISCH **Supplement**, 155.
HOM/Hox functional conservation: MANAK AND SCOTT **Supplement**, 61.
SASSOON **120**, 335.
Hox genes in arthropods: AKAM, AVEROF, CASTELLI-GAIR, DAWES, FALCIANI AND FERRIER **Supplement**, 209.

Hoxd-dependent regulation of *Evx-2* expression: DOLLE **Supplement**, 143.
maize homeobox meristem markers: JACKSON, VEIT AND HAKE **120**, 405.
role of HOM/Hox genes in morphogenesis: CHOW AND EMMONS **120**, 2579.
Sax1 expression in the spinal cord: SPANN, GINSBURG, RANGINI, FAINSOD, EYAL-GILADI AND GRUENBAUM **120**, 1817.
Xlim-1 gene expression in *Xenopus*: TAIRA, OTANI, JAMRICH AND DAWID **120**, 1525.
Homeodomain
axonal guidance by an identified mesodermal cell: CHIANG **120**, 3581.
dpp regulation by homeotic genes: MANAK, MATHIES AND SCOTT **120**, 3605.
HOM/Hox functional conservation: MANAK AND SCOTT **Supplement**, 61.
homeotic control of muscle development: MICHELSON **120**, 755.
Homeodomain protein
RK2, a glial-specific homeodomain protein in *Drosophila*: CAMPBELL, GORING, LIN, SPANA, ANDERSSON, DOE AND TOMLINSON **120**, 2957.
Homeosis
homeosis within the alimentary canal: REUTER **120**, 1123.
Homeotic gene
18 wheeler: ELDON, KOOYER, D'EVELYN, DUMAN, P. AND J. **120**, 885.
early patterning in *Schistocerca*: DAWES, DAWSON, FALCIANI, TEAR AND AKAM **120**, 1561.
evolution of diversity in insects: CARROLL **Supplement**, 217.
HOM/Hox functional conservation: MANAK AND SCOTT **Supplement**, 61.
Hox genes in arthropods: AKAM, AVEROF, CASTELLI-GAIR, DAWES, FALCIANI AND FERRIER **Supplement**, 209.
regulation of bithorax by *trithorax* in *Drosophila*: SEDKOV, TILLIB, MIZROKHI AND MAZO **120**, 1907.
tagma-specific commitment of a *Drosophila* neuroblast: PROKOP AND TECHNAU **120**, 2567.
teashirt and midgut morphogenesis: MATHIES, KERRIDGE AND SCOTT **120**, 2799.
temporal requirements for homeotic genes: CASTELLI-GAIR, GREIG, MICKLEM AND AKAM **120**, 1983.
Homeotic protein
dpp regulation by homeotic genes: MANAK, MATHIES AND SCOTT **120**, 3605.
Homeotic regulation
Drosophila Polycomblike gene: LONIE, D'ANDREA, PARO AND SAINT **120**, 2629.
Homeotic transformation
craniofacial, skeletal abnormalities and RARs in ontogenesis: LOHNES, MARK, MENDELSOHN, DOLLE, DIERICH, GORRY, GANSMULLER AND CHAMBON **120**, 2723.
Hoxd-11 mutant mice: DAVIS AND CAPECCHI **120**, 2187.
Hormone action
CNS expression of ecdysone receptors: TRUMAN, TALBOT, FAHRBACH AND HOGNESS **120**, 219.
Hox gene
evolution of insect patterning mechanisms: SANDER **Supplement**, 187.
evolutionary developmental biology of the tetrapod limb: HINCHLIFFE **Supplement**, 163.
gene duplications and vertebrate origins: HOLLAND, GARCIA-FERNANDEZ, WILLIAMS AND SIDOW **Supplement**, 125.
gene loss and gain in the evolution of vertebrates: RUDDLE, BENTLEY, MURTHA AND RISCH **Supplement**, 155.
hindbrain expression of chick *Hoxa-2*: PRINCE AND LUMSDEN **120**, 911.
HOM/Hox functional conservation: MANAK AND SCOTT **Supplement**, 61.
Hoxd-dependent regulation of *Evx-2* expression: DOLLE **Supplement**, 143.
Hoxd-11 mutant mice: DAVIS AND CAPECCHI **120**, 2187.
kreisler, a hindbrain segmentation mutant: MCKAY, MUCHAMORE, KRUMLAUF, MADEN, LUMSDEN AND LEWIS **120**, 2199.
primitive streak mesoderm-like cell lines: PRUITT **120**, 37.
rhombomere transformation and *Hoxa-1*: ZHANG, KIM, MARSHALL, GENDRON-MAGUIRE, LUCAS, BARON, GUDAS, GRIDLEY, KRUMLAUF AND GRIPPO **120**, 2431.
role of Hox genes in limb bud morphogenesis: MORGAN AND TABIN **Supplement**, 181.
temporal colinearity and phylotypic progression: DUBOULE **Supplement**, 135.
vertebrate limb evolution: COATES **Supplement**, 169.
HoxB
RA, segmentation and *HoxB* domains: WOOD, PALL AND MORRISS-KAY **120**, 2279.
Hoxd-11vhh-1
positional signaling in the chick wing bud: HELMS, THALLER AND EICHELE **120**, 3267.
Hoxd-13
Bmp-2 and *Bmp-4* expression in the chick limb bud: FRANCIS, RICHARDSON, BRICKELL AND TICKLE **120**, 209.
Hoxd-dependent regulation of *Evx-2* expression: DOLLE **Supplement**, 143.
hu-li tai shao
Drosophila ovarian ring canals: ROBINSON, CANT AND COOLEY **120**, 2015.
Human
bcl-2 in the developing nervous system: MERRY, VEIS, HICKEY AND KORSMEYER **120**, 301.
integrins and trophoblast invasion: DAMSKY **120**, 3657.
Human bone morphogenetic protein
sea urchin homolog of huBMP1: HWANG, PARTIN AND LENNARZ **120**, 559.
Human chorionic gonadotropin
tenascin expression during implantation: JULIAN, CHIQUET-EHRISMANN, ERICKSON AND CARSON **120**, 661.
Human development
overlapping patterns of *IGF2* and *H19* expression: OHLSSON, HEDBORG, HOLMGREN, WALSH AND EKSTROM **120**, 361.
hunchback
Kruppel regulation by *hunchback*: SCHULZ AND TAUTZ **120**, 3043.
Hydra
head-specific gene in hydra: WEINZIGER, SALGADO, DAVID AND BOSCH **120**, 2511.
Hydra
effect of ECM on I-cell migration in hydra: ZHANG AND SARRAS JR. **120**, 425.
Hypoblast
bFGF and hypoblast induce Hb in chick blastoderm: GORDON-THOMSON AND FABIAN **120**, 3571.
marginal zone cells become primitive streak inducers only when in hypoblast: EYAL-GILADI, LOTAN, LEVIN, AVNER AND HOCHMAN **120**, 2501.
Hypodermal cell
Caenorhabditis elegans hypodermal cell fates: LABOUESSE, SOOKHAREEA AND HORVITZ **120**, 2359.
Igf2
DNA methylation of imprinted genes: FEIL, WALTER, ALLEN AND REIK **120**, 2933.
Igf2r
EG cells: developmental potential and imprinting: LABOSKY, BARLOW AND HOGAN **120**, 3197.
IGF2
overlapping patterns of *IGF2* and *H19* expression: OHLSSON, HEDBORG, HOLMGREN, WALSH AND EKSTROM **120**, 361.
igloo
a *Drosophila* GAP-43 homolog: NEEL AND YOUNG **120**, 2235.

Imaginal dics
hedgehog family proteins in development: FIETZ, CONCORDET, BARBOSA, JOHNSON, KRAUSS, MCMAHON, TABIN AND INGHAM **Supplement**, 43.
Serrate and imaginal wing disc development: SPEICHER, THOMAS, HINZ AND KNUST **120**, 535.
Immunohistochemistry
β-catenin distribution in *Xenopus* embryos: FAGOTTO AND GUMBINER **120**, 3667.
caudal mRNA and protein during *Bombyx* gastrulation: XU, XU AND SUZUKI **120**, 277.
Implantation
HB-EGF in the periimplantation mouse uterus: DAS, WANG, PARIA, DAMM, ABRAHAM, KLAGSBRUN, ANDREWS AND DEY **120**, 1071.
integrins and trophoblast invasion: DAMSKY **120**, 3657.
Imprinting
DNA methylation of imprinted genes: FEIL, WALTER, ALLEN AND REIK **120**, 2933.
EG cells: developmental potential and imprinting: LABOSKY, BARLOW AND HOGAN **120**, 3197.
in embryonic stem cells: SZABO AND MANN **120**, 1651.
in parthenogenetic stem cells: ALLEN, BARTON, HILTON, NORRIS AND SURANI **120**, 1473.
mouse egg modifiers: LATHAM **120**, 3419.
Xist RNA in mouse tissues and ES cells: BUZIN, MANN AND SINGER-SAM **120**, 3529.
Inactivation
Xist RNA in mouse tissues and ES cells: BUZIN, MANN AND SINGER-SAM **120**, 3529.
Incompatibility
pollen-pistil interactions in *Arabidopsis*: KANDASAMY, NASRALLAH AND NASRALLAH **120**, 3405.
Induction
autonomy of *Drosophila* mesoderm development: LEPTIN AND ROTH **120**, 853.
bFGF and hypoblast induce Hb in chick blastoderm: GORDON-THOMSON AND FABIAN **120**, 3571.
cytoplasmic determinants in frog development: LEMAIRE AND GURDON **120**, 1191.
evolution of cell lineages in nematodes: SOMMER, CARTA AND STERNBERG **Supplement**, 85.
germ line localization of GLP-1: CRITTENDEN, TROEMEL, EVANS AND KIMBLE **120**, 2901.
growth factors in development: HOGAN, BLESSING, WINNIER, SUZUKI AND JONES **Supplement**, 53.
lag-2 encodes a ligand for GLP-1/LIN-12: HENDERSON, GAO, LAMBIE AND KIMBLE **120**, 2913.
myogenic induction in somites: BUFFINGER AND STOCKDALE **120**, 1443.
somatic *tra* and *dsx* control of sex of germ cells: STEINMANN-ZWICKY **120**, 707.
symbiotic bacteria induce host morphogenesis: MONTGOMERY AND MCFALL-NGAI **120**, 1719.
Wnt-1 in met/mesencephalic grafts: BALLY-CUIF AND WASSEF **120**, 3379.
inflated
blistered wing development: FRISTROM, GOTWALS, EATON, KORNBERG, STURTEVANT, BIER AND FRISTROM **120**, 2661.
Influorescence branching pattern
evolution of flowers and inflorescences: COEN **Supplement**, 107.
Inhibition
glycoconjugates and neural crest cells: OAKLEY, LASKY, ERICKSON AND TOSNEY **120**, 103.
Innervation
nerves activate transposon expression: MOZER AND BENZER **120**, 1049.
Inositol 1.4.5-triphosphate receptor
mouse egg activation: XU, KOPF AND SCHULTZ **120**, 1851.
Insect
the evolution of insect patterning mechanisms: SANDER **Supplement**, 187.
Insect development
Hox genes in arthropods: AKAM, AVEROF, CASTELLI-GAIR, DAWES, FALCIANI AND FERRIER **Supplement**, 209.
Insect egg
fate mapping of silkworm eggs: MYOHARA **120**, 2869.
Insect embryogenesis
insect embryogenesis: TAUTZ, FRIEDRICH AND SCHRODER **Supplement**, 193.
Insertional mutagenesis
mouse mutant *Ft* and programmed cell death: VAN DER HOEVEN, SCHIMMANG, VOLKMANN, MATTEI, KYEWSKI AND RUTHER **120**, 2601.
Insertional mutation
nodal function in mouse embryos: CONLON, LYONS, TAKAESU, BARTH, KISPERT, HERRMANN AND ROBERTSON **120**, 1919.
In situ hybridisation
activins in murine embryogenesis: FEIJEN, GOUMANS AND VAN DEN EIJNDEN-VAN RAAIJ **120**, 3621.
caudal mRNA and protein during *Bombyx* gastrulation: XU, XU AND SUZUKI **120**, 277.
cytoplasmic determinants in frog development: LEMAIRE AND GURDON **120**, 1191.
embryonic RNAs in *Caenorhabditis*: SEYDOUX AND FIRE **120**, 2823.
growth factors suppress P_o induction: MORGAN, JESSEN AND MIRSKY **120**, 1399.
novel tenascin variants: TUCKER, SPRING, BAUMGARTNER, MARTIN, HAGIOS, POSS AND CHIQUET-EHRISMANN **120**, 637.
overlapping patterns of *IGF2* and *H19* expression: OHLSSON, HEDBORG, HOLMGREN, WALSH AND EKSTROM **120**, 361.
tubulin expression in *Patella* embryos: DAMEN, VAN GRUNSVEN AND VAN LOON **120**, 2835.
Instrinsic clock
hydrophobic signals time oligodendrocyte development: BARRES, LAZAR AND RAFF **120**, 1097.
Insulin-like growth factor type 2 recept
EG cells: developmental potential and imprinting: LABOSKY, BARLOW AND HOGAN **120**, 3197.
Integrin
apterous and dorsoventral compartmentalization: BLAIR, BROWER, THOMAS AND ZAVORTINK **120**, 1805.
avian crest cell migration on vitronectin: DELANNET, MARTIN, BOSSY, CHERESH, REICHARDT AND DUBAND **120**, 2687.
β_4 integrin in myelinating Schwann cells: FELTRI, SCHERER, NEMNI, KAMHOLZ, VOGELBACKER, SCOTT, CANAL, QUARANTA AND WRABETZ **120**, 1287.
blistered wing development: FRISTROM, GOTWALS, EATON, KORNBERG, STURTEVANT, BIER AND FRISTROM **120**, 2661.
developmental regulation of oligodendroglial integrins: MILNER AND FFRENCH-CONSTANT **120**, 3497.
integrin mutant phenotypes: BROWN **120**, 1221.
α_6 Integrin
β_4 integrin in myelinating Schwann cells: FELTRI, SCHERER, NEMNI, KAMHOLZ, VOGELBACKER, SCOTT, CANAL, QUARANTA AND WRABETZ **120**, 1287.
Drosophila integrins in development: GRINBLAT, ZUSMAN, YEE, HYNES AND KAFATOS **120**, 91.
integrins and trophoblast invasion: DAMSKY **120**, 3657.
tiggrin, *Drosophila* integrin ligand: FOGERTY, FESSLER, BUNCH, YARON, PARKER, NELSON, BROWER, GULLBERG AND FESSLER **120**, 1747.
α6β1 Integrin
developmental regulation of oligodendroglial integrins: MILNER AND FFRENCH-CONSTANT **120**, 3497.

αvβ5 Integrin
developmental regulation of oligodendroglial integrins: MILNER AND FFRENCH-CONSTANT **120**, 3497.
αvβ1 Integrin
developmental regulation of oligodendroglial integrins: MILNER AND FFRENCH-CONSTANT **120**, 3497.
β1 Integrin
β4 integrin in myelinating Schwann cells: FELTRI, SCHERER, NEMNI, KAMHOLZ, VOGELBACKER, SCOTT, CANAL, QUARANTA AND WRABETZ **120**, 1287.
β4 Integrin
β4 integrin in myelinating Schwann cells: FELTRI, SCHERER, NEMNI, KAMHOLZ, VOGELBACKER, SCOTT, CANAL, QUARANTA AND WRABETZ **120**, 1287.
Integrin genes
integrin mutant phenotypes: BROWN **120**, 1221.
Intercalation
cell intercalation during germband extension: IRVINE AND WIESCHAUS **120**, 827.
Interleukin-1-receptor
18 wheeler: ELDON, KOOYER, D'EVELYN, DUMAN, P. AND J. **120**, 885.
Interleukin-6
role of LIFR in PGC growth: CHENG, GEARING, WHITE, COMPTON, SCHOOLEY AND DONOVAN **120**, 3145.
Intermediate cell
transitional cells in the regenerating pancreas: GU, LEE, KRAHL AND SARVETNICK **120**, 1873.
Intermediate germ
insect embryogenesis: TAUTZ, FRIEDRICH AND SCHRODER **Supplement**, 193.
Intersegmental nerve
lola encodes a putative transcription factor: GINIGER, TIETJE, JAN AND JAN **120**, 1385.
Intracellular pH
neural induction and intracellular pH: SATER, ALDERTON AND STEINHARDT **120**, 433.
Intron
evolution of ECM proteins: ENGEL, EFIMOV AND MAURER **Supplement**, 35.
Introns
protein families in the Metazoan genome: CHOTHIA **Supplement**, 27.
inturned
hs-*frizzled* function in tissue polarity: KRASNOW AND ADLER **120**, 1883.
Invertebrate embryogenesis
G proteins in neuronal migration: HORGAN, LAGRANGE AND COPENHAVER **120**, 729.
In vitro culture
proliferation of cortical progenitor cells: TEMPLE AND DAVIS **120**, 999.
Islet cell lineage
PYY-producing cell in islet differentiation: UPCHURCH, APONTE AND LEITER **120**, 245.
Islet regeneration
transitional cells in the regenerating pancreas: GU, LEE, KRAHL AND SARVETNICK **120**, 1873.
kelch
Drosophila ovarian ring canals: ROBINSON, CANT AND COOLEY **120**, 2015.
Keratins
gene expression in developing epidermis: BYRNE, TAINSKY AND FUCHS **120**, 2369.
Kerygmachela
molecular biology and palaeontology: CONWAY MORRIS **Supplement**, 1.
Kidney
embryonic expression and cloning of the murine GATA-3 gene: GEORGE, LEONARD, ROTH, LIEUW, KIOUSSIS, GROSVELD AND ENGEL **120**, 2673.
multiple abnormalities in RAR double mutants: MENDELSOHN, LOHNES, DECIMO, LUFKIN, LEMEUR, CHAMBON AND MARK **120**, 2749.
Kinase receptor
type II TGF-β receptor in mouse development: LAWLER, CANDIA, EBNER, SHUM, LOPEZ, MOSES, WRIGHT AND DERYNCK **120**, 165.
c-kit receptor tyrosine kinase
role of LIFR in PGC growth: CHENG, GEARING, WHITE, COMPTON, SCHOOLEY AND DONOVAN **120**, 3145.
KNOTTED1
maize homeobox meristem markers: JACKSON, VEIT AND HAKE **120**, 405.
kreisler
kreisler, a hindbrain segmentation mutant: MCKAY, MUCHAMORE, KRUMLAUF, MADEN, LUMSDEN AND LEWIS **120**, 2199.
Krox-20
kreisler, a hindbrain segmentation mutant: MCKAY, MUCHAMORE, KRUMLAUF, MADEN, LUMSDEN AND LEWIS **120**, 2199.
RA, segmentation and *HoxB* domains: WOOD, PALL AND MORRISS-KAY **120**, 2279.
Kruppel
Kruppel regulation by *hunchback*: SCHULZ AND TAUTZ **120**, 3043.
regulation of posterior of *h* pair-rule stripes: LANGELAND, ATTAI, VORWERK AND CARROLL **120**, 2945.
ks1
head-specific gene in hydra: WEINZIGER, SALGADO, DAVID AND BOSCH **120**, 2511.
Kunitz
induction of myogenesis by a Kunitz-type molecule: WELLS AND STRICKLAND **120**, 3639.
L-14
L-14 mediates olfactory neuron adhesion: MAHANTHAPPA, COOPER, BARONDES AND SCHWARTING **120**, 1373.
***lacZ* fusion gene**
tubulin expression in *Patella* embryos: DAMEN, VAN GRUNSVEN AND VAN LOON **120**, 2835.
lag-2
lag-2 encodes a ligand for GLP-1/LIN-12: HENDERSON, GAO, LAMBIE AND KIMBLE **120**, 2913.
Lamina
nerves activate transposon expression: MOZER AND BENZER **120**, 1049.
Laminin
blistered wing development: FRISTROM, GOTWALS, EATON, KORNBERG, STURTEVANT, BIER AND FRISTROM **120**, 2661.
evolution of ECM proteins: ENGEL, EFIMOV AND MAURER **Supplement**, 35.
L-14 mediates olfactory neuron adhesion: MAHANTHAPPA, COOPER, BARONDES AND SCHWARTING **120**, 1373.
nidogen in the embryo: EKBLOM, EKBLOM, FECKER, KLEIN, ZHANG, KADOYA, CHU, MAYER AND TIMPL **120**, 2003.
Laminin receptor
laminin receptors on mesenchyme: CRAWFORD AND BURKE **120**, 3227.
Larval evolution
evolutionary origin of development: WOLPERT **Supplement**, 79.
Lateral bipolar dendrite neuron
axon pathfinding in *Drosophila*: GORCZYCA, PHILLIS AND BUDNIK **120**, 2143.
Lateral epidermis
cell contact and neurogenesis in *Caenorhabditis*: AUSTIN AND KENYON **120**, 313.
Lateral signaling
lag-2 encodes a ligand for GLP-1/LIN-12: HENDERSON, GAO, LAMBIE AND KIMBLE **120**, 2913.

Leaf epidermis
development of the maize leaf epidermis: CERIOLI, MAROCCO, MADDALONI, MOTTO AND SALAMINI **120**, 2113.
Leech
alignment of HOM/Hox gene domains in leech: NARDELLI-HAEFLIGER, BRUCE AND SHANKLAND **120**, 1839.
micromere fate maps: SMITH AND WEISBLAT **120**, 3427.
Left-right asymmetry
establishment of left-right asymmetry: HUTTER AND SCHNABEL **120**, 2051.
Left/right axis
sea urchin axis of bilateral asymmetry: MCCAIN AND MCCLAY **120**, 395.
Lepidoptera
symmetry systems and compartments in Lepidopteran wings: NIJHOUT **Supplement**, 225.
lethal yellow
molecular basis of the mouse A^y mutation: DUHL, STEVENS, VRIELING, SAXON, MILLER, EPSTEIN AND BARSH **120**, 1695.
Leucine rich repeats
18 wheeler: ELDON, KOOYER, D'EVELYN, DUMAN, P. AND J. **120**, 885.
Leukemia inhibitory factor
CNTF and oligodendrocyte differentiation: MAYER, BHAKOO AND NOBLE **120**, 143.
role of LIFR in PGC growth: CHENG, GEARING, WHITE, COMPTON, SCHOOLEY AND DONOVAN **120**, 3145.
LIF
FGF regulated neural crest cell division: MURPHY **120**, 3519.
role of LIFR in PGC growth: CHENG, GEARING, WHITE, COMPTON, SCHOOLEY AND DONOVAN **120**, 3145.
LIF receptor
role of LIFR in PGC growth: CHENG, GEARING, WHITE, COMPTON, SCHOOLEY AND DONOVAN **120**, 3145.
LIM domain
Xlim-1 gene expression in *Xenopus*: TAIRA, OTANI, JAMRICH AND DAWID **120**, 1525.
LIM-type homeobox
apterous and dorsoventral compartmentalization: BLAIR, BROWER, THOMAS AND ZAVORTINK **120**, 1805.
Limb
craniofacial, skeletal abnormalities and RARs in ontogenesis: LOHNES, MARK, MENDELSOHN, DOLLE, DIERICH, GORRY, GANSMULLER AND CHAMBON **120**, 2723.
multiple developmental defects in *Engrailed-1* mutant mice: WURST, AUERBACH AND JOYNER **120**, 2065.
vertebrate limb evolution: COATES **Supplement**, 169.
Limb bud
Pax-1 during development of the pectoral girdle: TIMMONS, WALLIN, RIGBY AND BALLING **120**, 2773.
Hoxd-dependent regulation of *Evx-2* expression: DOLLE **Supplement**, 143.
Limb bud morphogenesis
role of Hox genes in limb bud morphogenesis: MORGAN AND TABIN **Supplement**, 181.
Limb defects
Hoxd-11 mutant mice: DAVIS AND CAPECCHI **120**, 2187.
Limb development
axis formation in the *Drosophila* leg: DIAZ-BENJUMEA AND COHEN **120**, 1661.
Bmp-2 and *Bmp-4* expression in the chick limb bud: FRANCIS, RICHARDSON, BRICKELL AND TICKLE **120**, 209.
dachshund function in eye and leg morphogenesis: MARDON, SOLOMON AND RUBIN **120**, 3473.
evolutionary developmental biology of the tetrapod limb: HINCHLIFFE **Supplement**, 163.
Hoxd-11 mutant mice: DAVIS AND CAPECCHI **120**, 2187.
mouse mutant *Ft* and programmed cell death: VAN DER HOEVEN, SCHIMMANG, VOLKMANN, MATTEI, KYEWSKI AND RUTHER **120**, 2601.
murine *hedgehog* gene: CHANG, LOPEZ, VON KESSLER, CHIANG, SIMANDL, ZHAO, SELDIN, FALLON AND BEACHY **120**, 3339.
positional signaling in the chick wing bud: HELMS, THALLER AND EICHELE **120**, 3267.
t-PA/lacZ transgenic mice: CARROLL, TSIRKA, RICHARDS, FROHMAN AND STRICKLAND **120**, 3173.
Limb mesenchyme
N-cadherin and chondrogenesis: OBERLENDER AND TUAN **120**, 177.
Limb muscle
Pax-3 in myogenic specification: WILLIAMS AND ORDAHL **120**, 785.
Pax-3 is an early marker for myogenic precursors: BOBER, FRANZ, ARNOLD, GRUSS AND TREMBLAY **120**, 603.
Limb patterning
hedgehog family proteins in development: FIETZ, CONCORDET, BARBOSA, JOHNSON, KRAUSS, MCMAHON, TABIN AND INGHAM **Supplement**, 43.
Limb regeneration
chimaeric RA receptors in wound epidermis: PECORINO, LO AND BROCKES **120**, 325.
lin-3
lin-3/let-23 in *Caenorhabditis elegans* males: CHAMBERLIN AND STERNBERG **120**, 2713.
lin-12
lag-2 encodes a ligand for GLP-1/LIN-12: HENDERSON, GAO, LAMBIE AND KIMBLE **120**, 2913.
lin-26
Caenorhabditis elegans hypodermal cell fates: LABOUESSE, SOOKHAREEA AND HORVITZ **120**, 2359.
Lineage
violation of hindbrain compartments: BIRGBAUER AND FRASER **120**, 1347.
zebrafish 16-cell-stage fate map: STREHLOW, HEINRICH AND GILBERT **120**, 1791.
Lines
segment border cells induce muscle patterning: VOLK AND VIJAYRAGHAVAN **120**, 59.
Locust
early patterning in *Schistocerca*: DAWES, DAWSON, FALCIANI, TEAR AND AKAM **120**, 1561.
Long germ
insect embryogenesis: TAUTZ, FRIEDRICH AND SCHRODER **Supplement**, 193.
Long terminal repeat (LTR)
nerves activate transposon expression: MOZER AND BENZER **120**, 1049.
longitudinals lacking
lola encodes a putative transcription factor: GINIGER, TIETJE, JAN AND JAN **120**, 1385.
Loricrin
gene expression in developing epidermis: BYRNE, TAINSKY AND FUCHS **120**, 2369.
Lower dipterans
the evolution of insect patterning mechanisms: SANDER **Supplement**, 187.
LRD
violation of hindbrain compartments: BIRGBAUER AND FRASER **120**, 1347.
Lung
multiple abnormalities in RAR double mutants: MENDELSOHN, LOHNES, DECIMO, LUFKIN, LEMEUR, CHAMBON AND MARK **120**, 2749.
TGFβ1 inhibits lung bud development: SERRA, PELTON AND MOSES **120**, 2153.
lungfish
vertebrate limb evolution: COATES **Supplement**, 169.

Lycopersicon
evolution of flowers and inflorescences: COEN **Supplement**, 107.
Macrophage
apoptosis in macrophage-dependent regression: MURPHY **120**, 3395.
CSF-1 regulation of tissue macrophages: CECCHINI, DOMINGUEZ, MOCCI, WETTERWALD, FELIX, FLEISCH, CHRISHOLM, HOFSTETTER, POLLARD AND STANLEY **120**, 1357.
Drosophila hemocytes and cell death: TEPASS, FESSLER, AZIZ AND HARTENSTEIN **120**, 1829.
MADS boxes
HOM/Hox functional conservation: MANAK AND SCOTT **Supplement**, 61.
Magnesium
shrimp oocyte activation by Mg^{2+}: LINDSAY AND CLARK JR. **120**, 3463.
Mago nashi
molecular analysis of *mago nashi*: NEWMARK AND BOSWELL **120**, 1303.
Maize
cellular differentiation in maize leaves: LANGDALE AND KIDNER **120**, 673.
development of the maize leaf epidermis: CERIOLI, MAROCCO, MADDALONI, MOTTO AND SALAMINI **120**, 2113.
gl15 regulates epidermal identity in maize: EVANS, PASSAS AND POETHIG **120**, 1971.
Male spicule
lin-3/let-23 in *Caenorhabditis elegans* males: CHAMBERLIN AND STERNBERG **120**, 2713.
Malpighian tubule
tip cell specification in *Drosophila* Malpighian tubules: HOCH **120**, 3439.
Mammal
peptidases in craniofacial development: SPENCER-DENE, THOROGOOD, NAIR, KENNY, HARRIS AND HENDERSON **120**, 3213.
Mammalian skin
gene expression in developing epidermis: BYRNE, TAINSKY AND FUCHS **120**, 2369.
Manduca sexta
CNS expression of ecdysone receptors: TRUMAN, TALBOT, FAHRBACH AND HOGNESS **120**, 219.
evolution of arthropod segmentation: PATEL **Supplement**, 201.
G proteins in neuronal migration: HORGAN, LAGRANGE AND COPENHAVER **120**, 729.
insect embryogenesis: TAUTZ, FRIEDRICH AND SCHRODER **Supplement**, 193.
MAP kinase
MAP kinase during meiotic maturation: VERLHAC, KUBIAK, CLARKE AND MARO **120**, 1017.
sevenless and epidermal development in *Drosophila*: DIAZ-BENJUMEA AND HAFEN **120**, 569.
marbles
marbles mutants and nuclear migration: FISCHER-VIZE AND MOSLEY **120**, 2609.
Marginal zone
proteoglycans in mesoderm formation in *Xenopus*: ITOH AND SOKOL **120**, 2703.
Maternal coordinate system
Drosophila head development: GROSSNIKLAUS, CADIGAN AND GEHRING **120**, 3155.
Maternal effect
early transcription in *Caenorhabditis*: EDGAR, WOLF AND WOOD **120**, 443.
sex in soma and germ line of *Musca*: HILFIKER-KLEINER, DUBENDORFER, HILFIKER AND NOTHIGER **120**, 2531.
Maternal effect mutation
a syncytial embryonic metaphase arrest: FOGARTY, KALPIN AND SULLIVAN **120**, 2131.
Maternal factor
maternal factor and mouse blastocyst formation: RENARD, BALDACCI, RICHOUX-DURANTHON, POURNIN AND BABINET **120**, 797.
Maternal gene
apx-1 and dorsal blastomere identity: MANGO, THORPE, MARTIN, CHAMBERLAIN AND BOWERMAN **120**, 2305.
insect embryogenesis: TAUTZ, FRIEDRICH AND SCHRODER **Supplement**, 193.
Maternal homeobox gene
caudal mRNA and protein during *Bombyx* gastrulation: XU, XU AND SUZUKI **120**, 277.
Maternal RNA
embryonic RNAs in *Caenorhabditis*: SEYDOUX AND FIRE **120**, 2823.
Meander tail
Wnt-3 expression in the cerebellum: SALINAS, FLETCHER, COPELAND, JENKINS AND NUSSE **120**, 1277.
MEF2
MEF2 gene expression during embryogenesis: EDMONDSON, LYONS, MARTIN AND OLSON **120**, 1251.
Meiosis
MAP kinase during meiotic maturation: VERLHAC, KUBIAK, CLARKE AND MARO **120**, 1017.
Meiotic maturation
calcium oscillations in mouse oocytes: CARROLL **120**, 3507.
Melanocyte
glycoconjugates and neural crest cells: OAKLEY, LASKY, ERICKSON AND TOSNEY **120**, 103.
Melanocytes
melanocyte gene expression stimulation: PORTER AND MEYER **120**, 2103.
Membrane metallo-endopeptidases
peptidases in craniofacial development: SPENCER-DENE, THOROGOOD, NAIR, KENNY, HARRIS AND HENDERSON **120**, 3213.
Membrane protein
germ line localization of GLP-1: CRITTENDEN, TROEMEL, EVANS AND KIMBLE **120**, 2901.
Membrane skeletal protein
the fusome contains membrane skeletal proteins: LIN, YUE AND SPRADLING **120**, 947.
Membrane skeleton
β_{Heavy}-spectrin during fly embryogenesis: THOMAS AND KIEHART **120**, 2039.
Meristem
embryonic origin of root meristem initials: SCHERES, WOLKENFELT, WILLEMSEN, TERLOUW, LAWSON, DEAN AND WEISBEEK **120**, 2475.
maize homeobox meristem markers: JACKSON, VEIT AND HAKE **120**, 405.
Mesenchymal differentiation
type II TGF-β receptor in mouse development: LAWLER, CANDIA, EBNER, SHUM, LOPEZ, MOSES, WRIGHT AND DERYNCK **120**, 165.
Mesenchymal-epithelial
midgut epithelium formation: TEPASS AND HARTENSTEIN **120**, 579.
Mesenchyme
nidogen in the embryo: EKBLOM, EKBLOM, FECKER, KLEIN, ZHANG, KADOYA, CHU, MAYER AND TIMPL **120**, 2003.
Mesoderm
bFGF and hypoblast induce Hb in chick blastoderm: GORDON-THOMSON AND FABIAN **120**, 3571.
Brachyury expression in P19 cells: VIDRICAIRE, JARDINE AND MCBURNEY **120**, 115.
caudalization by the organizer: YAMADA **120**, 3051.
cytoplasmic determinants in frog development: LEMAIRE AND GURDON **120**, 1191.
expression of *goosecoid* in zebrafish embryos: SCHULTE-MERKER, HAMMERSCHMIDT, BEUCHLE, CHO, DE ROBERTIS AND NUSSLEIN-VOLHARD **120**, 843.

fat-cell lineage: HOSHIZAKI, BLACKBURN, PRICE, GHOSH, MILES, RAGUCCI AND SWEIS **120**, 2489.
homeotic control of muscle development: MICHELSON **120**, 755.
insect embryogenesis: TAUTZ, FRIEDRICH AND SCHRODER **Supplement**, 193.
interaction between *hkb, sna* and *twi*: REUTER AND LEPTIN **120**, 1137.
mesoderm regulates mouse *Otx2* expression: ANG, CONLON, JIN AND ROSSANT **120**, 2979.
mesodermal Wingless affects the ectoderm: LAWRENCE, JOHNSTON AND VINCENT **120**, 3355.
myogenic induction in somites: BUFFINGER AND STOCKDALE **120**, 1443.
primitive streak mesoderm-like cell lines: PRUITT **120**, 37.
repression of myogenesis by mNotchIC: KOPAN, NYE AND WEINTRAUB **120**, 2385.
rtk gene expression during zebrafish gastrulation: XU, HOLDER, PATIENT AND WILSON **120**, 287.

Mesoderm formation
proteoglycans in mesoderm formation in *Xenopus*: ITOH AND SOKOL **120**, 2703.

Mesoderm induction
activin, follistatin and mouse embryos: ALBANO, ARKELL, BEDDINGTON AND SMITH **120**, 803.
activin induction requires FGF signaling: LABONNE AND WHITMAN **120**, 463.
activin-mediated induction requires FGF: CORNELL AND KIMELMAN **120**, 453.
activin thresholds and cell morphology: SYMES, YORDAN AND MERCOLA **120**, 2339.
emergence of activin thresholds: GREEN, SMITH AND GERHART **120**, 2271.
fate map of chick epiblast: HATADA AND STERN **120**, 2879.
growth factors in development: HOGAN, BLESSING, WINNIER, SUZUKI AND JONES **Supplement**, 53.
mesoderm induction in mice: HOLDENER, FAUST, ROSENTHAL AND MAGNUSON **120**, 1335.

Mesoglea
effect of ECM on I-cell migration in hydra: ZHANG AND SARRAS JR. **120**, 425.

Mesorhabditis
evolution of cell lineages in nematodes: SOMMER, CARTA AND STERNBERG **Supplement**, 85.

Meta-*cis* regulatory mechanism
temporal colinearity and phylotypic progression: DUBOULE **Supplement**, 135.

Metalloendoprotease
sea urchin homolog of huBMP1: HWANG, PARTIN AND LENNARZ **120**, 559.

Metalloproteinase
FGF-4 expression in mouse inner cell mass: RAPPOLEE, BASILICO, PATEL AND WERB **120**, 2259.

Metamorphosis
CNS expression of ecdysone receptors: TRUMAN, TALBOT, FAHRBACH AND HOGNESS **120**, 219.
Drosophila BR-C protein expression: EMERY, BEDIAN AND GUILD **120**, 3275.

Metazoa
molecular biology and palaeontology: CONWAY MORRIS **Supplement**, 1.
phylogeny and the Cambrian radiation: PHILIPPE, CHENUIL AND ADOUTTE **Supplement**, 15.

Methylation
DNA methylation of imprinted genes: FEIL, WALTER, ALLEN AND REIK **120**, 2933.
EG cells: developmental potential and imprinting: LABOSKY, BARLOW AND HOGAN **120**, 3197.
imprinting in embryonic stem cells: SZABO AND MANN **120**, 1651.

Met-mesencephalon
Wnt-1 in met/mesencephalic grafts: BALLY-CUIF AND WASSEF **120**, 3379.

mGATA-3 cloning
embryonic expression and cloning of the murine GATA-3 gene: GEORGE, LEONARD, ROTH, LIEUW, KIOUSSIS, GROSVELD AND ENGEL **120**, 2673.

MHC A-
myosin heavy chain mutants of *Dictyostelium*: TRAYNOR, TASAKA, TAKEUCHI AND WILLIAMS **120**, 591.

Microinjection
mouse neural crest lineage: SERBEDZIJA, BRONNER-FRASER AND FRASER **120**, 1709.

Micromanipulation
establishment of left-right asymmetry: HUTTER AND SCHNABEL **120**, 2051.

Micromere
micromere fate maps: SMITH AND WEISBLAT **120**, 3427.

Microtubule
a syncytial embryonic metaphase arrest: FOGARTY, KALPIN AND SULLIVAN **120**, 2131.
MAP kinase during meiotic maturation: VERLHAC, KUBIAK, CLARKE AND MARO **120**, 1017.
microtubule arrays of the zebrafish yolk cell: SOLNICA-KREZEL AND DRIEVER **120**, 2443.
microtubule movement in *Xenopus* eggs: HOULISTON **120**, 1213.

Midbody
a syncytial embryonic metaphase arrest: FOGARTY, KALPIN AND SULLIVAN **120**, 2131.

Midbrain
Wnt-1 expression in developing mouse CNS: ECHELARD, VASSILEVA AND MCMAHON **120**, 2213.

Midgut
dpp regulation by homeotic genes: MANAK, MATHIES AND SCOTT **120**, 3605.
homeosis within the alimentary canal: REUTER **120**, 1123.
midgut epithelium formation: TEPASS AND HARTENSTEIN **120**, 579.
teashirt and midgut morphogenesis: MATHIES, KERRIDGE AND SCOTT **120**, 2799.

Mid-hindbrain
multiple developmental defects in *Engrailed-1* mutant mice: WURST, AUERBACH AND JOYNER **120**, 2065.

Midline
axonal guidance by an identified mesodermal cell: CHIANG **120**, 3581.
commissure formation depends on midline: MENNE AND KLAMBT **120**, 123.
lineage analysis of the *Drosophila* CNS midline: BOSSING AND TECHNAU **120**, 1895.

Migration
axons arrest Schwann cells: BHATTACHARYYA, BRACKENBURY AND RATNER **120**, 1411.
mouse PGC migration: GOMPERTS, GARCIA-CASTRO, WYLIE AND HEASMAN **120**, 135.

Migratory pathway
G proteins in neuronal migration: HORGAN, LAGRANGE AND COPENHAVER **120**, 729.

***mip* mutant**
Drosophila R7 retinotopic map formation: ASHLEY AND KATZ **120**, 1537.

***miti-mere* POU gene**
miti gene in RP2/sib lineage specification: BHAT AND SCHEDL **120**, 1483.

Mitochondria
Bcl-x expression during mouse development: GONZALEZ-GARCIA, PEREZ-BALLESTERO, DING, DUAN, BOISE, THOMPSON AND NUNEZ **120**, 3033.

Mitogen
inhibition of oligodendrocyte differentiation by RA: NOLL AND MILLER **120**, 649.
Mitosis
afferent control of neuron death and cell birth: JOHNSON AND BOTTJER **120**, 13.
diaphanous required for cytokinesis: CASTRILLON AND WASSERMAN **120**, 3367.
germ line localization of GLP-1: CRITTENDEN, TROEMEL, EVANS AND KIMBLE **120**, 2901.
MAP kinase during meiotic maturation: VERLHAC, KUBIAK, CLARKE AND MARO **120**, 1017.
Mitotic clones
origin and migration of peripheral glia: GIANGRANDE **120**, 523.
Mix.1
emergence of activin thresholds: GREEN, SMITH AND GERHART **120**, 2271.
mNotch
repression of myogenesis by mNotchIC: KOPAN, NYE AND WEINTRAUB **120**, 2385.
Molecular biology
molecular biology and palaeontology: CONWAY MORRIS **Supplement**, 1.
Molecular gradient
caudal mRNA and protein during *Bombyx* gastrulation: XU, XU AND SUZUKI **120**, 277.
Molecular phylogeny
phylogeny and the Cambrian radiation: PHILIPPE, CHENUIL AND ADOUTTE **Supplement**, 15.
Molluscan development
tubulin expression in *Patella* embryos: DAMEN, VAN GRUNSVEN AND VAN LOON **120**, 2835.
Monkey
bcl-2 in the developing nervous system: MERRY, VEIS, HICKEY AND KORSMEYER **120**, 301.
Monoclonal antibody
anti-apogens and anti-engulfens: ROTELLO, FERNANDEZ AND YUAN **120**, 1421.
Monomeric
sperm-induced egg activation: MOORE, AYABE, VISCONTI, SCHULTZ AND KOPF **120**, 3313.
***more inner photoreceptors* mutant**
Drosophila R7 retinotopic map formation: ASHLEY AND KATZ **120**, 1537.
Morphogen
Kruppel regulation by *hunchback*: SCHULZ AND TAUTZ **120**, 3043.
Morphogenesis
18 wheeler: ELDON, KOOYER, D'EVELYN, DUMAN, P. AND J. **120**, 885.
β_{Heavy}-spectrin during fly embryogenesis: THOMAS AND KIEHART **120**, 2039.
effect of the *FASS* gene on morphogenesis: TORRES-RUIZ AND JURGENS **120**, 2967.
evolution of echinoderm development: WRAY AND BELY **Supplement**, 97.
integrin mutant phenotypes: BROWN **120**, 1221.
laminin receptors on mesenchyme: CRAWFORD AND BURKE **120**, 3227.
N-cadherin and chondrogenesis: OBERLENDER AND TUAN **120**, 177.
role of HOM/Hox genes in morphogenesis: CHOW AND EMMONS **120**, 2579.
teashirt and midgut morphogenesis: MATHIES, KERRIDGE AND SCOTT **120**, 2799.
Morphogenetic determinants
biochemical analysis of mutant vasa proteins: LIANG, DIEHL-JONES AND LASKO **120**, 1201.
Morphogenetic furrow
dachshund function in eye and leg morphogenesis: MARDON, SOLOMON AND RUBIN **120**, 3473.
Morphogenetic movements
microtubule arrays of the zebrafish yolk cell: SOLNICA-KREZEL AND DRIEVER **120**, 2443.
Mosaic
melanocyte gene expression stimulation: PORTER AND MEYER **120**, 2103.
Mosaic analysis
autonomy of *Drosophila* mesoderm development: LEPTIN AND ROTH **120**, 853.
Mosaic proteins
protein families in the Metazoan genome: CHOTHIA **Supplement**, 27.
Motor neuron
NMDA receptor-mediated dendrite development: KALB **120**, 3063.
open brain mutation: GUNTHER, STRUWE, AGUZZI AND SCHUGHART **120**, 3119.
Motor neuron development
COUP-TF II in motor neuron development: LUTZ, KURATANI, COONEY, WAWERSIK, TSAI, EICHELE AND TSAI **120**, 25.
Mouse
activin, follistatin and mouse embryos: ALBANO, ARKELL, BEDDINGTON AND SMITH **120**, 803.
activins in murine embryogenesis: FEIJEN, GOUMANS AND VAN DEN EIJNDEN-VAN RAAIJ **120**, 3621.
Bcl-x expression during mouse development: GONZALEZ-GARCIA, PEREZ-BALLESTERO, DING, DUAN, BOISE, THOMPSON AND NUNEZ **120**, 3033.
B-FABP expression during CNS development: KURTZ, ZIMMER, SCHNUTGEN, BRUNING, SPENER AND MULLER **120**, 2637.
Brachyury expression in P19 cells: VIDRICAIRE, JARDINE AND MCBURNEY **120**, 115.
cadherin expression in *Wnt-1* mutants: SHIMAMURA, HIRANO, MCMAHON AND TAKEICHI **120**, 2225.
calcium oscillations in mouse oocytes: CARROLL **120**, 3507.
craniofacial, skeletal abnormalities and RARs in ontogenesis: LOHNES, MARK, MENDELSOHN, DOLLE, DIERICH, GORRY, GANSMULLER AND CHAMBON **120**, 2723.
c-*rel* expression in lymphoid tissues: CARRASCO, WEIH AND BRAVO **120**, 2991.
CSF-1 regulation of tissue macrophages: CECCHINI, DOMINGUEZ, MOCCI, WETTERWALD, FELIX, FLEISCH, CHRISHOLM, HOFSTETTER, POLLARD AND STANLEY **120**, 1357.
cytokines and pancreatic differentiation: SANVITO **120**, 3451.
DNA methylation of imprinted genes: FEIL, WALTER, ALLEN AND REIK **120**, 2933.
EG cells: developmental potential and imprinting: LABOSKY, BARLOW AND HOGAN **120**, 3197.
egg activation: XU, KOPF AND SCHULTZ **120**, 1851.
egg modifiers: LATHAM **120**, 3419.
embryonic expression and cloning of the murine GATA-3 gene: GEORGE, LEONARD, ROTH, LIEUW, KIOUSSIS, GROSVELD AND ENGEL **120**, 2673.
evolution of vertebrate gastrulation: DE ROBERTIS, FAINSOD, GONT AND STEINBEISSER **Supplement**, 117.
fate of cranial somitomeres: TRAINOR, TAN AND TAM **120**, 2397.
FGF-4 expression in mouse inner cell mass: RAPPOLEE, BASILICO, PATEL AND WERB **120**, 2259.
GATA-1 expression in mouse Sertoli cells: YOMOGIDA, OHTANI, HARIGAE, ITO, NISHIMUNE, ENGEL AND YAMAMOTO **120**, 1759.
gp330 during mouse early development: GUETH-HALLONET, SANTA-MARIA, VERROUST AND MARO **120**, 3289.
growth factors in development: HOGAN, BLESSING, WINNIER, SUZUKI AND JONES **Supplement**, 53.
HB-EGF in the periimplantation mouse uterus: DAS, WANG, PARIA, DAMM, ABRAHAM, KLAGSBRUN, ANDREWS AND DEY **120**, 1071.
HOM/Hox functional conservation: MANAK AND SCOTT **Supplement**, 61.
Hoxd-11 mutant mice: DAVIS AND CAPECCHI **120**, 2187.

imprinting in embryonic stem cells: SZABO AND MANN **120**, 1651.
imprinting in parthenogenetic stem cells: ALLEN, BARTON, HILTON, NORRIS AND SURANI **120**, 1473.
induction of second axis by mouse node: BEDDINGTON **120**, 613.
innervation-dependent gene regulation: TANG, JO AND BURDEN **120**, 1799.
in vivo role of NT-3 for sensory neurons: GAESE, KOLBECK AND BARDE **120**, 1613.
mammalian Notch suppresses neurogenesis: NYE, KOPAN AND AXEL **120**, 2421.
MEF2 gene expression during embryogenesis: EDMONDSON, LYONS, MARTIN AND OLSON **120**, 1251.
mesoderm regulates mouse *Otx2* expression: ANG, CONLON, JIN AND ROSSANT **120**, 2979.
molecular basis of the mouse A^y mutation: DUHL, STEVENS, VRIELING, SAXON, MILLER, EPSTEIN AND BARSH **120**, 1695.
multiple abnormalities in RAR double mutants: MENDELSOHN, LOHNES, DECIMO, LUFKIN, LEMEUR, CHAMBON AND MARK **120**, 2749.
multiple developmental defects in *Engrailed-1* mutant mice: WURST, AUERBACH AND JOYNER **120**, 2065.
murine *hedgehog* gene: CHANG, LOPEZ, VON KESSLER, CHIANG, SIMANDL, ZHAO, SELDIN, FALLON AND BEACHY **120**, 3339.
muscle development in *Myf-5* mutant mice: BRAUN, BOBER, RUDNICKI, JAENISCH AND ARNOLD **120**, 3083.
neural crest lineage: SERBEDZIJA, BRONNER-FRASER AND FRASER **120**, 1709.
nidogen in the embryo: EKBLOM, EKBLOM, FECKER, KLEIN, ZHANG, KADOYA, CHU, MAYER AND TIMPL **120**, 2003.
nodal function in mouse embryos: CONLON, LYONS, TAKAESU, BARTH, KISPERT, HERRMANN AND ROBERTSON **120**, 1919.
open brain mutation: GUNTHER, STRUWE, AGUZZI AND SCHUGHART **120**, 3119.
p75-deficient DRG and SRG neurons: LEE, DAVIES AND JAENISCH **120**, 1027.
Pax-1 during development of the pectoral girdle: TIMMONS, WALLIN, RIGBY AND BALLING **120**, 2773.
Pax-3 is an early marker for myogenic precursors: BOBER, FRANZ, ARNOLD, GRUSS AND TREMBLAY **120**, 603.
PECAM-1 expression during cardiovascular development: BALDWIN, SHEN, YAN, DELISSER, CHUNG, MICKANIN, TRASK, KIRSCHBAUM, NEWMAN, ALBELDA AND BUCK **120**, 2539.
pituitary ontogeny of the Snell dwarf mouse: LIN, LI, DROLET AND ROSENFELD **120**, 515.
RA, segmentation and *HoxB* domains: WOOD, PALL AND MORRISS-KAY **120**, 2279.
regulation of NGF synthesis by TGF-β in development: BUCHMAN, SPORN AND DAVIES **120**, 1621.
regulation of trophoblast gene expression: NG, GEORGE, ENGEL AND LINZER **120**, 3257.
repression of myogenesis by mNotchIC: KOPAN, NYE AND WEINTRAUB **120**, 2385.
role of LIFR in PGC growth: CHENG, GEARING, WHITE, COMPTON, SCHOOLEY AND DONOVAN **120**, 3145.
sperm-induced egg activation: MOORE, AYABE, VISCONTI, SCHULTZ AND KOPF **120**, 3313.
TGFβ1 inhibits lung bud development: SERRA, PELTON AND MOSES **120**, 2153.
transitional cells in the regenerating pancreas: GU, LEE, KRAHL AND SARVETNICK **120**, 1873.
type II TGF-β receptor in mouse development: LAWLER, CANDIA, EBNER, SHUM, LOPEZ, MOSES, WRIGHT AND DERYNCK **120**, 165.
Wnt-1 can act as a mitogen in the CNS: DICKINSON, KRUMLAUF AND MCMAHON **120**, 1453.
Wnt-3 expression in the cerebellum: SALINAS, FLETCHER, COPELAND, JENKINS AND NUSSE **120**, 1277.
X chromosome in primordial germ cells: TAM, ZHOU AND TAN **120**, 2925.
Xist RNA in mouse tissues and ES cells: BUZIN, MANN AND SINGER-SAM **120**, 3529.
zebrin II is identical to aldolase C: AHN, DZIENNIS, HAWKES AND HERRUP **120**, 2081.
Zfy-1/lacZ expression in the mouse: ZAMBROWICZ, ZIMMERMANN, HARENDZA, SIMPSON, PAGE AND R. L. **120**, 1549.

Mouse germ cell
mouse PGC migration: GOMPERTS, GARCIA-CASTRO, WYLIE AND HEASMAN **120**, 135.

Mouse mutant
kreisler, a hindbrain segmentation mutant: MCKAY, MUCHAMORE, KRUMLAUF, MADEN, LUMSDEN AND LEWIS **120**, 2199.
mesoderm induction in mice: HOLDENER, FAUST, ROSENTHAL AND MAGNUSON **120**, 1335.
Pax-1 and axial skeleton development: WALLIN, WILTING, KOSEKI, FRITSCH, CHRIST AND BALLING **120**, 1109.

Mouse oocyte
MAP kinase during meiotic maturation: VERLHAC, KUBIAK, CLARKE AND MARO **120**, 1017.

Mouse preimplantation embryo
maternal factor and mouse blastocyst formation: RENARD, BALDACCI, RICHOUX-DURANTHON, POURNIN AND BABINET **120**, 797.

Mouse uterus
homeobox gene expression in the adult uterus: PAVLOVA, BOUTIN, CUNHA AND SASSOON **120**, 335.

Msd
mesoderm induction in mice: HOLDENER, FAUST, ROSENTHAL AND MAGNUSON **120**, 1335.

Msx 1
homeobox gene expression in the adult uterus: PAVLOVA, BOUTIN, CUNHA AND SASSOON **120**, 335.

***Msx* genes**
gene duplications and vertebrate origins: HOLLAND, GARCIA-FERNANDEZ, WILLIAMS AND SIDOW **Supplement**, 125.

Mucous metaplasia
chimaeric RA receptors in wound epidermis: PECORINO, LO AND BROCKES **120**, 325.

Mullerian inhibitory substance
Ad4BP expression in gonads and adrenal gland: HATANO, TAKAYAMA, IMAI, WATERMAN, TAKAKUSU, OMURA AND MOROHASHI **120**, 2787.

Multicellular evolution
evolutionary origin of development: WOLPERT **Supplement**, 79.

Musca domestica
sex in soma and germ line of *Musca*: HILFIKER-KLEINER, DUBENDORFER, HILFIKER AND NOTHIGER **120**, 2531.

Muscle
Caenorhabditis HLH-1 is essential: CHEN, KRAUSE, SEPANSKI AND FIRE **120**, 1631.
myogenesis and type II TGF-β receptor: FILVAROFF, EBNER AND DERYNCK **120**, 1085.
myogenic induction in somites: BUFFINGER AND STOCKDALE **120**, 1443.

Muscle attachments
segment border cells induce muscle patterning: VOLK AND VIJAYRAGHAVAN **120**, 59.

Muscle development
tiggrin, *Drosophila* integrin ligand: FOGERTY, FESSLER, BUNCH, YARON, PARKER, NELSON, BROWER, GULLBERG AND FESSLER **120**, 1747.

Muscle differentiation
influence of axial structures on myogenesis: BOBER, BRAND-SABERI, EBENSPERGER, WILTING, BALLING, PATERSON, ARNOLD AND CHRIST **120**, 3073.
regulation of *Pax* gene expression in somites and muscle: GOULDING, LUMSDEN AND PAQUETTE **120**, 957.

Muscle fibre type
patterning of limb muscles: ROBSON, KARA, CRAWLEY AND TICKLE **120**, 1265.
Muscle gene expression
MEF2 gene expression during embryogenesis: EDMONDSON, LYONS, MARTIN AND OLSON **120**, 1251.
Muscle patterning
segment border cells induce muscle patterning: VOLK AND VIJAYRAGHAVAN **120**, 59.
Muscle reinnervation
N-cadherin in neuromuscular system: CIFUENTES-DIAZ, NICOLET, GOUDOU, RIEGER AND MEGE **120**, 1.
Mutants
primordial germ cell migration in *Drosophila*: JAGLARZ AND HOWARD **120**, 83.
Mutation
effect of the *FASS* gene on morphogenesis: TORRES-RUIZ AND JURGENS **120**, 2967.
Myelin
β_4 integrin in myelinating Schwann cells: FELTRI, SCHERER, NEMNI, KAMHOLZ, VOGELBACKER, SCOTT, CANAL, QUARANTA AND WRABETZ **120**, 1287.
Myf-5
Pax-3 in myogenic specification: WILLIAMS AND ORDAHL **120**, 785.
Myf-5
muscle development in *Myf-5* mutant mice: BRAUN, BOBER, RUDNICKI, JAENISCH AND ARNOLD **120**, 3083.
Myoblast differentiation
TGFβ and muscle histogenesis: CUSELLA-DE ANGELIS, MOLINARI, LE DONNE, COLETTA, VIVARELLI, BOUCHE, MOLINARO, FERRARI AND COSSU **120**, 925.
Myoblasts
myogenesis and type II TGF-β receptor: FILVAROFF, EBNER AND DERYNCK **120**, 1085.
Pax-3 is an early marker for myogenic precursors: BOBER, FRANZ, ARNOLD, GRUSS AND TREMBLAY **120**, 603.
MyoD
innervation-dependent gene regulation: TANG, JO AND BURDEN **120**, 1799.
muscle development in *Myf-5* mutant mice: BRAUN, BOBER, RUDNICKI, JAENISCH AND ARNOLD **120**, 3083.
Pax-3 in myogenic specification: WILLIAMS AND ORDAHL **120**, 785.
regulation of *Pax* gene expression in somites and muscle: GOULDING, LUMSDEN AND PAQUETTE **120**, 957.
repression of myogenesis by mNotchIC: KOPAN, NYE AND WEINTRAUB **120**, 2385.
Caenorhabditis HLH-1 is essential: CHEN, KRAUSE, SEPANSKI AND FIRE **120**, 1631.
Myogenesis
Caenorhabditis HLH-1 is essential: CHEN, KRAUSE, SEPANSKI AND FIRE **120**, 1631.
homeotic control of muscle development: MICHELSON **120**, 755.
influence of axial structures on myogenesis: BOBER, BRAND-SABERI, EBENSPERGER, WILTING, BALLING, PATERSON, ARNOLD AND CHRIST **120**, 3073.
MEF2 gene expression during embryogenesis: EDMONDSON, LYONS, MARTIN AND OLSON **120**, 1251.
muscle development in *Myf-5* mutant mice: BRAUN, BOBER, RUDNICKI, JAENISCH AND ARNOLD **120**, 3083.
myogenic induction in somites: BUFFINGER AND STOCKDALE **120**, 1443.
N-cadherin in neuromuscular system: CIFUENTES-DIAZ, NICOLET, GOUDOU, RIEGER AND MEGE **120**, 1.
Pax-3 in myogenic specification: WILLIAMS AND ORDAHL **120**, 785.
pharyngeal muscle gene regulation: OKKEMA AND FIRE **120**, 2175.
repression of myogenesis by mNotchIC: KOPAN, NYE AND WEINTRAUB **120**, 2385.
Myogenic bHLH factor genes
influence of axial structures on myogenesis: BOBER, BRAND-SABERI, EBENSPERGER, WILTING, BALLING, PATERSON, ARNOLD AND CHRIST **120**, 3073.
Myogenic factors
Pax-3 is an early marker for myogenic precursors: BOBER, FRANZ, ARNOLD, GRUSS AND TREMBLAY **120**, 603.
Myogenin
induction of myogenesis by a Kunitz-type molecule: WELLS AND STRICKLAND **120**, 3639.
innervation-dependent gene regulation: TANG, JO AND BURDEN **120**, 1799.
Myosin
stage-specific requirement for myosin: SPRINGER, PATTERSON AND SPUDICH **120**, 2651.
Myosin gene
pharyngeal muscle gene regulation: OKKEMA AND FIRE **120**, 2175.
Myosin heavy chain
polarity in heart formation: YUTZEY, RHEE AND BADER **120**, 871.
myospheroid
blistered wing development: FRISTROM, GOTWALS, EATON, KORNBERG, STURTEVANT, BIER AND FRISTROM **120**, 2661.
Myotome
influence of axial structures on myogenesis: BOBER, BRAND-SABERI, EBENSPERGER, WILTING, BALLING, PATERSON, ARNOLD AND CHRIST **120**, 3073.
Pax-3 in myogenic specification: WILLIAMS AND ORDAHL **120**, 785.
Mysopheroid
Drosophila integrins in development: GRINBLAT, ZUSMAN, YEE, HYNES AND KAFATOS **120**, 91.
N-*myc*
TGFβ1 inhibits lung bud development: SERRA, PELTON AND MOSES **120**, 2153.
Naked
segment border cells induce muscle patterning: VOLK AND VIJAYRAGHAVAN **120**, 59.
nanos
insect embryogenesis: TAUTZ, FRIEDRICH AND SCHRODER **Supplement**, 193.
Negative feedback
down-regulation of *Egf-r* mRNA: STURTEVANT, O'NEILL AND BIER **120**, 2593.
Negative regulation
growth factors suppress P_0 induction: MORGAN, JESSEN AND MIRSKY **120**, 1399.
Nematode
evolution of cell lineages in nematodes: SOMMER, CARTA AND STERNBERG **Supplement**, 85.
nematode primary sex determination: HODGKIN, ZELLAN AND ALBERTSON **120**, 3681.
Nerve
β_4 integrin in myelinating Schwann cells: FELTRI, SCHERER, NEMNI, KAMHOLZ, VOGELBACKER, SCOTT, CANAL, QUARANTA AND WRABETZ **120**, 1287.
origin and migration of peripheral glia: GIANGRANDE **120**, 523.
Nerve cord
RK2, a glial-specific homeodomain protein in *Drosophila*: CAMPBELL, GORING, LIN, SPANA, ANDERSSON, DOE AND TOMLINSON **120**, 2957.
Nerve growth factor
regulation of NGF synthesis by TGF-β in development: BUCHMAN, SPORN AND DAVIES **120**, 1621.
Nerve regeneration
N-cadherin in neuromuscular system: CIFUENTES-DIAZ, NICOLET, GOUDOU, RIEGER AND MEGE **120**, 1.
Nervous system
a *Drosophila* GAP-43 homolog: NEEL AND YOUNG **120**, 2235.

bcl-2 in the developing nervous system: MERRY, VEIS, HICKEY AND KORSMEYER **120**, 301.
Neural competence
neural-inducing factors: PRUITT **120**, 3301.
Neural crest
avian crest cell migration on vitronectin: DELANNET, MARTIN, BOSSY, CHERESH, REICHARDT AND DUBAND **120**, 2687.
axons arrest Schwann cells: BHATTACHARYYA, BRACKENBURY AND RATNER **120**, 1411.
craniofacial, skeletal abnormalities and RARs in ontogenesis: LOHNES, MARK, MENDELSOHN, DOLLE, DIERICH, GORRY, GANSMULLER AND CHAMBON **120**, 2723.
FGF regulated neural crest cell division: MURPHY **120**, 3519.
hindbrain neural crest migration: SECHRIST, SCHERSON AND BRONNER-FRASER **120**, 1777.
hindbrain expression of chick *Hoxa-2*: PRINCE AND LUMSDEN **120**, 911.
melanocyte gene expression stimulation: PORTER AND MEYER **120**, 2103.
mouse neural crest lineage: SERBEDZIJA, BRONNER-FRASER AND FRASER **120**, 1709.
multiple abnormalities in RAR double mutants: MENDELSOHN, LOHNES, DECIMO, LUFKIN, LEMEUR, CHAMBON AND MARK **120**, 2749.
restriction of zebrafish trunk crest fate: RAIBLE AND EISEN **120**, 495.
t-PA/lacZ transgenic mice: CARROLL, TSIRKA, RICHARDS, FROHMAN AND STRICKLAND **120**, 3173.
Wnt-1 expression in developing mouse CNS: ECHELARD, VASSILEVA AND MCMAHON **120**, 2213.
zebrafish pharyngeal lineage restrictions: SCHILLING AND KIMMEL **120**, 483.
Neural crest migration
glycoconjugates and neural crest cells: OAKLEY, LASKY, ERICKSON AND TOSNEY **120**, 103.
Neural development
Wnt-1 can act as a mitogen in the CNS: DICKINSON, KRUMLAUF AND MCMAHON **120**, 1453.
Neural induction
neural induction and intracellular pH: SATER, ALDERTON AND STEINHARDT **120**, 433.
neural-inducing factors: PRUITT **120**, 3301.
Neural progenitors
CASH in the nervous system: JASONI, WALKER, MORRIS AND REH **120**, 769.
Neural retina
retinoic acid and photoreceptor development: KELLEY, TURNER AND REH **120**, 2091.
Neural tube
influence of axial structures on myogenesis: BOBER, BRAND-SABERI, EBENSPERGER, WILTING, BALLING, PATERSON, ARNOLD AND CHRIST **120**, 3073.
myogenic induction in somites: BUFFINGER AND STOCKDALE **120**, 1443.
open brain mutation: GUNTHER, STRUWE, AGUZZI AND SCHUGHART **120**, 3119.
Neurite outgrowth
FGF and neurite outgrowth: WILLIAMS, FURNESS, WALSH AND DOHERTY **120**, 1685.
mammalian GAP-43 transgenes in zebrafish: REINHARD, NEDIVI, WEGNER, SKENE AND WESTERFIELD **120**, 1767.
thalamic cell behaviour on cortical slices: EMERLING AND LANDER **120**, 2811.
Neuroblast
cell contact and neurogenesis in *Caenorhabditis*: AUSTIN AND KENYON **120**, 313.
Neuroblast segregation
vnd and early neurogenesis: SKEATH, PANGANIBAN AND CARROLL **120**, 1517.
Neuroblast stem cell
miti gene in RP2/sib lineage specification: BHAT AND SCHEDL **120**, 1483.
Neuroepithelium
B-FABP expression during CNS development: KURTZ, ZIMMER, SCHNUTGEN, BRUNING, SPENER AND MULLER **120**, 2637.
Neurogenesis
BDNF in the visual system: HERZOG, BAILEY AND BARDE **120**, 1643.
control of *snail* neuronal expression: IP, LEVINE AND BIER **120**, 199.
ectopic *gooseberry* changes cell fate: ZHANG, UNGAR, FRESQUEZ AND HOLMGREN **120**, 1151.
E(spl)bHLH proteins and Notch signalling: JENNINGS **120**, 3537.
in vivo role of NT-3 for sensory neurons: GAESE, KOLBECK AND BARDE **120**, 1613.
mammalian Notch suppresses neurogenesis: NYE, KOPAN AND AXEL **120**, 2421.
miti gene in RP2/sib lineage specification: BHAT AND SCHEDL **120**, 1483.
regulation of *E(sp)l*: KRAMATSCHEK AND CAMPOS-ORTEGA **120**, 815.
retinoic acid and photoreceptor development: KELLEY, TURNER AND REH **120**, 2091.
role of HOM/Hox genes in morphogenesis: CHOW AND EMMONS **120**, 2579.
vnd and early neurogenesis: SKEATH, PANGANIBAN AND CARROLL **120**, 1517.
XASH genes promote neurogenesis: FERREIRO **120**, 3649.
Neurogenic gene
antagonistic activities of *Su(H)* and *H*: SCHWEISGUTH AND POSAKONY **120**, 1433.
sca and the morphogenetic furrow: ELLIS, WEBER, WIERSDORFF AND MLODZIK **120**, 1959.
tip cell specification in *Drosophila* Malpighian tubules: HOCH **120**, 3439.
Neurogenesis
CNS midline transcription: WHARTON JR **120**, 3563.
Neurohemal organ
axon pathfinding in *Drosophila*: GORCZYCA, PHILLIS AND BUDNIK **120**, 2143.
Neuromuscular synapse
innervation-dependent gene regulation: TANG, JO AND BURDEN **120**, 1799.
Neuron
Drosophila R7 retinotopic map formation: ASHLEY AND KATZ **120**, 1537.
FGF and neurite outgrowth: WILLIAMS, FURNESS, WALSH AND DOHERTY **120**, 1685.
L-14 mediates olfactory neuron adhesion: MAHANTHAPPA, COOPER, BARONDES AND SCHWARTING **120**, 1373.
mouse neural crest lineage: SERBEDZIJA, BRONNER-FRASER AND FRASER **120**, 1709.
Neuronal determination
Star and its interactions with *sevenless* and EGF receptor in *Drosophila:* KOLODKIN, PICKUP, LIN, GOODMAN AND BANERJEE **120**, 1731.
Neuronal differentiation
alignment of HOM/Hox gene domains in leech: NARDELLI-HAEFLIGER, BRUCE AND SHANKLAND **120**, 1839.
FGF regulated neural crest cell division: MURPHY **120**, 3519.
Neuronal motility
G proteins in neuronal migration: HORGAN, LAGRANGE AND COPENHAVER **120**, 729.
Neuronal phosphoprotein
a *Drosophila* GAP-43 homolog: NEEL AND YOUNG **120**, 2235.
Neuronal precursor
daughterless and neuronal precursor in *Drosophila*: VAESSIN, BRAND, JAN AND JAN **120**, 935.

Neurotrophin
BDNF in the visual system: HERZOG, BAILEY AND BARDE **120**, 1643.
in vivo role of NT-3 for sensory neurons: GAESE, KOLBECK AND BARDE **120**, 1613.
selective change in neurotrophin response: BUJ-BELLO, PINON AND DAVIES **120**, 1573.
Neurotrophin-3
regulation of NGF synthesis by TGF-β in development: BUCHMAN, SPORN AND DAVIES **120**, 1621.
Neurotrophins
p75-deficient DRG and SRG neurons: LEE, DAVIES AND JAENISCH **120**, 1027.
Neurulation
cell cycles and clonal strings in zebrafish: KIMMEL, WARGA AND KANE **120**, 265.
expression of zebrafish *hlx-1* gene: FJOSE, IZPISUA-BELMONTE, FROMENTAL-RAMAIN AND DUBOULE **120**, 71.
Neutral endopeptidase-24.11
peptidases in craniofacial development: SPENCER-DENE, THOROGOOD, NAIR, KENNY, HARRIS AND HENDERSON **120**, 3213.
NGF
selective change in neurotrophin response: BUJ-BELLO, PINON AND DAVIES **120**, 1573.
Nidogen
evolution of ECM proteins: ENGEL, EFIMOV AND MAURER **Supplement**, 35.
nidogen in the embryo: EKBLOM, EKBLOM, FECKER, KLEIN, ZHANG, KADOYA, CHU, MAYER AND TIMPL **120**, 2003.
Nieuwkoop centre
GATA-2 in *Xenopus* embryos: WALMSLEY, GUILLE, BERTWISTLE, SMITH, PIZZEY AND PATIENT **120**, 2519.
NK-2 class homeodomain
pharyngeal muscle gene regulation: OKKEMA AND FIRE **120**, 2175.
No tail
a zebrafish homologue of the mouse *T* gene: SCHULTE-MERKER, VAN EEDEN, HALPERN, KIMMEL AND NUSSLEIN-VOLHARD **120**, 1009.
expression of *goosecoid* in zebrafish embryos: SCHULTE-MERKER, HAMMERSCHMIDT, BEUCHLE, CHO, DE ROBERTIS AND NUSSLEIN-VOLHARD **120**, 843.
Nocodazole
microtubule arrays of the zebrafish yolk cell: SOLNICA-KREZEL AND DRIEVER **120**, 2443.
microtubule movement in *Xenopus* eggs: HOULISTON **120**, 1213.
nodal
nodal function in mouse embryos: CONLON, LYONS, TAKAESU, BARTH, KISPERT, HERRMANN AND ROBERTSON **120**, 1919.
Node
induction of second axis by mouse node: BEDDINGTON **120**, 613.
Nodose ganglion
selective change in neurotrophin response: BUJ-BELLO, PINON AND DAVIES **120**, 1573.
noggin
GATA-2 in *Xenopus* embryos: WALMSLEY, GUILLE, BERTWISTLE, SMITH, PIZZEY AND PATIENT **120**, 2519.
induction of myogenesis by a Kunitz-type molecule: WELLS AND STRICKLAND **120**, 3639.
noggin
emergence of activin thresholds: GREEN, SMITH AND GERHART **120**, 2271.
Notch
commissure formation depends on midline: MENNE AND KLAMBT **120**, 123.
deltex/Notch ANK repeat interaction: DIEDERICH, MATSUNO, HING AND ARTAVANIS-TSAKONAS **120**, 473.
E(spl)bHLH proteins and Notch signalling: JENNINGS **120**, 3537.
HOM/Hox functional conservation: MANAK AND SCOTT **Supplement**, 61.
mammalian Notch suppresses neurogenesis: NYE, KOPAN AND AXEL **120**, 2421.
origin and migration of peripheral glia: GIANGRANDE **120**, 523.
Notochord
a zebrafish homologue of the mouse *T* gene: SCHULTE-MERKER, VAN EEDEN, HALPERN, KIMMEL AND NUSSLEIN-VOLHARD **120**, 1009.
influence of axial structures on myogenesis: BOBER, BRAND-SABERI, EBENSPERGER, WILTING, BALLING, PATERSON, ARNOLD AND CHRIST **120**, 3073.
myogenic induction in somites: BUFFINGER AND STOCKDALE **120**, 1443.
Pax-1 and axial skeleton development: WALLIN, WILTING, KOSEKI, FRITSCH, CHRIST AND BALLING **120**, 1109.
regulation of *Pax* gene expression in somites and muscle: GOULDING, LUMSDEN AND PAQUETTE **120**, 957.
Sax1 expression in the spinal cord: SPANN, GINSBURG, RANGINI, FAINSOD, EYAL-GILADI AND GRUENBAUM **120**, 1817.
Xlim-1 gene expression in *Xenopus*: TAIRA, OTANI, JAMRICH AND DAWID **120**, 1525.
Notochord transplantation
COUP-TF II in motor neuron development: LUTZ, KURATANI, COONEY, WAWERSIK, TSAI, EICHELE AND TSAI **120**, 25.
Novel sectioning method
caudal mRNA and protein during *Bombyx* gastrulation: XU, XU AND SUZUKI **120**, 277.
NT-3
selective change in neurotrophin response: BUJ-BELLO, PINON AND DAVIES **120**, 1573.
Nuclear migration
marbles mutants and nuclear migration: FISCHER-VIZE AND MOSLEY **120**, 2609.
Nuclear protein
dachshund function in eye and leg morphogenesis: MARDON, SOLOMON AND RUBIN **120**, 3473.
Nuclear receptor
RARs and fin regeneration: WHITE, BOFFA, JONES AND PETKOVICH **120**, 1861.
Nuclear transplantation
mouse egg modifiers: LATHAM **120**, 3419.
Nucleocytoplasmic interaction
mouse egg modifiers: LATHAM **120**, 3419.
Nucleocytoplasmic interactions
maternal factor and mouse blastocyst formation: RENARD, BALDACCI, RICHOUX-DURANTHON, POURNIN AND BABINET **120**, 797.
Numerator element
nematode primary sex determination: HODGKIN, ZELLAN AND ALBERTSON **120**, 3681.
Nymphalid
symmetry systems and compartments in Lepidopteran wings: NIJHOUT **Supplement**, 225.
O-2A progenitor cell
developmental regulation of oligodendroglial integrins: MILNER AND FFRENCH-CONSTANT **120**, 3497.
hydrophobic signals time oligodendrocyte development: BARRES, LAZAR AND RAFF **120**, 1097.
Ocular tissue
apoptosis in macrophage-dependent regression: MURPHY **120**, 3395.
Oikopleura
gene duplications and vertebrate origins: HOLLAND, GARCIA-FERNANDEZ, WILLIAMS AND SIDOW **Supplement**, 125.
Olfactory neuron
L-14 mediates olfactory neuron adhesion: MAHANTHAPPA, COOPER, BARONDES AND SCHWARTING **120**, 1373.
Oligodendrocyte
developmental regulation of oligodendroglial integrins: MILNER AND FFRENCH-CONSTANT **120**, 3497.
inhibition of oligodendrocyte differentiation by RA: NOLL AND MILLER **120**, 649.

Oligodendrocyte-type-2 astrocyte progeni
CNTF and oligodendrocyte differentiation: MAYER, BHAKOO AND NOBLE **120**, 143.
Ommatidium
expression of baculovirus P35 prevents cell death in *Drosophila*: HAY, WOLFF AND RUBIN **120**, 2121.
sca and the morphogenetic furrow: ELLIS, WEBER, WIERSDORFF AND MLODZIK **120**, 1959.
Oncogene
establishment of granule cell identity: GAO AND HATTEN **120**, 1059.
Oncostatin M
role of LIFR in PGC growth: CHENG, GEARING, WHITE, COMPTON, SCHOOLEY AND DONOVAN **120**, 3145.
Ontogenesis
craniofacial, skeletal abnormalities and RARs in ontogenesis: LOHNES, MARK, MENDELSOHN, DOLLE, DIERICH, GORRY, GANSMULLER AND CHAMBON **120**, 2723.
multiple abnormalities in RAR double mutants: MENDELSOHN, LOHNES, DECIMO, LUFKIN, LEMEUR, CHAMBON AND MARK **120**, 2749.
Oocyte
calcium oscillations in mouse oocytes: CARROLL **120**, 3507.
fusome contains membrane skeletal proteins: LIN, YUE AND SPRADLING **120**, 947.
mouse egg modifiers: LATHAM **120**, 3419.
shrimp oocyte activation by Mg^{2+}: LINDSAY AND CLARK JR. **120**, 3463.
Oocyte fragment
determination of archenteron in starfish: KURAISHI AND OSANAI **120**, 2619.
Oogenesis
biochemical analysis of mutant vasa proteins: LIANG, DIEHL-JONES AND LASKO **120**, 1201.
cortical granule biogenesis: LAIDLAW AND WESSEL **120**, 1325.
diaphanous required for cytokinesis: CASTRILLON AND WASSERMAN **120**, 3367.
Drosophila ovarian ring canals: ROBINSON, CANT AND COOLEY **120**, 2015.
grk localisation and embryonic pattern: ROTH AND SCHUPBACH **120**, 2245.
gurken dosage and dorsoventral patterning: NEUMAN-SILBERBERG AND SCHUPBACH **120**, 2457.
insect embryogenesis: TAUTZ, FRIEDRICH AND SCHRODER **Supplement**, 193.
profilin mutation in *Drosophila*: VERHEYEN AND COOLEY **120**, 717.
requirements for *Bicaudal-D*: RAN, BOPP AND SUTTER **120**, 1233.
the evolution of insect patterning mechanisms: SANDER **Supplement**, 187.
Opabinia
molecular biology and palaeontology: CONWAY MORRIS **Supplement**, 1.
***op* mutation**
CSF-1 regulation of tissue macrophages: CECCHINI, DOMINGUEZ, MOCCI, WETTERWALD, FELIX, FLEISCH, CHRISHOLM, HOFSTETTER, POLLARD AND STANLEY **120**, 1357.
Optic tectum
BDNF in the visual system: HERZOG, BAILEY AND BARDE **120**, 1643.
Organ morphogenesis
symbiotic bacteria induce host morphogenesis: MONTGOMERY AND MCFALL-NGAI **120**, 1719.
Organizer
axis formation in the *Drosophila* leg: DIAZ-BENJUMEA AND COHEN **120**, 1661.
caudalization by the organizer: YAMADA **120**, 3051.
induction of second axis by mouse node: BEDDINGTON **120**, 613.
Organogenesis
CSF-1 regulation of tissue macrophages: CECCHINI, DOMINGUEZ, MOCCI, WETTERWALD, FELIX, FLEISCH, CHRISHOLM, HOFSTETTER, POLLARD AND STANLEY **120**, 1357.
pha-1 and organ development: GRANATO, SCHNABEL AND SCHNABEL **120**, 3005.
pha-4 and organ development: MANGO, LAMBIE AND KIMBLE **120**, 3019.
Organotypic cultures
sensory projections in the spinal cord: SHARMA, KORADE AND FRANK **120**, 1315.
Orphan receptor
COUP-TF II in motor neuron development: LUTZ, KURATANI, COONEY, WAWERSIK, TSAI, EICHELE AND TSAI **120**, 25.
Orthogonal axis orientation
grk localisation and embryonic pattern: ROTH AND SCHUPBACH **120**, 2245.
oskar
phylogenetic analysis of *oskar* function: WEBSTER, SUEN AND MACDONALD **120**, 2027.
Osteopetrotic mouse
CSF-1 regulation of tissue macrophages: CECCHINI, DOMINGUEZ, MOCCI, WETTERWALD, FELIX, FLEISCH, CHRISHOLM, HOFSTETTER, POLLARD AND STANLEY **120**, 1357.
Otx2
mesoderm regulates mouse *Otx2* expression: ANG, CONLON, JIN AND ROSSANT **120**, 2979.
ovarian tumor
ovo and the X: OLIVER, SINGER, LAGET, PENNETTA AND PAULI **120**, 3185.
Ovary
expression of a novel serine/threonine kinase receptor gene: BAARENDS, AN HELMOND, OST, AN DER SCHOOT, OOGERBRUGGE, E WINTER, ILENBROEK, ARELS, ILMING, EIJERS, HEMMEN AND ROOTEGOED **120**, 189.
Overexpression
hs-*frizzled* function in tissue polarity: KRASNOW AND ADLER **120**, 1883.
ovo
ovo and the X: OLIVER, SINGER, LAGET, PENNETTA AND PAULI **120**, 3185.
P element
diaphanous required for cytokinesis: CASTRILLON AND WASSERMAN **120**, 3367.
P granule
embryonic RNAs in *Caenorhabditis*: SEYDOUX AND FIRE **120**, 2823.
P19 cells
Brachyury expression in P19 cells: VIDRICAIRE, JARDINE AND MCBURNEY **120**, 115.
P19 embryonal carcinoma
neural-inducing factors: PRUITT **120**, 3301.
primitive streak mesoderm-like cell lines: PRUITT **120**, 37.
P35
expression of baculovirus P35 prevents cell death in *Drosophila*: HAY, WOLFF AND RUBIN **120**, 2121.
P75
p75-deficient DRG and SRG neurons: LEE, DAVIES AND JAENISCH **120**, 1027.
P-450
Ad4BP expression in gonads and adrenal gland: HATANO, TAKAYAMA, IMAI, WATERMAN, TAKAKUSU, OMURA AND MOROHASHI **120**, 2787.
Paired box-containing genes
Pax-3 in myogenic specification: WILLIAMS AND ORDAHL **120**, 785.
Pair-rule gene
gap gene properties of *runt*: TSAI AND GERGEN **120**, 1671.
regulation of posterior of *h* pair-rule stripes: LANGELAND, ATTAI, VORWERK AND CARROLL **120**, 2945.
Pair-rule organization
evolution of arthropod segmentation: PATEL **Supplement**, 201.

Palaeontogeny
evolutionary developmental biology of the tetrapod limb: HINCHLIFFE **Supplement**, 163.
Palaeontology
molecular biology and palaeontology: CONWAY MORRIS **Supplement**, 1.
Pancreas
cytokines and pancreatic differentiation: SANVITO **120**, 3451.
PYY-producing cell in islet differentiation: UPCHURCH, APONTE AND LEITER **120**, 245.
Pancreatic duct
transitional cells in the regenerating pancreas: GU, LEE, KRAHL AND SARVETNICK **120**, 1873.
Panderichthys
evolutionary developmental biology of the tetrapod limb: HINCHLIFFE **Supplement**, 163.
Parasegment
generating a parasegment 6 identity: MANN **120**, 3205.
Parental genomes
maternal factor and mouse blastocyst formation: RENARD, BALDACCI, RICHOUX-DURANTHON, POURNIN AND BABINET **120**, 797.
Parthenogenesis
imprinting in embryonic stem cells: SZABO AND MANN **120**, 1651.
imprinting in parthenogenetic stem cells: ALLEN, BARTON, HILTON, NORRIS AND SURANI **120**, 1473.
patched
hedgehog family proteins in development: FIETZ, CONCORDET, BARBOSA, JOHNSON, KRAUSS, MCMAHON, TABIN AND INGHAM **Supplement**, 43.
Patched protein
segment border cells induce muscle patterning: VOLK AND VIJAYRAGHAVAN **120**, 59.
subcellular localization of patched protein: CAPDEVILA, PARIENTE, SAMPEDRO, ALONSO AND GUERRERO **120**, 987.
Patella
tubulin expression in *Patella* embryos: DAMEN, VAN GRUNSVEN AND VAN LOON **120**, 2835.
Pattern duplication
grk localisation and embryonic pattern: ROTH AND SCHUPBACH **120**, 2245.
Pattern formation
apterous and dorsoventral compartmentalization: BLAIR, BROWER, THOMAS AND ZAVORTINK **120**, 1805.
autonomy of *Drosophila* mesoderm development: LEPTIN AND ROTH **120**, 853.
axis formation in the *Drosophila* leg: DIAZ-BENJUMEA AND COHEN **120**, 1661.
β-catenin distribution in *Xenopus* embryos: FAGOTTO AND GUMBINER **120**, 3667.
dischevelled in *wingless* signaling: THEISEN, PURCELL, BENNETT, KANSAGARA, SYED AND MARSH **120**, 347.
Drosophila head development: GROSSNIKLAUS, CADIGAN AND GEHRING **120**, 3155.
effect of the *FASS* gene on morphogenesis: TORRES-RUIZ AND JURGENS **120**, 2967.
establishment of left-right asymmetry: HUTTER AND SCHNABEL **120**, 2051.
fate mapping of silkworm eggs: MYOHARA **120**, 2869.
head-specific gene in hydra: WEINZIGER, SALGADO, DAVID AND BOSCH **120**, 2511.
lin-3/*let-23* in *Caenorhabditis elegans* males: CHAMBERLIN AND STERNBERG **120**, 2713.
myosin heavy chain mutants of *Dictyostelium*: TRAYNOR, TASAKA, TAKEUCHI AND WILLIAMS **120**, 591.
regulation of *scute* by *emc*: CABRERA, ALONSO AND HUIKESHOVEN **120**, 3595.
rhombomere transformation and *Hoxa-1*: ZHANG, KIM, MARSHALL, GENDRON-MAGUIRE, LUCAS, BARON, GUDAS, GRIDLEY, KRUMLAUF AND GRIPPO **120**, 2431.
symmetry systems and compartments in Lepidopteran wings: NIJHOUT **Supplement**, 225.
the evolution of insect patterning mechanisms: SANDER **Supplement**, 187.
transcriptional regulation of *string*: EDGAR, LEHMAN AND O'FARRELL **120**, 3131.
Wnt-1 can act as a mitogen in the CNS: DICKINSON, KRUMLAUF AND MCMAHON **120**, 1453.
Pattern propagation
dachshund function in eye and leg morphogenesis: MARDON, SOLOMON AND RUBIN **120**, 3473.
Patterning
En-2 and cerebellar patterning: MILLEN, WURST, HERRUP AND JOYNER **120**, 695.
the evolution of insect patterning mechanisms: SANDER **Supplement**, 187.
Pax group
HOM/Hox functional conservation: MANAK AND SCOTT **Supplement**, 61.
Pax-1
and axial skeleton development: WALLIN, WILTING, KOSEKI, FRITSCH, CHRIST AND BALLING **120**, 1109.
during development of the pectoral girdle: TIMMONS, WALLIN, RIGBY AND BALLING **120**, 2773.
Pax-3
neural-inducing factors: PRUITT **120**, 3301.
Pax-3 is an early marker for myogenic precursors: BOBER, FRANZ, ARNOLD, GRUSS AND TREMBLAY **120**, 603.
regulation of *Pax* gene expression in somites and muscle: GOULDING, LUMSDEN AND PAQUETTE **120**, 957.
primitive streak mesoderm-like cell lines: PRUITT **120**, 37.
PBS
tenascin expression during implantation: JULIAN, CHIQUET-EHRISMANN, ERICKSON AND CARSON **120**, 661.
PDGF
inhibition of oligodendrocyte differentiation by RA: NOLL AND MILLER **120**, 649.
Pectoral girdle
Pax-1 during development of the pectoral girdle: TIMMONS, WALLIN, RIGBY AND BALLING **120**, 2773.
Pepsinogen gene
tissue interaction and pepsinogen expression: FUKUDA **120**, 3487.
Peptide growth factor
induction of myogenesis by a Kunitz-type molecule: WELLS AND STRICKLAND **120**, 3639.
Peptide YY
PYY-producing cell in islet differentiation: UPCHURCH, APONTE AND LEITER **120**, 245.
Peripheral nerve
axons arrest Schwann cells: BHATTACHARYYA, BRACKENBURY AND RATNER **120**, 1411.
β_4 integrin in myelinating Schwann cells: FELTRI, SCHERER, NEMNI, KAMHOLZ, VOGELBACKER, SCOTT, CANAL, QUARANTA AND WRABETZ **120**, 1287.
Peripheral nervous system
antagonistic activities of *Su(H)* and *H*: SCHWEISGUTH AND POSAKONY **120**, 1433.
protein phosphatase 2A and cell fate: SHIOMI, TAKEICHI, NISHIDA, NISHI AND UEMURA **120**, 1591.
Petrobius
insect embryogenesis: TAUTZ, FRIEDRICH AND SCHRODER **Supplement**, 193.
Petromyzon
gene duplications and vertebrate origins: HOLLAND, GARCIA-FERNANDEZ, WILLIAMS AND SIDOW **Supplement**, 125.
PGC
role of LIFR in PGC growth: CHENG, GEARING, WHITE, COMPTON, SCHOOLEY AND DONOVAN **120**, 3145.

pha-1
pha-1 and organ development: GRANATO, SCHNABEL AND SCHNABEL **120**, 3005.
pha-4
pha-4 and organ development: MANGO, LAMBIE AND KIMBLE **120**, 3019.
Pharyngeal arch
zebrafish pharyngeal lineage restrictions: SCHILLING AND KIMMEL **120**, 483.
Pharynx
pha-1 and organ development: GRANATO, SCHNABEL AND SCHNABEL **120**, 3005.
pha-4 and organ development: MANGO, LAMBIE AND KIMBLE **120**, 3019.
pharyngeal muscle gene regulation: OKKEMA AND FIRE **120**, 2175.
Phase change
gl15 regulates epidermal identity in maize: EVANS, PASSAS AND POETHIG **120**, 1971.
Phenotype choice
neuronal lineage in the chick hindbrain: LUMSDEN, CLARKE, KEYNES AND FRASER **120**, 1581.
Phenovariation
pseudodirected variation in cell-division factor requirement: MEINS JR. AND SELDRAN **120**, 1163.
Pheromone
sex-determining genes in fern *Ceratopteris*: BANKS **120**, 1949.
Phosphate-buffered saline
tenascin expression during implantation: JULIAN, CHIQUET-EHRISMANN, ERICKSON AND CARSON **120**, 661.
Phosphatidylinositol
head-specific gene in hydra: WEINZIGER, SALGADO, DAVID AND BOSCH **120**, 2511.
Photoreceptor
Drosophila R7 retinotopic map formation: ASHLEY AND KATZ **120**, 1537.
regeneration of photoreceptors: BRAISTED, ESSMAN AND RAYMOND **120**, 2409.
Star and its interactions with *sevenless* and EGF receptor in *Drosophila:* KOLODKIN, PICKUP, LIN, GOODMAN AND BANERJEE **120**, 1731.
Phylogeny
insect embryogenesis: TAUTZ, FRIEDRICH AND SCHRODER **Supplement**, 193.
molecular biology and palaeontology: CONWAY MORRIS **Supplement**, 1.
phylogeny and the Cambrian radiation: PHILIPPE, CHENUIL AND ADOUTTE **Supplement**, 15.
vertebrate limb evolution: COATES **Supplement**, 169.
pie-1
apx-1 and dorsal blastomere identity: MANGO, THORPE, MARTIN, CHAMBERLAIN AND BOWERMAN **120**, 2305.
Pit-1
pituitary ontogeny of the Snell dwarf mouse: LIN, LI, DROLET AND ROSENFELD **120**, 515.
Pituitary
pituitary ontogeny of the Snell dwarf mouse: LIN, LI, DROLET AND ROSENFELD **120**, 515.
Placenta
regulation of trophoblast gene expression: NG, GEORGE, ENGEL AND LINZER **120**, 3257.
Placental lactogen
regulation of trophoblast gene expression: NG, GEORGE, ENGEL AND LINZER **120**, 3257.
PlacW
lola encodes a putative transcription factor: GINIGER, TIETJE, JAN AND JAN **120**, 1385.
Planar signals
neural induction and intracellular pH: SATER, ALDERTON AND STEINHARDT **120**, 433.
Plant embryogenesis
abnormal suspensor mutants of *Arabidopsis*: SCHWARTZ, YEUNG AND MEINKE **120**, 3235.
Plant morphogenesis
abnormal suspensor mutants of *Arabidopsis*: SCHWARTZ, YEUNG AND MEINKE **120**, 3235.
Plasmin
t-PA/lacZ transgenic mice: CARROLL, TSIRKA, RICHARDS, FROHMAN AND STRICKLAND **120**, 3173.
Platelet-derived growth factor
inhibition of PDGF-B translation: SOUZA, SEDLACKOVA, KULISZEWSKI, WANG, LIU, TSEU, LIU, TRANSWELL AND POST **120**, 2163.
Platelet endothelial cell adhesion molec
PECAM-1 expression during cardiovascular development: BALDWIN, SHEN, YAN, DELISSER, CHUNG, MICKANIN, TRASK, KIRSCHBAUM, NEWMAN, ALBELDA AND BUCK **120**, 2539.
Platycnemis
insect embryogenesis: TAUTZ, FRIEDRICH AND SCHRODER **Supplement**, 193.
PNA-binding activity
glycoconjugates and neural crest cells: OAKLEY, LASKY, ERICKSON AND TOSNEY **120**, 103.
PNS
embryonic expression and cloning of the murine GATA-3 gene: GEORGE, LEONARD, ROTH, LIEUW, KIOUSSIS, GROSVELD AND ENGEL **120**, 2673.
lola encodes a putative transcription factor: GINIGER, TIETJE, JAN AND JAN **120**, 1385.
Polar coordinate model
dishevelled in *wingless* signaling: THEISEN, PURCELL, BENNETT, KANSAGARA, SYED AND MARSH **120**, 347.
Polarity
effect of the *FASS* gene on morphogenesis: TORRES-RUIZ AND JURGENS **120**, 2967.
evolution of cell lineages in nematodes: SOMMER, CARTA AND STERNBERG **Supplement**, 85.
Polarity reversal
lin-44 mutations reverse cell polarity: HERMAN AND HORVITZ **120**, 1035.
Polarizing activity
spatzle protein defines dorsal-ventral polarity in *Drosophila*: SCHNEIDER, JIN, MORISATO AND ANDERSON **120**, 1243.
Polarizing region
Bmp-2 and *Bmp-4* expression in the chick limb bud: FRANCIS, RICHARDSON, BRICKELL AND TICKLE **120**, 209.
Pole cell
phylogenetic analysis of *oskar* function: WEBSTER, SUEN AND MACDONALD **120**, 2027.
sex in soma and germ line of *Musca*: HILFIKER-KLEINER, DUBENDORFER, HILFIKER AND NOTHIGER **120**, 2531.
Pollen-pistil interaction
pollen-pistil interactions in *Arabidopsis*: KANDASAMY, NASRALLAH AND NASRALLAH **120**, 3405.
Pollen tube
pollen-pistil interactions in *Arabidopsis*: KANDASAMY, NASRALLAH AND NASRALLAH **120**, 3405.
Polycomb group
Drosophila Polycomblike gene: LONIE, D'ANDREA, PARO AND SAINT **120**, 2629.
Polycomblike
Drosophila Polycomblike gene: LONIE, D'ANDREA, PARO AND SAINT **120**, 2629.
Polypeptide signalling molecule
growth factors in development: HOGAN, BLESSING, WINNIER, SUZUKI AND JONES **Supplement**, 53.
Polytene chromosome
Drosophila BR-C protein expression: EMERY, BEDIAN AND GUILD **120**, 3275.

Drosophila Polycomblike gene: LONIE, D'ANDREA, PARO AND SAINT **120**, 2629.
Positional information
alignment of HOM/Hox gene domains in leech: NARDELLI-HAEFLIGER, BRUCE AND SHANKLAND **120**, 1839.
evolutionary origin of development: WOLPERT **Supplement**, 79.
Posterior group genes
molecular analysis of *mago nashi*: NEWMARK AND BOSWELL **120**, 1303.
Posterior prevalence
temporal colinearity and phylotypic progression: DUBOULE **Supplement**, 135.
Postimplantation
activins in murine embryogenesis: FEIJEN, GOUMANS AND VAN DEN EIJNDEN-VAN RAAIJ **120**, 3621.
Post-translational control
induction of myogenesis by a Kunitz-type molecule: WELLS AND STRICKLAND **120**, 3639.
POU group
HOM/Hox functional conservation: MANAK AND SCOTT **Supplement**, 61.
POU transcription factor
SpOct and cleavage of sea urchin zygotes: CHAR, TAN AND MAXSON **120**, 1929.
Prechordal plate
expression of zebrafish *hlx-1* gene: FJOSE, IZPISUA-BELMONTE, FROMENTAL-RAMAIN AND DUBOULE **120**, 71.
Precursor cells
hydrophobic signals time oligodendrocyte development: BARRES, LAZAR AND RAFF **120**, 1097.
Preimplantation mouse embryo
gene expression in preimplantation embryo: WORRAD, RAM AND SCHULTZ **120**, 2347.
gp330 during early development: GUETH-HALLONET, SANTA-MARIA, VERROUST AND MARO **120**, 3289.
Prespore
analysis of a Dd anterior-like cell mutant: BICHLER AND WEIJER **120**, 2857.
Prespore gene
regulation of prespore gene expression: POWELL-COFFMAN AND FIRTEL **120**, 1601.
Prespore-like cell
prespore-like cells of *Dictyostelium*: DETTERBECK, MORANDINI, WETTERAUER, BACHMAIR, FISCHER AND MACWILLIAMS **120**, 2847.
Prestalk
analysis of a Dd anterior-like cell mutant: BICHLER AND WEIJER **120**, 2857.
prespore-like cells of *Dictyostelium*: DETTERBECK, MORANDINI, WETTERAUER, BACHMAIR, FISCHER AND MACWILLIAMS **120**, 2847.
Primary cell
developmental regulation of oligodendroglial integrins: MILNER AND FFRENCH-CONSTANT **120**, 3497.
Primitive streak
activin, follistatin and mouse embryos: ALBANO, ARKELL, BEDDINGTON AND SMITH **120**, 803.
fate map of chick epiblast: HATADA AND STERN **120**, 2879.
nodal function in mouse embryos: CONLON, LYONS, TAKAESU, BARTH, KISPERT, HERRMANN AND ROBERTSON **120**, 1919.
Primitive streak induction
marginal zone cells become primitive streak inducers only when in hypoblast: EYAL-GILADI, LOTAN, LEVIN, AVNER AND HOCHMAN **120**, 2501.
Primordial germ cell
EG cells: developmental potential and imprinting: LABOSKY, BARLOW AND HOGAN **120**, 3197.
mouse PGC migration: GOMPERTS, GARCIA-CASTRO, WYLIE AND HEASMAN **120**, 135.
primordial germ cell migration in *Drosophila*: JAGLARZ AND HOWARD **120**, 83.
role of LIFR in PGC growth: CHENG, GEARING, WHITE, COMPTON, SCHOOLEY AND DONOVAN **120**, 3145.
X chromosome in primordial germ cells: TAM, ZHOU AND TAN **120**, 2925.
Profilin
profilin mutation in *Drosophila*: VERHEYEN AND COOLEY **120**, 717.
Programmed cell death
anti-apogens and anti-engulfens: ROTELLO, FERNANDEZ AND YUAN **120**, 1421.
Proliferation
developmental regulation of oligodendroglial integrins: MILNER AND FFRENCH-CONSTANT **120**, 3497.
FGF regulated neural crest cell division: MURPHY **120**, 3519.
Promoter trapping
Caenorhabditis elegans PES-1: expression and homology: HOPE **120**, 505.
Promoter usage
overlapping patterns of *IGF2* and *H19* expression: OHLSSON, HEDBORG, HOLMGREN, WALSH AND EKSTROM **120**, 361.
Pronephros
Xlim-1 gene expression in *Xenopus*: TAIRA, OTANI, JAMRICH AND DAWID **120**, 1525.
Proneural gene
tip cell specification in *Drosophila* Malpighian tubules: HOCH **120**, 3439.
vnd and early neurogenesis: SKEATH, PANGANIBAN AND CARROLL **120**, 1517.
prospero
HOM/Hox functional conservation: MANAK AND SCOTT **Supplement**, 61.
Protease nexin-1
induction of myogenesis by a Kunitz-type molecule: WELLS AND STRICKLAND **120**, 3639.
Protein
CRABP expression and anteroposterior defects in *Xenopus*: DEKKER, VAESSEN, VAN DEN BERG, TIMMERMANS, GODSAVE, HOLLING, NIEUWKOOP, VAN KESSEL AND DURSTON **120**, 973.
dpp regulation by homeotic genes: MANAK, MATHIES AND SCOTT **120**, 3605.
hs-*frizzled* function in tissue polarity: KRASNOW AND ADLER **120**, 1883.
regulation of posterior of *h* pair-rule stripes: LANGELAND, ATTAI, VORWERK AND CARROLL **120**, 2945.
RK2, a glial-specific homeodomain protein in *Drosophila*: CAMPBELL, GORING, LIN, SPANA, ANDERSSON, DOE AND TOMLINSON **120**, 2957.
sperm-induced egg activation: MOORE, AYABE, VISCONTI, SCHULTZ AND KOPF **120**, 3313.
SpOct and cleavage of sea urchin zygotes: CHAR, TAN AND MAXSON **120**, 1929.
teashirt and midgut morphogenesis: MATHIES, KERRIDGE AND SCOTT **120**, 2799.
Protein 4.1
coracle, a *Drosophila* protein 4.1 homologue: FEHON, DAWSON AND ARTAVANIS-TSAKONAS **120**, 545.
Protein breakdown
prespore-like cells of *Dictyostelium*: DETTERBECK, MORANDINI, WETTERAUER, BACHMAIR, FISCHER AND MACWILLIAMS **120**, 2847.
Protein domain
evolution of ECM proteins: ENGEL, EFIMOV AND MAURER **Supplement**, 35.
Protein evolution
protein families in the Metazoan genome: CHOTHIA **Supplement**, 27.

Protein isoform
Drosophila BR-C protein expression: EMERY, BEDIAN AND GUILD **120**, 3275.
Protein kinase A
induction of *Dictyostelium* sporulation: RICHARDSON, LOOMIS AND KIMMEL **120**, 2891.
Protein kinase C
head-specific gene in hydra: WEINZIGER, SALGADO, DAVID AND BOSCH **120**, 2511.
Protein phosphatase 2A
protein phosphatase 2A and cell fate: SHIOMI, TAKEICHI, NISHIDA, NISHI AND UEMURA **120**, 1591.
Protein targeting
cortical granule biogenesis: LAIDLAW AND WESSEL **120**, 1325.
Proteoglycans
effect of ECM on I-cell migration in hydra: ZHANG AND SARRAS JR. **120**, 425.
proteoglycans in mesoderm formation in *Xenopus*: ITOH AND SOKOL **120**, 2703.
Proto-oncogene
c-*rel* expression in lymphoid tissues: CARRASCO, WEIH AND BRAVO **120**, 2991.
PS integrin
Drosophila integrins in development: GRINBLAT, ZUSMAN, YEE, HYNES AND KAFATOS **120**, 91.
PspB
regulation of prespore gene expression: POWELL-COFFMAN AND FIRTEL **120**, 1601.
PstA and pstB cells
myosin heavy chain mutants of *Dictyostelium*: TRAYNOR, TASAKA, TAKEUCHI AND WILLIAMS **120**, 591.
Purkinje cell
Wnt-3 expression in the cerebellum: SALINAS, FLETCHER, COPELAND, JENKINS AND NUSSE **120**, 1277.
zebrin II is identical to aldolase C: AHN, DZIENNIS, HAWKES AND HERRUP **120**, 2081.
Pyknosis
afferent control of neuron death and cell birth: JOHNSON AND BOTTJER **120**, 13.
***P_o* gene**
growth factors suppress P_o induction: MORGAN, JESSEN AND MIRSKY **120**, 1399.
Quail
avian crest cell migration on vitronectin: DELANNET, MARTIN, BOSSY, CHERESH, REICHARDT AND DUBAND **120**, 2687.
influence of axial structures on myogenesis: BOBER, BRAND-SABERI, EBENSPERGER, WILTING, BALLING, PATERSON, ARNOLD AND CHRIST **120**, 3073.
Quail/chick chimera
Pax-3 in myogenic specification: WILLIAMS AND ORDAHL **120**, 785.
Wnt-1 in met/mesencephalic grafts: BALLY-CUIF AND WASSEF **120**, 3379.
R7 photoreceptor
Drosophila R7 retinotopic map formation: ASHLEY AND KATZ **120**, 1537.
RA
rhombomere transformation and *Hoxa-1*: ZHANG, KIM, MARSHALL, GENDRON-MAGUIRE, LUCAS, BARON, GUDAS, GRIDLEY, KRUMLAUF AND GRIPPO **120**, 2431.
Radial glia
B-FABP expression during CNS development: KURTZ, ZIMMER, SCHNUTGEN, BRUNING, SPENER AND MULLER **120**, 2637.
Raf
sevenless and epidermal development in *Drosophila*: DIAZ-BENJUMEA AND HAFEN **120**, 569.
RAR
RARs and fin regeneration: WHITE, BOFFA, JONES AND PETKOVICH **120**, 1861.
Ras 1
sevenless and epidermal development in *Drosophila*: DIAZ-BENJUMEA AND HAFEN **120**, 569.
Rat
β_4 integrin in myelinating Schwann cells: FELTRI, SCHERER, NEMNI, KAMHOLZ, VOGELBACKER, SCOTT, CANAL, QUARANTA AND WRABETZ **120**, 1287.
Ad4BP expression in gonads and adrenal gland: HATANO, TAKAYAMA, IMAI, WATERMAN, TAKAKUSU, OMURA AND MOROHASHI **120**, 2787.
L-14 mediates olfactory neuron adhesion: MAHANTHAPPA, COOPER, BARONDES AND SCHWARTING **120**, 1373.
NMDA receptor-mediated dendrite development: KALB **120**, 3063.
proliferation of cortical progenitor cells: TEMPLE AND DAVIS **120**, 999.
Rat development
lung inhibition of PDGF-B translation: SOUZA, SEDLACKOVA, KULISZEWSKI, WANG, LIU, TSEU, LIU, TRANSWELL AND POST **120**, 2163.
retinoic acid and photoreceptor development: KELLEY, TURNER AND REH **120**, 2091.
Receptor
craniofacial, skeletal abnormalities and RARs in ontogenesis: LOHNES, MARK, MENDELSOHN, DOLLE, DIERICH, GORRY, GANSMULLER AND CHAMBON **120**, 2723.
expression of a novel serine/threonine kinase receptor gene: BAARENDS, AN HELMOND, OST, AN DER SCHOOT, OOGERBRUGGE, E WINTER, ILENBROEK, ARELS, ILMING, EIJERS, HEMMEN AND ROOTEGOED **120**, 189.
germ line localization of GLP-1: CRITTENDEN, TROEMEL, EVANS AND KIMBLE **120**, 2901.
mammalian Notch suppresses neurogenesis: NYE, KOPAN AND AXEL **120**, 2421.
sevenless and epidermal development in *Drosophila*: DIAZ-BENJUMEA AND HAFEN **120**, 569.
Receptor tyrosine kinase
rtk gene expression during zebrafish gastrulation: XU, HOLDER, PATIENT AND WILSON **120**, 287.
Regeneration
β_4 integrin in myelinating Schwann cells: FELTRI, SCHERER, NEMNI, KAMHOLZ, VOGELBACKER, SCOTT, CANAL, QUARANTA AND WRABETZ **120**, 1287.
head-specific gene in hydra: WEINZIGER, SALGADO, DAVID AND BOSCH **120**, 2511.
RARs and fin regeneration: WHITE, BOFFA, JONES AND PETKOVICH **120**, 1861.
regeneration of photoreceptors: BRAISTED, ESSMAN AND RAYMOND **120**, 2409.
Regulatory sequence
regulation of prespore gene expression: POWELL-COFFMAN AND FIRTEL **120**, 1601.
c-*rel* expression
c-*rel* expression in lymphoid tissues: CARRASCO, WEIH AND BRAVO **120**, 2991.
Reporter gene
gene expression in preimplantation embryo: WORRAD, RAM AND SCHULTZ **120**, 2347.
Repression
Drosophila Polycomblike gene: LONIE, D'ANDREA, PARO AND SAINT **120**, 2629.
HOM/Hox functional conservation: MANAK AND SCOTT **Supplement**, 61.
Kruppel regulation by *hunchback*: SCHULZ AND TAUTZ **120**, 3043.
Repressor
regulation of posterior of *h* pair-rule stripes: LANGELAND, ATTAI, VORWERK AND CARROLL **120**, 2945.
Reproductive biology
pollen-pistil interactions in *Arabidopsis*: KANDASAMY, NASRALLAH AND NASRALLAH **120**, 3405.

Retina
BDNF in the visual system: HERZOG, BAILEY AND BARDE **120**, 1643.
CASH in the nervous system: JASONI, WALKER, MORRIS AND REH **120**, 769.
regeneration of photoreceptors: BRAISTED, ESSMAN AND RAYMOND **120**, 2409.
Retinoic acid
Bmp-2 and *Bmp-4* expression in the chick limb bud: FRANCIS, RICHARDSON, BRICKELL AND TICKLE **120**, 209.
caudalization by the organizer: YAMADA **120**, 3051.
CRABP expression and anteroposterior defects in *Xenopus*: DEKKER, VAESSEN, VAN DEN BERG, TIMMERMANS, GODSAVE, HOLLING, NIEUWKOOP, VAN KESSEL AND DURSTON **120**, 973.
craniofacial, skeletal abnormalities and RARs in ontogenesis: LOHNES, MARK, MENDELSOHN, DOLLE, DIERICH, GORRY, GANSMULLER AND CHAMBON **120**, 2723.
inhibition of oligodendrocyte differentiation by RA: NOLL AND MILLER **120**, 649.
mesoderm regulates mouse *Otx2* expression: ANG, CONLON, JIN AND ROSSANT **120**, 2979.
patterning of limb muscles: ROBSON, KARA, CRAWLEY AND TICKLE **120**, 1265.
polarity in heart formation: YUTZEY, RHEE AND BADER **120**, 871.
positional signaling in the chick wing bud: HELMS, THALLER AND EICHELE **120**, 3267.
RA, segmentation and *HoxB* domains: WOOD, PALL AND MORRISS-KAY **120**, 2279.
RARs and fin regeneration: WHITE, BOFFA, JONES AND PETKOVICH **120**, 1861.
Xlim-1 gene expression in *Xenopus*: TAIRA, OTANI, JAMRICH AND DAWID **120**, 1525.
Retinoic acid receptor mutant
multiple abnormalities in RAR double mutants: MENDELSOHN, LOHNES, DECIMO, LUFKIN, LEMEUR, CHAMBON AND MARK **120**, 2749.
Retinoic acid receptors
chimaeric RA receptors in wound epidermis: PECORINO, LO AND BROCKES **120**, 325.
Retinoids
retinoic acid and photoreceptor development: KELLEY, TURNER AND REH **120**, 2091.
Retinotopic map
Drosophila R7 retinotopic map formation: ASHLEY AND KATZ **120**, 1537.
Rhodamine-tubulin
microtubule movement in *Xenopus* eggs: HOULISTON **120**, 1213.
rhomboid
blistered wing development: FRISTROM, GOTWALS, EATON, KORNBERG, STURTEVANT, BIER AND FRISTROM **120**, 2661.
down-regulation of *Egf-r* mRNA: STURTEVANT, O'NEILL AND BIER **120**, 2593.
enhancer piracy and *rhomboid* function: NOLL, STURTEVANT, GOLLAPUDI AND BIER **120**, 2329.
Rhombomere
hindbrain expression of chick *Hoxa-2*: PRINCE AND LUMSDEN **120**, 911.
hindbrain neural crest migration: SECHRIST, SCHERSON AND BRONNER-FRASER **120**, 1777.
kreisler, a hindbrain segmentation mutant: MCKAY, MUCHAMORE, KRUMLAUF, MADEN, LUMSDEN AND LEWIS **120**, 2199.
neuronal lineage in the chick hindbrain: LUMSDEN, CLARKE, KEYNES AND FRASER **120**, 1581.
RA, segmentation and *HoxB* domains: WOOD, PALL AND MORRISS-KAY **120**, 2279.
rhombomere transformation and *Hoxa-1*: ZHANG, KIM, MARSHALL, GENDRON-MAGUIRE, LUCAS, BARON, GUDAS, GRIDLEY, KRUMLAUF AND GRIPPO **120**, 2431.
violation of hindbrain compartments: BIRGBAUER AND FRASER **120**, 1347.
Ring canal
Drosophila ovarian ring canals: ROBINSON, CANT AND COOLEY **120**, 2015.
RK2
RK2, a glial-specific homeodomain protein in *Drosophila*: CAMPBELL, GORING, LIN, SPANA, ANDERSSON, DOE AND TOMLINSON **120**, 2957.
RNA
embryonic RNAs in *Caenorhabditis*: SEYDOUX AND FIRE **120**, 2823.
Xist RNA in mouse tissues and ES cells: BUZIN, MANN AND SINGER-SAM **120**, 3529.
RNA localization
phylogenetic analysis of *oskar* function: WEBSTER, SUEN AND MACDONALD **120**, 2027.
requirements for *Bicaudal-D*: RAN, BOPP AND SUTTER **120**, 1233.
mRNA
Bcl-x expression during mouse development: GONZALEZ-GARCIA, PEREZ-BALLESTERO, DING, DUAN, BOISE, THOMPSON AND NUNEZ **120**, 3033.
mRNA stability
down-regulation of *Egf-r* mRNA: STURTEVANT, O'NEILL AND BIER **120**, 2593.
mRNA/protein localization
molecular analysis of *mago nashi*: NEWMARK AND BOSWELL **120**, 1303.
mRNA quantification
BDNF in the visual system: HERZOG, BAILEY AND BARDE **120**, 1643.
mRNA structure
regulation of bithorax by *trithorax* in *Drosophila*: SEDKOV, TILLIB, MIZROKHI AND MAZO **120**, 1907.
rRNA
phylogeny and the Cambrian radiation: PHILIPPE, CHENUIL AND ADOUTTE **Supplement**, 15.
hnRNP
molecular basis of the mouse A^y mutation: DUHL, STEVENS, VRIELING, SAXON, MILLER, EPSTEIN AND BARSH **120**, 1695.
Rod photoreceptors
retinoic acid and photoreceptor development: KELLEY, TURNER AND REH **120**, 2091.
Roof plate
cadherin expression in *Wnt-1* mutants: SHIMAMURA, HIRANO, MCMAHON AND TAKEICHI **120**, 2225.
Root
dye-coupling in *Arabidopsis* root epidermis: DUCKETT, OPARKA, PRIOR, DOLAN AND ROBERTS **120**, 3247.
embryonic origin of root meristem initials: SCHERES, WOLKENFELT, WILLEMSEN, TERLOUW, LAWSON, DEAN AND WEISBEEK **120**, 2475.
Root development
cell patterning in the root of *Arabidopsis*: DOLAN, DUCKETT, GRIERSON, LINSTEAD, SCHNEIDER, LAWSON, DEAN, POETHIG AND ROBERTS **120**, 2465.
Root hair
cell patterning in the root of *Arabidopsis*: DOLAN, DUCKETT, GRIERSON, LINSTEAD, SCHNEIDER, LAWSON, DEAN, POETHIG AND ROBERTS **120**, 2465.
dye-coupling in *Arabidopsis* root epidermis: DUCKETT, OPARKA, PRIOR, DOLAN AND ROBERTS **120**, 3247.
Rostral brain
expression of zebrafish *hlx-1* gene: FJOSE, IZPISUA-BELMONTE, FROMENTAL-RAMAIN AND DUBOULE **120**, 71.
RT-PCR
FGF-4 expression in mouse inner cell mass: RAPPOLEE, BASILICO, PATEL AND WERB **120**, 2259.

runt
gap gene properties of *runt*: TSAI AND GERGEN **120**, 1671.
Satellite cells
B-FABP expression during CNS development: KURTZ, ZIMMER, SCHNUTGEN, BRUNING, SPENER AND MULLER **120**, 2637.
cloning and expression pattern of FREK in avian embryo: MARCELLE, EICHMANN, HALEVY, BREANT AND LE DOUARIN **120**, 683.
Sax1
Sax1 expression in the spinal cord: SPANN, GINSBURG, RANGINI, FAINSOD, EYAL-GILADI AND GRUENBAUM **120**, 1817.
scabrous
and the morphogenetic furrow: ELLIS, WEBER, WIERSDORFF AND MLODZIK **120**, 1959.
Schistocerca
early patterning in *Schistocerca*: DAWES, DAWSON, FALCIANI, TEAR AND AKAM **120**, 1561.
evolution of arthropod segmentation: PATEL **Supplement**, 201.
Hox genes in arthropods: AKAM, AVEROF, CASTELLI-GAIR, DAWES, FALCIANI AND FERRIER **Supplement**, 209.
insect embryogenesis: TAUTZ, FRIEDRICH AND SCHRODER **Supplement**, 193.
Schwann cell
axons arrest Schwann cells: BHATTACHARYYA, BRACKENBURY AND RATNER **120**, 1411.
β_4 integrin in myelinating Schwann cells: FELTRI, SCHERER, NEMNI, KAMHOLZ, VOGELBACKER, SCOTT, CANAL, QUARANTA AND WRABETZ **120**, 1287.
growth factors suppress P_0 induction: MORGAN, JESSEN AND MIRSKY **120**, 1399.
Sclerotome
Pax-1 and axial skeleton development: WALLIN, WILTING, KOSEKI, FRITSCH, CHRIST AND BALLING **120**, 1109.
SDS-PAGE
tenascin expression during implantation: JULIAN, CHIQUET-EHRISMANN, ERICKSON AND CARSON **120**, 661.
Sea urchin
evolution of echinoderm development: WRAY AND BELY **Supplement**, 97.
homolog of huBMP1: HWANG, PARTIN AND LENNARZ **120**, 559.
laminin receptors on mesenchyme: CRAWFORD AND BURKE **120**, 3227.
sea urchin axis of bilateral asymmetry: MCCAIN AND MCCLAY **120**, 395.
SpOct and cleavage of sea urchin zygotes: CHAR, TAN AND MAXSON **120**, 1929.
Seam cell
cell contact and neurogenesis in *Caenorhabditis*: AUSTIN AND KENYON **120**, 313.
Second messenger
FGF and neurite outgrowth: WILLIAMS, FURNESS, WALSH AND DOHERTY **120**, 1685.
Secondary mesenchyme
laminin receptors on mesenchyme: CRAWFORD AND BURKE **120**, 3227.
Secreted protein
over-expression of *argos*: FREEMAN **120**, 2297.
Sectors analysis
development of the maize leaf epidermis: CERIOLI, MAROCCO, MADDALONI, MOTTO AND SALAMINI **120**, 2113.
Segment identity
alignment of HOM/Hox gene domains in leech: NARDELLI-HAEFLIGER, BRUCE AND SHANKLAND **120**, 1839.
ectopic *teashirt* expression: DE ZULUETA, ALEXANDRE, JACQ AND KERRIDGE **120**, 2287.
Segment polarity genes
segment border cells induce muscle patterning: VOLK AND VIJAYRAGHAVAN **120**, 59.
subcellular localization of patched protein: CAPDEVILA, PARIENTE, SAMPEDRO, ALONSO AND GUERRERO **120**, 987.
hedgehog family proteins in development: FIETZ, CONCORDET, BARBOSA, JOHNSON, KRAUSS, MCMAHON, TABIN AND INGHAM **Supplement**, 43.
18 wheeler: ELDON, KOOYER, D'EVELYN, DUMAN, P. AND J. **120**, 885.
Segmentation
dischevelled in *wingless* signaling: THEISEN, PURCELL, BENNETT, KANSAGARA, SYED AND MARSH **120**, 347.
ectopic *gooseberry* changes cell fate: ZHANG, UNGAR, FRESQUEZ AND HOLMGREN **120**, 1151.
evolution of arthropod segmentation: PATEL **Supplement**, 201.
gap gene properties of *runt*: TSAI AND GERGEN **120**, 1671.
insect embryogenesis: TAUTZ, FRIEDRICH AND SCHRODER **Supplement**, 193.
Kruppel regulation by *hunchback*: SCHULZ AND TAUTZ **120**, 3043.
Pax-3 in myogenic specification: WILLIAMS AND ORDAHL **120**, 785.
RA, segmentation and *HoxB* domains: WOOD, PALL AND MORRISS-KAY **120**, 2279.
Seizure
t-PA/lacZ transgenic mice: CARROLL, TSIRKA, RICHARDS, FROHMAN AND STRICKLAND **120**, 3173.
Self-regulation
grk localisation and embryonic pattern: ROTH AND SCHUPBACH **120**, 2245.
Sensory afferents
sensory projections in the spinal cord: SHARMA, KORADE AND FRANK **120**, 1315.
Sensory ganglion
in vivo role of NT-3 for sensory neurons: GAESE, KOLBECK AND BARDE **120**, 1613.
Sensory neuron
FGF regulated neural crest cell division: MURPHY **120**, 3519.
regulation of NGF synthesis by TGF-β in development: BUCHMAN, SPORN AND DAVIES **120**, 1621.
selective change in neurotrophin response: BUJ-BELLO, PINON AND DAVIES **120**, 1573.
Sensory organ development
antagonistic activities of *Su(H)* and *H*: SCHWEISGUTH AND POSAKONY **120**, 1433.
Septate junctions
coracle, a *Drosophila* protein 4.1 homologue: FEHON, DAWSON AND ARTAVANIS-TSAKONAS **120**, 545.
Serine protease
t-PA/lacZ transgenic mice: CARROLL, TSIRKA, RICHARDS, FROHMAN AND STRICKLAND **120**, 3173.
Serine/threonine kinase
thick veins and TGFβ homologs in *Drosophila*: AFFOLTER, NELLEN, NUSSBAUMER AND BASLER **120**, 3105.
Serrate
Serrate and imaginal wing disc development: SPEICHER, THOMAS, HINZ AND KNUST **120**, 535.
Sertoli cell
GATA-1 expression in mouse Sertoli cells: YOMOGIDA, OHTANI, HARIGAE, ITO, NISHIMUNE, ENGEL AND YAMAMOTO **120**, 1759.
Serum response factor
Drosophila SRF expressed in trachea: AFFOLTER, MONTAGNE, WALLDORF, GROPPE, KLOTER, LAROSA AND GEHRING **120**, 743.
sevenless
and epidermal development in *Drosophila*: DIAZ-BENJUMEA AND HAFEN **120**, 569.
Star and its interactions with *sevenless* and EGF receptor in *Drosophila:* KOLODKIN, PICKUP, LIN, GOODMAN AND BANERJEE **120**, 1731.

seven-up
fat-cell lineage: HOSHIZAKI, BLACKBURN, PRICE, GHOSH, MILES, RAGUCCI AND SWEIS **120**, 2489.
Sex combs reduced
teashirt and midgut morphogenesis: MATHIES, KERRIDGE AND SCOTT **120**, 2799.
Sex determination
nematode primary sex determination: HODGKIN, ZELLAN AND ALBERTSON **120**, 3681.
ovo and the X: OLIVER, SINGER, LAGET, PENNETTA AND PAULI **120**, 3185.
sex in soma and germ line of *Musca*: HILFIKER-KLEINER, DUBENDORFER, HILFIKER AND NOTHIGER **120**, 2531.
sex-determining genes in fern *Ceratopteris*: BANKS **120**, 1949.
somatic *tra* and *dsx* control of sex of germ cells: STEINMANN-ZWICKY **120**, 707.
Sex differentiation
Ad4BP expression in gonads and adrenal gland: HATANO, TAKAYAMA, IMAI, WATERMAN, TAKAKUSU, OMURA AND MOROHASHI **120**, 2787.
expression of a novel serine/threonine kinase receptor gene: BAARENDS, AN HELMOND, OST, AN DER SCHOOT, OOGERBRUGGE, E WINTER, ILENBROEK, ARELS, ILMING, EIJERS, HEMMEN AND ROOTEGOED **120**, 189.
Sex-lethal
ovo and the X: OLIVER, SINGER, LAGET, PENNETTA AND PAULI **120**, 3185.
Sexual dimorphism
sex-determining genes in fern *Ceratopteris*: BANKS **120**, 1949.
shaggy
axis formation in the *Drosophila* leg: DIAZ-BENJUMEA AND COHEN **120**, 1661.
Shape
effect of the *FASS* gene on morphogenesis: TORRES-RUIZ AND JURGENS **120**, 2967.
shibire
axonal guidance by an identified mesodermal cell: CHIANG **120**, 3581.
Short germ insect
early patterning in *Schistocerca*: DAWES, DAWSON, FALCIANI, TEAR AND AKAM **120**, 1561.
Shrimp
shrimp oocyte activation by Mg^{2+}: LINDSAY AND CLARK JR. **120**, 3463.
Signal transduction
activin induction requires FGF signaling: LABONNE AND WHITMAN **120**, 463.
analysis of a Dd anterior-like cell mutant: BICHLER AND WEIJER **120**, 2857.
arm stripes and *wg* signal transduction: PEIFER, SWEETON, CASEY AND WIESCHAUS **120**, 369.
deltex/Notch ANK repeat interaction: DIEDERICH, MATSUNO, HING AND ARTAVANIS-TSAKONAS **120**, 473.
gurken dosage and dorsoventral patterning: NEUMAN-SILBERBERG AND SCHUPBACH **120**, 2457.
lag-2 encodes a ligand for GLP-1/LIN-12: HENDERSON, GAO, LAMBIE AND KIMBLE **120**, 2913.
sevenless and epidermal development in *Drosophila*: DIAZ-BENJUMEA AND HAFEN **120**, 569.
Signalling
induction of myogenesis by a Kunitz-type molecule: WELLS AND STRICKLAND **120**, 3639.
myogenesis and type II TGF-β receptor: FILVAROFF, EBNER AND DERYNCK **120**, 1085.
Silkworm
fate mapping of silkworm eggs: MYOHARA **120**, 2869.
Single cell labelling
lineage analysis of the *Drosophila* CNS midline: BOSSING AND TECHNAU **120**, 1895.
single-minded
CNS midline transcription: WHARTON JR **120**, 3563.
Situs inversus
mouse mutant *Ft* and programmed cell death: VAN DER HOEVEN, SCHIMMANG, VOLKMANN, MATTEI, KYEWSKI AND RUTHER **120**, 2601.
Skeletal muscle
cloning and expression pattern of FREK in avian embryo: MARCELLE, EICHMANN, HALEVY, BREANT AND LE DOUARIN **120**, 683.
induction of myogenesis by a Kunitz-type molecule: WELLS AND STRICKLAND **120**, 3639.
innervation-dependent gene regulation: TANG, JO AND BURDEN **120**, 1799.
Skeletal muscle histogenesis
TGFβ and muscle histogenesis: CUSELLA-DE ANGELIS, MOLINARI, LE DONNE, COLETTA, VIVARELLI, BOUCHE, MOLINARO, FERRARI AND COSSU **120**, 925.
Skeletal myogenesis
muscle development in *Myf-5* mutant mice: BRAUN, BOBER, RUDNICKI, JAENISCH AND ARNOLD **120**, 3083.
Skeletogenesis
N-cadherin and chondrogenesis: OBERLENDER AND TUAN **120**, 177.
Skeleton
open brain mutation: GUNTHER, STRUWE, AGUZZI AND SCHUGHART **120**, 3119.
Skull
craniofacial, skeletal abnormalities and RARs in ontogenesis: LOHNES, MARK, MENDELSOHN, DOLLE, DIERICH, GORRY, GANSMULLER AND CHAMBON **120**, 2723.
Slice culture
thalamic cell behaviour on cortical slices: EMERLING AND LANDER **120**, 2811.
sloppy paired
Drosophila head development: GROSSNIKLAUS, CADIGAN AND GEHRING **120**, 3155.
hedgehog family proteins in development: FIETZ, CONCORDET, BARBOSA, JOHNSON, KRAUSS, MCMAHON, TABIN AND INGHAM **Supplement**, 43.
Sna
mesoderm induction in mice: HOLDENER, FAUST, ROSENTHAL AND MAGNUSON **120**, 1335.
snail
autonomy of *Drosophila* mesoderm development: LEPTIN AND ROTH **120**, 853.
insect embryogenesis: TAUTZ, FRIEDRICH AND SCHRODER **Supplement**, 193.
control of *snail* neuronal expression: IP, LEVINE AND BIER **120**, 199.
Snell dwarf mouse
pituitary ontogeny of the Snell dwarf mouse: LIN, LI, DROLET AND ROSENFELD **120**, 515.
Sodium dodecyl sulfate polyacrylamide gel
tenascin expression during implantation: JULIAN, CHIQUET-EHRISMANN, ERICKSON AND CARSON **120**, 661.
Somatic cell
Zfy-1/lacZ expression in the mouse: ZAMBROWICZ, ZIMMERMANN, HARENDZA, SIMPSON, PAGE AND R. L. **120**, 1549.
Somite
activin, follistatin and mouse embryos: ALBANO, ARKELL, BEDDINGTON AND SMITH **120**, 803.
β-catenin distribution in *Xenopus* embryos: FAGOTTO AND GUMBINER **120**, 3667.
influence of axial structures on myogenesis: BOBER, BRAND-SABERI, EBENSPERGER, WILTING, BALLING, PATERSON, ARNOLD AND CHRIST **120**, 3073.
myogenic induction in somites: BUFFINGER AND STOCKDALE **120**, 1443.

Pax-3 in myogenic specification: WILLIAMS AND ORDAHL **120**, 785.
Pax-3 is an early marker for myogenic precursors: BOBER, FRANZ, ARNOLD, GRUSS AND TREMBLAY **120**, 603.
regulation of *Pax* gene expression in somites and muscle: GOULDING, LUMSDEN AND PAQUETTE **120**, 957.
Somitogenesis
β-catenin distribution in *Xenopus* embryos: FAGOTTO AND GUMBINER **120**, 3667.
Somitomere
fate of cranial somitomeres: TRAINOR, TAN AND TAM **120**, 2397.
Songbirds
afferent control of neuron death and cell birth: JOHNSON AND BOTTJER **120**, 13.
sonic hedgehog
hedgehog family proteins in development: FIETZ, CONCORDET, BARBOSA, JOHNSON, KRAUSS, MCMAHON, TABIN AND INGHAM **Supplement**, 43.
positional signaling in the chick wing bud: HELMS, THALLER AND EICHELE **120**, 3267.
Sort germ
insect embryogenesis: TAUTZ, FRIEDRICH AND SCHRODER **Supplement**, 193.
Sos
sevenless and epidermal development in *Drosophila*: DIAZ-BENJUMEA AND HAFEN **120**, 569.
Sp1
gene expression in preimplantation embryo: WORRAD, RAM AND SCHULTZ **120**, 2347.
Spacing pattern
sca and the morphogenetic furrow: ELLIS, WEBER, WIERSDORFF AND MLODZIK **120**, 1959.
Spatzle protein
spatzle protein defines dorsal-ventral polarity in *Drosophila*: SCHNEIDER, JIN, MORISATO AND ANDERSON **120**, 1243.
Specification
lin-3/let-23 in *Caenorhabditis elegans* males: CHAMBERLIN AND STERNBERG **120**, 2713.
Spectrin
β_{Heavy}-spectrin during fly embryogenesis: THOMAS AND KIEHART **120**, 2039.
Speed
temporal colinearity and phylotypic progression: DUBOULE **Supplement**, 135.
Spemann organizer
evolution of vertebrate gastrulation: DE ROBERTIS, FAINSOD, GONT AND STEINBEISSER **Supplement**, 117.
Spermatogenesis
diaphanous required for cytokinesis: CASTRILLON AND WASSERMAN **120**, 3367.
Spermatogenic cycle
GATA-1 expression in mouse Sertoli cells: YOMOGIDA, OHTANI, HARIGAE, ITO, NISHIMUNE, ENGEL AND YAMAMOTO **120**, 1759.
spiA
induction of *Dictyostelium* sporulation: RICHARDSON, LOOMIS AND KIMMEL **120**, 2891.
Spiculogenesis
sea urchin homolog of huBMP1: HWANG, PARTIN AND LENNARZ **120**, 559.
Spinal cord
COUP-TF II in motor neuron development: LUTZ, KURATANI, COONEY, WAWERSIK, TSAI, EICHELE AND TSAI **120**, 25.
expression of zebrafish *hlx-1* gene: FJOSE, IZPISUA-BELMONTE, FROMENTAL-RAMAIN AND DUBOULE **120**, 71.
inhibition of oligodendrocyte differentiation by RA: NOLL AND MILLER **120**, 649.
NMDA receptor-mediated dendrite development: KALB **120**, 3063.
open brain mutation: GUNTHER, STRUWE, AGUZZI AND SCHUGHART **120**, 3119.
Sax1 expression in the spinal cord: SPANN, GINSBURG, RANGINI, FAINSOD, EYAL-GILADI AND GRUENBAUM **120**, 1817.
Wnt-1 can act as a mitogen in the CNS: DICKINSON, KRUMLAUF AND MCMAHON **120**, 1453.
Spinal cord development
t-PA/lacZ transgenic mice: CARROLL, TSIRKA, RICHARDS, FROHMAN AND STRICKLAND **120**, 3173.
***spitz* group gene**
Star and its interactions with *sevenless* and EGF receptor in *Drosophila:* KOLODKIN, PICKUP, LIN, GOODMAN AND BANERJEE **120**, 1731.
Splice variants
novel tenascin variants: TUCKER, SPRING, BAUMGARTNER, MARTIN, HAGIOS, POSS AND CHIQUET-EHRISMANN **120**, 637.
Splotch
Pax-3 is an early marker for myogenic precursors: BOBER, FRANZ, ARNOLD, GRUSS AND TREMBLAY **120**, 603.
regulation of *Pax* gene expression in somites and muscle: GOULDING, LUMSDEN AND PAQUETTE **120**, 957.
***SpOct* gene**
SpOct and cleavage of sea urchin zygotes: CHAR, TAN AND MAXSON **120**, 1929.
Sporulation
induction of *Dictyostelium* sporulation: RICHARDSON, LOOMIS AND KIMMEL **120**, 2891.
Spriggina
molecular biology and palaeontology: CONWAY MORRIS **Supplement**, 1.
Squid
symbiotic bacteria induce host morphogenesis: MONTGOMERY AND MCFALL-NGAI **120**, 1719.
Starfish
determination of archenteron in starfish: KURAISHI AND OSANAI **120**, 2619.
Star
Star and its interactions with *sevenless* and EGF receptor in *Drosophila:* KOLODKIN, PICKUP, LIN, GOODMAN AND BANERJEE **120**, 1731.
Steel factor
role of LIFR in PGC growth: CHENG, GEARING, WHITE, COMPTON, SCHOOLEY AND DONOVAN **120**, 3145.
Stem cell
DNA methylation of imprinted genes: FEIL, WALTER, ALLEN AND REIK **120**, 2933.
miti gene in RP2/sib lineage specification: BHAT AND SCHEDL **120**, 1483.
Sternum
multiple developmental defects in *Engrailed-1* mutant mice: WURST, AUERBACH AND JOYNER **120**, 2065.
Steroidogenic cell
Ad4BP expression in gonads and adrenal gland: HATANO, TAKAYAMA, IMAI, WATERMAN, TAKAKUSU, OMURA AND MOROHASHI **120**, 2787.
Stomach-specific expression
tissue interaction and pepsinogen expression: FUKUDA **120**, 3487.
string
G_1 gene expression in *Drosophila*: DURONIO AND O'FARRELL **120**, 1503.
transcriptional regulation of *string*: EDGAR, LEHMAN AND O'FARRELL **120**, 3131.
Stripe
segment border cells induce muscle patterning: VOLK AND VIJAYRAGHAVAN **120**, 59.
Subcellular localization
subcellular localization of patched protein: CAPDEVILA, PARIENTE, SAMPEDRO, ALONSO AND GUERRERO **120**, 987.

Suppressor of Hairless
antagonistic activities of *Su(H)* and *H*: SCHWEISGUTH AND POSAKONY **120**, 1433.
Survival
p75-deficient DRG and SRG neurons: LEE, DAVIES AND JAENISCH **120**, 1027.
***sus* mutants**
abnormal suspensor mutants of *Arabidopsis*: SCHWARTZ, YEUNG AND MEINKE **120**, 3235.
Suspensor
abnormal suspensor mutants of *Arabidopsis*: SCHWARTZ, YEUNG AND MEINKE **120**, 3235.
Symbiosis
symbiotic bacteria induce host morphogenesis: MONTGOMERY AND MCFALL-NGAI **120**, 1719.
Symmetry
evolution of flowers and inflorescences: COEN **Supplement**, 107.
symmetry systems and compartments in Lepidopteran wings: NIJHOUT **Supplement**, 225.
Symplast
dye-coupling in *Arabidopsis* root epidermis: DUCKETT, OPARKA, PRIOR, DOLAN AND ROBERTS **120**, 3247.
Synaptogenesis
N-cadherin in neuromuscular system: CIFUENTES-DIAZ, NICOLET, GOUDOU, RIEGER AND MEGE **120**, 1.
T cells
embryonic expression and cloning of the murine GATA-3 gene: GEORGE, LEONARD, ROTH, LIEUW, KIOUSSIS, GROSVELD AND ENGEL **120**, 2673.
Tagmosis
Hox genes in arthropods: AKAM, AVEROF, CASTELLI-GAIR, DAWES, FALCIANI AND FERRIER **Supplement**, 209.
Tailbud
evolution of vertebrate gastrulation: DE ROBERTIS, FAINSOD, GONT AND STEINBEISSER **Supplement**, 117.
Target specificity
corticospinal specificity in coculture: KUANG, MERLINE AND KALIL **120**, 1937.
TATA box-binding protein
gene expression in preimplantation embryo: WORRAD, RAM AND SCHULTZ **120**, 2347.
Taxol
microtubule arrays of the zebrafish yolk cell: SOLNICA-KREZEL AND DRIEVER **120**, 2443.
teashirt
ectopic *teashirt* expression: DE ZULUETA, ALEXANDRE, JACQ AND KERRIDGE **120**, 2287.
Teleost
microtubule arrays of the zebrafish yolk cell: SOLNICA-KREZEL AND DRIEVER **120**, 2443.
Temporal colinearity
and phylotypic progression: DUBOULE **Supplement**, 135.
Tenascin
evolution of ECM proteins: ENGEL, EFIMOV AND MAURER **Supplement**, 35.
tenascin expression during implantation: JULIAN, CHIQUET-EHRISMANN, ERICKSON AND CARSON **120**, 661.
Teratorhabditis
evolution of cell lineages in nematodes: SOMMER, CARTA AND STERNBERG **Supplement**, 85.
Testis
expression of a novel serine/threonine kinase receptor gene: BAARENDS, AN HELMOND, OST, AN DER SCHOOT, OOGERBRUGGE, E WINTER, ILENBROEK, ARELS, ILMING, EIJERS, HEMMEN AND ROOTEGOED **120**, 189.
Zfy-1/lacZ expression in the mouse: ZAMBROWICZ, ZIMMERMANN, HARENDZA, SIMPSON, PAGE AND R. L. **120**, 1549.
Tetrapod
evolutionary developmental biology of the tetrapod limb: HINCHLIFFE **Supplement**, 163.
TGF
growth factors suppress P_o induction: MORGAN, JESSEN AND MIRSKY **120**, 1399.
TGFβ
dpp regulation by homeotic genes: MANAK, MATHIES AND SCOTT **120**, 3605.
expression of a novel serine/threonine kinase receptor gene: BAARENDS, AN HELMOND, OST, AN DER SCHOOT, OOGERBRUGGE, E WINTER, ILENBROEK, ARELS, ILMING, EIJERS, HEMMEN AND ROOTEGOED **120**, 189.
growth factors in development: HOGAN, BLESSING, WINNIER, SUZUKI AND JONES **Supplement**, 53.
myogenesis and type II TGF-β receptor: FILVAROFF, EBNER AND DERYNCK **120**, 1085.
nodal function in mouse embryos: CONLON, LYONS, TAKAESU, BARTH, KISPERT, HERRMANN AND ROBERTSON **120**, 1919.
regulation of NGF synthesis by TGF-β in development: BUCHMAN, SPORN AND DAVIES **120**, 1621.
teashirt and midgut morphogenesis: MATHIES, KERRIDGE AND SCOTT **120**, 2799.
TGFβ and muscle histogenesis: CUSELLA-DE ANGELIS, MOLINARI, LE DONNE, COLETTA, VIVARELLI, BOUCHE, MOLINARO, FERRARI AND COSSU **120**, 925.
TGFβ1 inhibits lung bud development: SERRA, PELTON AND MOSES **120**, 2153.
thick veins and TGFβ homologs in *Drosophila*: AFFOLTER, NELLEN, NUSSBAUMER AND BASLER **120**, 3105.
type II TGF-β receptor in mouse development: LAWLER, CANDIA, EBNER, SHUM, LOPEZ, MOSES, WRIGHT AND DERYNCK **120**, 165.
TGF-β_1
cytokines and pancreatic differentiation: SANVITO **120**, 3451.
synergism of bFGF and TGF-β_1 in chondrogenesis: FRENZ, LIU, WILLIAMS, HATCHER, GALINOVIC-SCHWARTZ, FLANDERS AND VAN DE WATER **120**, 415.
Thalamic innervation
thalamic cell behaviour on cortical slices: EMERLING AND LANDER **120**, 2811.
Thaumaptilon
molecular biology and palaeontology: CONWAY MORRIS **Supplement**, 1.
Thrombospondin
evolution of ECM proteins: ENGEL, EFIMOV AND MAURER **Supplement**, 35.
Thyrotrope cell lineage
pituitary ontogeny of the Snell dwarf mouse: LIN, LI, DROLET AND ROSENFELD **120**, 515.
Timing
evolution of cell lineages in nematodes: SOMMER, CARTA AND STERNBERG **Supplement**, 85.
tinman
axon pathfinding in *Drosophila*: GORCZYCA, PHILLIS AND BUDNIK **120**, 2143.
Tip cell
tip cell specification in *Drosophila* Malpighian tubules: HOCH **120**, 3439.
Tissue interaction
β-catenin distribution in *Xenopus* embryos: FAGOTTO AND GUMBINER **120**, 3667.
mesoderm regulates mouse *Otx2* expression: ANG, CONLON, JIN AND ROSSANT **120**, 2979.
Tissue plasminogen activator
FGF-4 expression in mouse inner cell mass: RAPPOLEE, BASILICO, PATEL AND WERB **120**, 2259.
Tissue polarity
hs-*frizzled* function in tissue polarity: KRASNOW AND ADLER **120**, 1883.

Tissue regression
apoptosis in macrophage-dependent regression: MURPHY **120**, 3395.
Tissue remodelling
apoptosis in macrophage-dependent regression: MURPHY **120**, 3395.
CSF-1 regulation of tissue macrophages: CECCHINI, DOMINGUEZ, MOCCI, WETTERWALD, FELIX, FLEISCH, CHRISHOLM, HOFSTETTER, POLLARD AND STANLEY **120**, 1357.
Tissue-specific parental imprinting
overlapping patterns of *IGF2* and *H19* expression: OHLSSON, HEDBORG, HOLMGREN, WALSH AND EKSTROM **120**, 361.
TN
tenascin expression during implantation: JULIAN, CHIQUET-EHRISMANN, ERICKSON AND CARSON **120**, 661.
Tobacco
pseudodirected variation in cell-division factor requirement: MEINS JR. AND SELDRAN **120**, 1163.
Toll
18 wheeler: ELDON, KOOYER, D'EVELYN, DUMAN, P. AND J. **120**, 885.
Toll
spatzle protein defines dorsal-ventral polarity in *Drosophila*: SCHNEIDER, JIN, MORISATO AND ANDERSON **120**, 1243.
Tolloid
tolloid mutations: FINELLI, BOSSIE, XIE AND PADGETT **120**, 861.
Torso
sevenless and epidermal development in *Drosophila*: DIAZ-BENJUMEA AND HAFEN **120**, 569.
TPA
head-specific gene in hydra: WEINZIGER, SALGADO, DAVID AND BOSCH **120**, 2511.
Trachea
multiple abnormalities in RAR double mutants: MENDELSOHN, LOHNES, DECIMO, LUFKIN, LEMEUR, CHAMBON AND MARK **120**, 2749.
Tracheal development
Drosophila SRF expressed in trachea: AFFOLTER, MONTAGNE, WALLDORF, GROPPE, KLOTER, LAROSA AND GEHRING **120**, 743.
Tramtrack
lola encodes a putative transcription factor: GINIGER, TIETJE, JAN AND JAN **120**, 1385.
Transcription
CNS midline transcription: WHARTON JR **120**, 3563.
down-regulation of *Egf-r* mRNA: STURTEVANT, O'NEILL AND BIER **120**, 2593.
early transcription in *Caenorhabditis*: EDGAR, WOLF AND WOOD **120**, 443.
G_1 gene expression in *Drosophila*: DURONIO AND O'FARRELL **120**, 1503.
pha-1 and organ development: GRANATO, SCHNABEL AND SCHNABEL **120**, 3005.
SpOct and cleavage of sea urchin zygotes: CHAR, TAN AND MAXSON **120**, 1929.
tubulin expression in *Patella* embryos: DAMEN, VAN GRUNSVEN AND VAN LOON **120**, 2835.
Transcription factor
Caenorhabditis elegans hypodermal cell fates: LABOUESSE, SOOKHAREEA AND HORVITZ **120**, 2359.
Drosophila BR-C protein expression: EMERY, BEDIAN AND GUILD **120**, 3275.
GATA-1 expression in mouse Sertoli cells: YOMOGIDA, OHTANI, HARIGAE, ITO, NISHIMUNE, ENGEL AND YAMAMOTO **120**, 1759.
gene expression in preimplantation embryo: WORRAD, RAM AND SCHULTZ **120**, 2347.
Kruppel regulation by *hunchback*: SCHULZ AND TAUTZ **120**, 3043.
regulation of trophoblast gene expression: NG, GEORGE, ENGEL AND LINZER **120**, 3257.
Transcritpional regulation
Drosophila head development: GROSSNIKLAUS, CADIGAN AND GEHRING **120**, 3155.
Transformer
somatic *tra* and *dsx* control of sex of germ cells: STEINMANN-ZWICKY **120**, 707.
Transforming growth factor-β (See TGFβ)
Transgene
phylogenetic analysis of *oskar* function: WEBSTER, SUEN AND MACDONALD **120**, 2027.
X chromosome in primordial germ cells: TAM, ZHOU AND TAN **120**, 2925.
Transgenic mouse
innervation-dependent gene regulation: TANG, JO AND BURDEN **120**, 1799.
melanocyte gene expression stimulation: PORTER AND MEYER **120**, 2103.
PYY-producing cell in islet differentiation: UPCHURCH, APONTE AND LEITER **120**, 245.
t-PA/lacZ transgenic mice: CARROLL, TSIRKA, RICHARDS, FROHMAN AND STRICKLAND **120**, 3173.
transitional cells in the regenerating pancreas: GU, LEE, KRAHL AND SARVETNICK **120**, 1873.
Wnt-1 can act as a mitogen in the CNS: DICKINSON, KRUMLAUF AND MCMAHON **120**, 1453.
Wnt-1 expression in developing mouse CNS: ECHELARD, VASSILEVA AND MCMAHON **120**, 2213.
Transition
midgut epithelium formation: TEPASS AND HARTENSTEIN **120**, 579.
Transmembrane receptor
thick veins and TGFβ homologs in *Drosophila*: AFFOLTER, NELLEN, NUSSBAUMER AND BASLER **120**, 3105.
Transplantation
establishment of granule cell identity: GAO AND HATTEN **120**, 1059.
Transposon
enhancer piracy and *rhomboid* function: NOLL, STURTEVANT, GOLLAPUDI AND BIER **120**, 2329.
***Trans*-regulatory factors**
regulation of *E(spl)*: KRAMATSCHEK AND CAMPOS-ORTEGA **120**, 815.
TRE
head-specific gene in hydra: WEINZIGER, SALGADO, DAVID AND BOSCH **120**, 2511.
Tribolium
evolution of arthropod segmentation: PATEL **Supplement**, 201.
Hox genes in arthropods: AKAM, AVEROF, CASTELLI-GAIR, DAWES, FALCIANI AND FERRIER **Supplement**, 209.
Trigeminal ganglion
selective change in neurotrophin response: BUJ-BELLO, PINON AND DAVIES **120**, 1573.
trithorax
HOM/Hox functional conservation: MANAK AND SCOTT **Supplement**, 61.
regulation of bithorax by *trithorax* in *Drosophila*: SEDKOV, TILLIB, MIZROKHI AND MAZO **120**, 1907.
Trochoblast
tubulin expression in *Patella* embryos: DAMEN, VAN GRUNSVEN AND VAN LOON **120**, 2835.
Trophectoderm
gp330 during mouse early development: GUETH-HALLONET, SANTA-MARIA, VERROUST AND MARO **120**, 3289.
Trophoblast
integrins and trophoblast invasion: DAMSKY **120**, 3657.
regulation of trophoblast gene expression: NG, GEORGE, ENGEL AND LINZER **120**, 3257.
Trunk
mouse neural crest lineage: SERBEDZIJA, BRONNER-FRASER AND FRASER **120**, 1709.

α-Tubulin
tubulin expression in *Patella* embryos: DAMEN, VAN GRUNSVEN AND VAN LOON **120**, 2835.
β-Tubulin
tubulin expression in *Patella* embryos: DAMEN, VAN GRUNSVEN AND VAN LOON **120**, 2835.
Tunicate
gene duplications and vertebrate origins: HOLLAND, GARCIA-FERNANDEZ, WILLIAMS AND SIDOW **Supplement**, 125.
twins
protein phosphatase 2A and cell fate: SHIOMI, TAKEICHI, NISHIDA, NISHI AND UEMURA **120**, 1591.
twist
autonomy of *Drosophila* mesoderm development: LEPTIN AND ROTH **120**, 853.
insect embryogenesis: TAUTZ, FRIEDRICH AND SCHRODER **Supplement**, 193.
Tyrosinase
melanocyte gene expression stimulation: PORTER AND MEYER **120**, 2103.
Tyrosine kinase
shrimp oocyte activation by Mg^{2+}: LINDSAY AND CLARK JR. **120**, 3463.
Ubx
teashirt and midgut morphogenesis: MATHIES, KERRIDGE AND SCOTT **120**, 2799.
UE
tenascin expression during implantation: JULIAN, CHIQUET-EHRISMANN, ERICKSON AND CARSON **120**, 661.
Ultrabithorax
dpp regulation by homeotic genes: MANAK, MATHIES AND SCOTT **120**, 3605.
evolution of diversity in insects: CARROLL **Supplement**, 217.
generating a parasegment 6 identity: MANN **120**, 3205.
Hox genes in arthropods: AKAM, AVEROF, CASTELLI-GAIR, DAWES, FALCIANI AND FERRIER **Supplement**, 209.
temporal requirements for homeotic genes: CASTELLI-GAIR, GREIG, MICKLEM AND AKAM **120**, 1983.
undulated
Pax-1 during development of the pectoral girdle: TIMMONS, WALLIN, RIGBY AND BALLING **120**, 2773.
Uterine epithelia
tenascin expression during implantation: JULIAN, CHIQUET-EHRISMANN, ERICKSON AND CARSON **120**, 661.
Uterus
HB-EGF in the periimplantation mouse uterus: DAS, WANG, PARIA, DAMM, ABRAHAM, KLAGSBRUN, ANDREWS AND DEY **120**, 1071.
UV-laser
fate mapping of silkworm eggs: MYOHARA **120**, 2869.
Vein formation
sevenless and epidermal development in *Drosophila*: DIAZ-BENJUMEA AND HAFEN **120**, 569.
Veinlet
blistered wing development: FRISTROM, GOTWALS, EATON, KORNBERG, STURTEVANT, BIER AND FRISTROM **120**, 2661.
Vendobionta
molecular biology and palaeontology: CONWAY MORRIS **Supplement**, 1.
ventral nervous system defective
vnd and early neurogenesis: SKEATH, PANGANIBAN AND CARROLL **120**, 1517.
Ventricular zone
proliferation of cortical progenitor cells: TEMPLE AND DAVIS **120**, 999.
Vertebral column
Pax-1 and axial skeleton development: WALLIN, WILTING, KOSEKI, FRITSCH, CHRIST AND BALLING **120**, 1109.
Vertebrate
vertebrate limb evolution: COATES **Supplement**, 169.
Vertebrate evolution
temporal colinearity and phylotypic progression: DUBOULE **Supplement**, 135.
Viability
RK2, a glial-specific homeodomain protein in *Drosophila*: CAMPBELL, GORING, LIN, SPANA, ANDERSSON, DOE AND TOMLINSON **120**, 2957.
Vibrio
symbiotic bacteria induce host morphogenesis: MONTGOMERY AND MCFALL-NGAI **120**, 1719.
virosk
phylogenetic analysis of *oskar* function: WEBSTER, SUEN AND MACDONALD **120**, 2027.
Visual system development
Drosophila R7 retinotopic map formation: ASHLEY AND KATZ **120**, 1537.
nerves activate transposon expression: MOZER AND BENZER **120**, 1049.
Vitronectin
avian crest cell migration on vitronectin: DELANNET, MARTIN, BOSSY, CHERESH, REICHARDT AND DUBAND **120**, 2687.
Volborthella
molecular biology and palaeontology: CONWAY MORRIS **Supplement**, 1.
Vulva
evolution of cell lineages in nematodes: SOMMER, CARTA AND STERNBERG **Supplement**, 85.
W/W^v
GATA-1 expression in mouse Sertoli cells: YOMOGIDA, OHTANI, HARIGAE, ITO, NISHIMUNE, ENGEL AND YAMAMOTO **120**, 1759.
Waiting period
sensory projections in the spinal cord: SHARMA, KORADE AND FRANK **120**, 1315.
Weaver
Wnt-3 expression in the cerebellum: SALINAS, FLETCHER, COPELAND, JENKINS AND NUSSE **120**, 1277.
Wing
evolution of diversity in insects: CARROLL **Supplement**, 217.
origin and migration of peripheral glia: GIANGRANDE **120**, 523.
positional signaling in the chick wing bud: HELMS, THALLER AND EICHELE **120**, 3267.
sevenless and epidermal development in *Drosophila*: DIAZ-BENJUMEA AND HAFEN **120**, 569.
symmetry systems and compartments in Lepidopteran wings: NIJHOUT **Supplement**, 225.
Wing margin
wingless signalling in the *Drosophila* wing margin: COUSO, BISHOP AND MARTINEZ ARIAS **120**, 621.
Wing morphogenesis
blistered wing development: FRISTROM, GOTWALS, EATON, KORNBERG, STURTEVANT, BIER AND FRISTROM **120**, 2661.
wingless
arm stripes and *wg* signal transduction: PEIFER, SWEETON, CASEY AND WIESCHAUS **120**, 369.
axis formation in the *Drosophila* leg: DIAZ-BENJUMEA AND COHEN **120**, 1661.
dischevelled in *wingless* signaling: THEISEN, PURCELL, BENNETT, KANSAGARA, SYED AND MARSH **120**, 347.
hedgehog family proteins in development: FIETZ, CONCORDET, BARBOSA, JOHNSON, KRAUSS, MCMAHON, TABIN AND INGHAM **Supplement**, 43.
mesodermal Wingless affects the ectoderm: LAWRENCE, JOHNSTON AND VINCENT **120**, 3355.
segment border cells induce muscle patterning: VOLK AND VIJAYRAGHAVAN **120**, 59.

signalling in the *Drosophila* wing margin: COUSO, BISHOP AND MARTINEZ ARIAS **120**, 621.
teashirt and midgut morphogenesis: MATHIES, KERRIDGE AND SCOTT **120**, 2799.
wingless signalling in the *Drosophila* wing margin: COUSO, BISHOP AND MARTINEZ ARIAS **120**, 621.
***Wnt* gene**
gene duplications and vertebrate origins: HOLLAND, GARCIA-FERNANDEZ, WILLIAMS AND SIDOW **Supplement**, 125.
Wnt-1 can act as a mitogen in the CNS: DICKINSON, KRUMLAUF AND MCMAHON **120**, 1453.
Wnt-3 expression in the cerebellum: SALINAS, FLETCHER, COPELAND, JENKINS AND NUSSE **120**, 1277.
***Wnt-1-lacZ* fusions**
Wnt-1 expression in developing mouse CNS: ECHELARD, VASSILEVA AND MCMAHON **120**, 2213.
Wnt-1
cadherin expression in *Wnt-1* mutants: SHIMAMURA, HIRANO, MCMAHON AND TAKEICHI **120**, 2225.
in met/mesencephalic grafts: BALLY-CUIF AND WASSEF **120**, 3379.
***Wnt* family**
Wound epidermis
chimaeric RA receptors in wound epidermis: PECORINO, LO AND BROCKES **120**, 325.
X chromosome inactivation
Xist RNA in mouse tissues and ES cells: BUZIN, MANN AND SINGER-SAM **120**, 3529.
X-chromosome number
ovo and the X: OLIVER, SINGER, LAGET, PENNETTA AND PAULI **120**, 3185.
X-inactivation
X chromosome in primordial germ cells: TAM, ZHOU AND TAN **120**, 2925.
X-linked *lacZ* transgene
X chromosome in primordial germ cells: TAM, ZHOU AND TAN **120**, 2925.
X:A ratio
nematode primary sex determination: HODGKIN, ZELLAN AND ALBERTSON **120**, 3681.
ovo and the X: OLIVER, SINGER, LAGET, PENNETTA AND PAULI **120**, 3185.
XASH
XASH genes promote neurogenesis: FERREIRO **120**, 3649.
Xbra
cytoplasmic determinants in frog development: LEMAIRE AND GURDON **120**, 1191.
Xenobiotic response
CNS midline transcription: WHARTON JR **120**, 3563.
Xenopus
activin induction requires FGF signaling: LABONNE AND WHITMAN **120**, 463.
activin thresholds and cell morphology: SYMES, YORDAN AND MERCOLA **120**, 2339.
activin-mediated induction requires FGF: CORNELL AND KIMELMAN **120**, 453.
3667.
cadherin in the *Xenopus* blastula: HEASMAN, GINSBERG, GEIGER, GOLDSTONE, PRATT, YOSHIDA-NORO AND WYLIE **120**, 49.
β-catenin distribution in *Xenopus* embryos: FAGOTTO AND GUMBINER **120**, caudalization by the organizer: YAMADA **120**, 3051.
CRABP expression and anteroposterior defects in *Xenopus*: DEKKER, VAESSEN, VAN DEN BERG, TIMMERMANS, GODSAVE, HOLLING, NIEUWKOOP, VAN KESSEL AND DURSTON **120**, 973.
cytoplasmic determinants in frog development: LEMAIRE AND GURDON **120**, 1191.
disruption of *Xenopus* E-cadherin: LEVINE, LEE, KINTNER AND GUMBINER **120**, 901.
emergence of activin thresholds: GREEN, SMITH AND GERHART **120**, 2271.
evolution of vertebrate gastrulation: DE ROBERTIS, FAINSOD, GONT AND STEINBEISSER **Supplement**, 117.
GATA-2 in *Xenopus* embryos: WALMSLEY, GUILLE, BERTWISTLE, SMITH, PIZZEY AND PATIENT **120**, 2519.
growth factors in development: HOGAN, BLESSING, WINNIER, SUZUKI AND JONES **Supplement**, 53.
microtubule movement in *Xenopus* eggs: HOULISTON **120**, 1213.
neural induction and intracellular pH: SATER, ALDERTON AND STEINHARDT **120**, 433.
proteoglycans in mesoderm formation in *Xenopus*: ITOH AND SOKOL **120**, 2703.
XASH genes promote neurogenesis: FERREIRO **120**, 3649.
Xlim-1 gene expression in *Xenopus*: TAIRA, OTANI, JAMRICH AND DAWID **120**, 1525.
Xhox3
growth factors in development: HOGAN, BLESSING, WINNIER, SUZUKI AND JONES **Supplement**, 53.
Xist
Xist RNA in mouse tissues and ES cells: BUZIN, MANN AND SINGER-SAM **120**, 3529.
Xlim-1
Xlim-1 gene expression in *Xenopus*: TAIRA, OTANI, JAMRICH AND DAWID **120**, 1525.
Xnot-2
evolution of vertebrate gastrulation: DE ROBERTIS, FAINSOD, GONT AND STEINBEISSER **Supplement**, 117.
Xwnt-8
cytoplasmic determinants in frog development: LEMAIRE AND GURDON **120**, 1191.
emergence of activin thresholds: GREEN, SMITH AND GERHART **120**, 2271.
YIGSR
laminin receptors on mesenchyme: CRAWFORD AND BURKE **120**, 3227.
Yolk syncytial layer
microtubule arrays of the zebrafish yolk cell: SOLNICA-KREZEL AND DRIEVER **120**, 2443.
Zea mays
gl15 regulates epidermal identity in maize: EVANS, PASSAS AND POETHIG **120**, 1971.
maize homeobox meristem markers: JACKSON, VEIT AND HAKE **120**, 405.
Zebrafish
16-cell-stage fate map: STREHLOW, HEINRICH AND GILBERT **120**, 1791.
cardiovascular development in zebrafish: LEE, STAINIER, WEINSTEIN AND FISHMAN **120**, 3361.
evolution of vertebrate gastrulation: DE ROBERTIS, FAINSOD, GONT AND STEINBEISSER **Supplement**, 117.
expression of *goosecoid* in zebrafish embryos: SCHULTE-MERKER, HAMMERSCHMIDT, BEUCHLE, CHO, DE ROBERTIS AND NUSSLEIN-VOLHARD **120**, 843.
homologue of the mouse *T* gene: SCHULTE-MERKER, VAN EEDEN, HALPERN, KIMMEL AND NUSSLEIN-VOLHARD **120**, 1009.
pharyngeal lineage restrictions: SCHILLING AND KIMMEL **120**, 483.
RARs and fin regeneration: WHITE, BOFFA, JONES AND PETKOVICH **120**, 1861.
restriction of zebrafish trunk crest fate: RAIBLE AND EISEN **120**, 495.
rtk gene expression during zebrafish gastrulation: XU, HOLDER, PATIENT AND WILSON **120**, 287.
Zebrin
zebrin II is identical to aldolase C: AHN, DZIENNIS, HAWKES AND HERRUP **120**, 2081.

zeste-white 3
axis formation in the *Drosophila* leg: DIAZ-BENJUMEA AND COHEN **120**, 1661.
Zeste-white 3 kinase
arm stripes and *wg* signal transduction: PEIFER, SWEETON, CASEY AND WIESCHAUS **120**, 369.
Zfy-1
Zfy-1/lacZ expression in the mouse: ZAMBROWICZ, ZIMMERMANN, HARENDZA, SIMPSON, PAGE AND R. L. **120**, 1549.
Zinc finger
Caenorhabditis elegans hypodermal cell fates: LABOUESSE, SOOKHAREEA AND HORVITZ **120**, 2359.
lola encodes a putative transcription factor: GINIGER, TIETJE, JAN AND JAN **120**, 1385.
Zfy-1/lacZ expression in the mouse: ZAMBROWICZ, ZIMMERMANN, HARENDZA, SIMPSON, PAGE AND R. L. **120**, 1549.
Zona pellucida
mouse egg activation: XU, KOPF AND SCHULTZ **120**, 1851.
Zone of polarizing activity
positional signaling in the chick wing bud: HELMS, THALLER AND EICHELE **120**, 3267.
ZPA
positional signaling in the chick wing bud: HELMS, THALLER AND EICHELE **120**, 3267.
Zygaenidae
symmetry systems and compartments in Lepidopteran wings: NIJHOUT **Supplement**, 225.